



E S S A Y S

UPON

NATURAL HISTORY,

AND OTHER

MISCELLANEOUS SUBJECTS,

BY GEORGE EDWARDS, Fellow of the ROYAL SOCIETY, and of the SOCIETY of ANTIQUARIES, LONDON.

TO WHICH IS ADDED,

A CATALOGUE, IN GENERICAL ORDER,

OF THE

BIRDS, BEASTS, FISHES, INSECTS, PLANTS, &c. contained in Mr. EDWARDS' Natural History.

LONDON:

Printed for J. R o B S O N, Bookfeller, at the Feathers in New Bond-street.

M,DCC,LXX.

1770

1 0 v 8 9 v

20 IATAO A



An and you Louista'll

QH 81 E26 1770 BIRDEB

PREFACE.

THE greatest part of the following Essays have already appeared before the public in Mr. Edwards' Natural History, but in a detached and unconnected form, and at an expence perhaps rather too great for many who delight in Natural History.

It was therefore to accommodate fuch, and to affift the curious in their refearches, or any future writer upon this fubject, that the editor has been induced to this publication: and to make it still more generally useful, there is added a catalogue, in generical order, in English and French, of the names of all the birds, beafts, fishes, insects, plants, &c. &c. contained

tained in the faid Natural History; which has the peculiar advantage over all other works of that nature, to be original in its figures, as well as descriptions.

*** The numbers added to the articles in the Generical Catalogue refer to the plates in the History where the subjects are described and figured.

CONTENTS.

ESSAY I.

CHAP. I.

| Of the Wisdom a | nd Power of | God | in | the | W | orks of |
|--------------------|-------------|------|-----|-----|------------|---------|
| the Creation | • | | - | |] | Page 1 |
| | Снар. | II. | | | | |
| The subject contin | nued - | | - | | | 7 |
| | С н а р. | III. | | | | |
| The fubject conti | inued | - | | - | | 15 |
| | С н а р. | ıv. | | | | |
| The subject contin | nued - | | - | | in. | 23 |
| | Снар. | v. | | | | |
| The fubject contin | nued - | | - ' | | , <u>*</u> | 29 |
| | Снар. | VI. | | | | |
| The fame | - , - | | | - | | 34 |
| • | | | | E | S | SAY |

ESSAY II.

CHAP. I.

| On Natural History, a | nd chiefly | Ornitho- | |
|--------------------------|---------------|--------------|-------|
| logy - | -, | - Pa | ge 41 |
| С н | AP. II. | | |
| The fubject continued | | - | 58 |
| | | | |
| ESS | A Y III | | |
| Сн | A P. I. | | |
| | | | , |
| Of Birds of Passage, &c. | &c. | | 69 |
| Сн | AP. II. | | |
| The fame continued | - | - | 87 |
| Сн | A P. III: | | |
| The fame continued | - | ÷ . | 99 |
| | | | |
| | | | |
| Receipt for making Pictu | res of Birds, | with their | |
| natural Feathers | - | - | 113 |
| Receipt for taking the F | igures of Bu | tterflies on | |
| Paper - | 4 | <u>.</u> | 116 |

ESSAY IV.

| Characters of eminent Men, viz. | | | | | | |
|--|-------|--|--|--|--|--|
| of the Duke of Richmond | 121 | | | | | |
| of Sir Hans Sloane | 122 | | | | | |
| of Dr. Mead | 124 | | | | | |
| of Martin Folkes, Efq; | 126 | | | | | |
| Catalogue of Sir Hans Sloane's museum | 128 | | | | | |
| Account of Hudson's Bay, and effects of cold there 131 | | | | | | |
| An attempt to discover the cause of the rising of th | e | | | | | |
| fea, and agitation of the leffer waters at Lisbon | 1, | | | | | |
| after the earthquake, November 1755 | 137 | | | | | |
| An idea of drawing and painting in water-colours | | | | | | |
| Brief instructions for etching, or engraving on | | | | | | |
| copper-plates with Aqua Fortis | 158 | | | | | |
| | | | | | | |
| Anecdotes and Additional Accounts of | lome | | | | | |
| Subjects in Natural History, viz. | | | | | | |
| The bearded vulture | 172 | | | | | |
| Of the porcupine | 176 | | | | | |
| The whip-poor-will, or leffer goat-fucker | 177 | | | | | |
| The peteril | 178 | | | | | |
| The eider-cock | 180 | | | | | |
| The fummer-duck | ib. | | | | | |
| Maccaws | 181 | | | | | |
| Mor | ikies | | | | | |

viii CONTENTS.

| Monkies | 183 |
|--|-----|
| The bat | 184 |
| The ruffed heath-cock, or grous - | 188 |
| The fpur-winged plover | 193 |
| The butcher-bird | 195 |
| Account of the Needles in the Isle of Wight | 196 |
| On the immersion of swallows, | 200 |
| Directions how to prepare birds preferved in spirits | |
| for drawing. | 201 |
| A Generical catalogue of Birds, &c. described | |
| in Mr. Edwards' Natural History, in English | |
| and French | 202 |

ESSAY I.

On the Wisdom and Power of God in the Works of Creation.

CHAP. I.

HE wisdom and power of God are manifest to all rational creatures, from a contemplation of his wonderful works in the creation of this world: He hath formed every beast of the field, bird of the air, and fish of the waters: He hath also formed every tree and plant; every creeping insect was made by him. All that the earth, air, or waters produce, were created by God's power. Now, as man is the only rational being in this world, it seemeth plain, by natural light, that the dominion of all creatures was given to him by God; therefore,

fince man's obligation to God is greater than that of any other creature, his acts of humiliation, adoration, and gratitude, ought to be, in some degree, proportionable to the favour and benefits he hath received. Amongst the many acts of gratitude we owe to God, it may be accounted one, to fludy and contemplate the perfections and beauties of his works of creation. Every new discovery must necessarily raise in us a fresh fense of the greatness, wisdom, and power of God: He hath fo ordered things, that almost every part of the creation is for our benefit, either to the support of our being, the delight of our fenses, or the agreeable exercise of the rational faculty. If there are some few poisonous animals and plants fatal to man, these may ferve to heighten the contrary bleffings; fince we could have no idea of benefits, were we infenfible of their contraries; and feeing God has given us reason, by which we are able to choose the good and avoid the evil, we fuffer very little from the malignant parts of the creation.

God hath given to brute animals a certain law whereby to govern themselves, which is called Inflinct; it being an inward implanted tendency to particular actions, from which they cannot stray. This instinct, or inward force, appears to be stronger in brutes than in the human species, and supplies to them the defect of reafon. Man hath an inftinct also, but much weaker than that in other animals: to make up that want God hath given him a glimmering of that heavenly light called Reason. Now, as man was defigned lord of this lower world, and the possession of every part thereof was given to him, the instinct of brutes would not have been fufficient: nor would reason itself have been enough without fome inward appetites; for without instinct his generation would probably have foon been at an end; and we should have neglected the support of our individual bodies, had we only reason, and not hunger to tell us, that eating was necessary to life.

Reason is our director when we change our country from one extreme climate to another: The Russian, though inclosed in houses,

B 2

firmly

firmly fecured against the penetration of the cold air, and inwardly heated with floves, when he travels into Persia and India, is directed by the fame reason to fleep in the open air, and on the tops of houses, and to use machines to agitate and bring fresh air about him; and, on the contrary, the Ethiopian, though his lodging be in the open plains and defarts, and he without any clothing, yet, when he is brought to Europe, he is glad to screen himself in warm houses, and warm himfelf by fires, and cover himfelf with thick clothing. Reason giveth man this pre-eminence over brute beafts; by it he can make almost all parts of the world habitable to him by arts and inventions to screen himself from the great heats in some parts, and defend himfelf from the piercing colds in other parts of the world. No brute animal can thus indifferently inhabit any part of the world, because their innate laws are unchangeable, and accommodated only to fuch climates as nature has placed them in; fo that I believe there is no creature whose race is spread in all habitable parts of the world as is that of the human species. Each animal feems to have his appointed climate, out of which,

if he be removed to one far different, his generation ceaseth, or looseth its first properties; whereas such creatures, as continue where nature placed them, hardly vary at all from the species from which they sprang, preserving the same magnitude, form, and colours throughout all ages; for it seemeth as if God had set particular marks of distinction on each species, from which they cannot stray.

From this reason I found the agreement between each different generation of animal and plant, which always continues to bear the form and likeness of those in which they were first inclosed. Indeed some domestic animals and plants differ, in some fort, from their first parents, which were savage. I take these differences not to be very material, and to proceed from the unnatural food, habitation, and other circumstances that may alter the plant or animal in magnitude or colour; which is not material, seeing these things, so made domestic, if turned again to their native habitations,

tations, in a generation or two cast off those accidents attained by unnatural situations, and recover their first forms and colours stamped on them in the first creation of the whole species.

CHAP.

CHAP. II.

ANY who have wrote in former times on nature, suppose that all things, which were at first created by God on this globe, have been ever fince, by his Providence, continued through an implanted seminal power down to these times, and will continue as long as the earth endureth: yet some great naturalists in these days are quite of a different opinion, and their reasons for these opinions are sounded on the great variety of fossil substances found daily in many parts of the world, resembling animals and parts of animals now in being, as well as animals and parts of animals not to be met with by the most laborious searches of the curious.

From the general face of things we may fafely conclude there have been great revolutions on the face of this earth, which in many places feem to have been caused by a great quantity of water prevailing, and passing very swiftly over its surface, breaking up its lower parts, and rear-

ing them into mountains, and carrying other parts which have lain high into the fea; fo that in many places we find buried, in high mountains far inland, fubstances which received their first formation in the fea, and in some low grounds, deep buried near the fea, we find many things that received their first forms in the mountains. It is probable some of these great revolutions might be so wide spread at once, as utterly to extinguish some animals that were in God's original creation of this world.

If we consider the beautiful parts of nature, fo far as they charm the fight by the lustre and variety of colours, and the fineness of the texture of parts, I think many will agree, that the fine things produced may charm the eye, as much as the most studied and harmonious compositions in music can charm the ear. But it is common to say, that people who have no delight in music, have no ear: And I think, we may as justly say of those, who are not moved to admiration when the beauties of nature present themselves, that they want eyes. Whether or not nature designed the beautiful forms

forms and colourings we perceive in feveral kinds of infects and other animals, as things to delight and please the sense of those animals, and others of the brute creation: Or whether they were defigned principally for the delight and contemplation of man the lord of this lower world, is a question. A reason, in my opinion, why insects are not fenfible of their own beauty, is the form of their eyes, which let in the light through a kind of net-work, which must discover the objects in a confused manner; or if we suppose each little part a distinct eye, they are so small that an object must almost touch them to be distinctly perceived in its parts, and the quantity taken in at once fo small, that the entire form of one infect can hardly appear plain to another; these eyes may indeed serve them to distinguish opake bodies from the clear air they fly in; and, when they approach very near, to pick out small particles lying on leaves and fruits, which fupply most infects with food.

Now, as the eyes of man feem to be more adapted than those of insects to receive the various forms and colours of natural things, I am of opinion, that God principally defigned these things, not only to please and delight the outward senses of man, but that the contemplation of them should point out to the mind the surprising manner of God's method of working who created all things; and this may serve as natural arguments of his infinite wisdom and power.

Mr. Horsley, in his Britannia Romana, making a fort of apology for that work in his preface, has these words, which will not be amiss to quote for my present purpose. "I have always look- ed on it as an instance of divine wisdom, that it should be so ordered that different men have fuch different tastes and inclinations. By this means the several parts of knowledge are more cultivated: And I think we owe our thanks to any one who will apply himself to the study of any particular thing, though it seem minute, and may not suit our taste or inclination to pursue it ourselves. This gives us, at least, an opportunity of knowing, on easier terms, what can be said on that subject."

[11]

It is always necessary that every age should labour to discover something, and not sit down content with the discoveries of our forefathers; for experience shews, that the knowledge of our anceftors dwindles away, and decays daily; for fuch is the nature of time, that it obscures or destroys the knowledge of past ages by the many wasteful events which happen in a long course of years, fuch as fire, rapine, inundations, lofs of the liberties of countries, and many other things. But, more than all these, the change of languages affects our knowledge; for no language continues the fame for many centuries: infcriptions indeed have continued some thousands of years, but when the languages are dead in which they are wrote, the fenfe of them by ages becomes darker and darker, till at last they are utterly obscure, as we find the most ancient are; witness the monuments of the ancient Egyptians, the ruins of Persepolis, Palmyra or Balbeck, and many others in divers parts of the world which have almost outlived their descriptions; so that we cannot depend on the knowledge of the ancients as a perpetual fund; but must gather what we can from them, and add to it as much as we can of our own, that the stock we have may be kept

up by adding fomething in the room of what must inevitably be lost; for if we sit down content with what is already known, which is a knowledge evidently decreasing every day, in a few ages we may know nothing, and be reduced to a state equal to the wild Americans, since we know that Europe itself hath been well nigh reduced to such a state a few centuries ago, by falling into a superstitious lethargy, neglecting all farther improvements of knowledge, and despising reason, nature, and the evidence of sense.

Every one ought to attain to as high a degree of natural knowledge as he can, for a deep knowledge in nature has detected many false pretenders to inspiration, prophesy, and the like, while the ignorant in nature and her laws have been deluded by the meanest and lowest pretenders, such as diabolical possessions, fantastical apparitions, dreams, good and bad omens, and the like.

As arts have been brought by gradual steps, from one degree of perfection to another, by joining joining the knowledge of past times, left us in the writings of those that are gone before, with the discoveries and experience of the present times, fo even the knowledge of nature itself hath been multiplied by the various degrees of conception, and different powers of penetration that have been given by God through past ages to mankind, which have been handed down through the records of time to us. Without this knowledge of other men joined to our own, our knowledge would be like that of favage people who live together in fmall tribes or families, and have nothing but mere mother wit and pure natural capacity, chiefly derived from the fenses, to direct them, they not knowing what any of their ancestors said or thought before them for want of characters to express words; so that each man's knowledge is his own, or has little affiftance from others: I do not mean, that, while we are fearching into nature's works, we should neglect the curious arts and inventions of men; for by being well skilled in arts we are enabled the better to make discoveries in nature. Befides, a fine art lost may never be recovered; but nature.

nature, though at present unknown by searching, may at one time or other be found, because she always endureth and continueth the same. Art and nature, like two sisters, should always walk hand in hand, that so they may reciprocally aid and affist each other.

CHAP.

CHAP. III.

MAN, when he beginneth to exercise his rational faculties, ought to fet before his intellectual mind the ideas of truth and falshood, and endeavour to find out, in the most strict and absolute sense, what they are; and, when he hath found them, he ought to govern all his actions by the former, and avoid the latter: but it is exceeding hard to discover what truth is in a world of falshood and controversy, where all of us fuck in error with our milk. Is not great part of the world taught to believe, that their fenses are liars, and that things which appear to be the same, to the strictest scrutiny of our senses, are really and absolutely quite otherwise? Many we know fuffer themselves to be led into such inconfiftent beliefs as these; but it is a fixed and firm article of my private faith, that God hath given us our fenses as a touchstone of truth; and that when any writing, tradition, or bold affertion, advances any opinions, that directly and flatly contradict the fenses which God hath given

us to judge by, they are absolute falshoods, and ought to be rejected of all mankind. If we can discover what truth and falshood are really, we then have grounds to reflect upon, and may form our reflections into reasonings; but what right reason is we shall find it more difficult to discover, than what is simple truth and falshood: for our conceptions of matter, being only what enter by the dark doors of our fenses, are, when entered, to one man one thing, and to another quite a different thing, which maketh human reason so fallacious and various; for our reason proceeding from fense, and sense being different. or receiving different ideas from the same object by different men, it follows of necessity, that there is no fuch thing abfolutely as a general human reason, which is right and the same, the ftandard of which may be conveyed by writing, or tradition, from one age to another; but that every man hath his own particular reason, which is different in men according as God hath given them ftrength or weakness in their understanding to judge of fuch things as enter by the fenses. It feemeth to me, that in various men the fenfes differ infinitely; for that colour which is a favourite

vourite in the eyes of one, is indifferent or difagreeable to another; which, perhaps, may proceed from differentt inctures in the crystalline humour; and fome founds are indifferent, or perhaps displeasing to some, though they fill others with the highest rapture. Men vary in the same manner in the senses of touching, tasting, and fmelling: human reason also receives other impressions (which generally cleave too fast to it) such as proceed from the different educations, religions, and customs of different times and places. For all who have feen but a little of the world know how very different the general reasonings of one country are from those of another; and he who has been slightly conversant in history but a few ages backward, will find, that the opinions and reasonings of the fame place and people, in an age or two, are quite transformed and changed; fo that I cannot see that we have, in our imperfect state, any fuch thing as right reason founded on demonstration, except in some few mathematical cases, which must constrain the assent of all men. Therefore, we cannot certainly conclude on hardly any thing without controversy, we must

C

steer the best course we can, setting before our eyes truth as the port we endeavour to gain, which ought always to be our director in opinions and actions, in relation to God and man, as well as in our general practices and speculations in the world.

He that would write any thing in general on nature, or on any particular natural fubject, ought, so far as his faculties will permit him, to penetrate into its fources, and trace it backward, if possible, to find out the first cause and mover of all things. If we confider ourselves, and the animal beings that inhabit the face of this globe, we must wonder, at first, how they came to be; but, when we think of the infcrutable fprings of life and motion, we must be astonished to the highest degree, not knowing from whence these things spring: and we can solve these inconceivable things no other way, than by fuppoling there must exist some great, invisible, inconceivable, all-wife, and all-powerful Creator; fince the visible creation is sustained always, producing the fame forms of natural things, which fucceed from one generation to another, through the

the course of time; which could not be, if Chaos had prevailed, as some have taught; for were the immense mass of matter without a living, all-powerful being to animate it, it must rest without motion, or act by a fermentation which would always generate new and monstrous forms. Now, fince from natural light we have discovered a God of infinite power and wifdom, whose attributes are all immensurable and infinite, we cannot suppose his kingdom less than eternal; nor his space, or matter, less than immense: by eternity I mean time, not as measured by the course of a planet in any system, but a constant, continued fuccession of duration, that shall know no end; by immensity I mean the greatest given quantity of matter, or space, infinitely multiplied, which infinite multiplication will always fall infinitely short of the immense quantity of matter; for if we cast our thoughts beyond this lower fystem, and dive into the endless depths of space, we are utterly loft; because the height, depth, and extension on all sides, slies away infinitely faster, and more distant, than the swiftest and most extended thought can follow. As the greatest part of matter is to be multiplied Co withour

without end, so is the least part of matter to be divided infinitely, notwithstanding the false doctrine of atoms, the least or indivisible parts of matter, and the seeming contradiction of infinite numbers contained in finite space; for God, by his power, can as easily pierce infinitely into a small thing, as extend his dominion through the regions of immensity.

On this principle of infinite number contained in finite space, I suppose that God, by one act of his will and power, created the first living and individual principle of every fingle, generating, created being, that hath made, or shall hereafter make its appearance in the world: these living and individual principles, being inclosed one within another infinitely, were placed in the first visible individuals of each species; and it is the work of time and generation gradually to bring to light the inclosed and hidden principles, which, as their progenitors decay and fall off, extend themselves to their natural destinated fizes, in order to keep up a constant fuccession of each species. The precise exactness of fize, colour, shape, and other conditions

ditions of animals and plants, which they have retained in all ages, wherein history hath given us any account of them, hath induced me to believe, that all the individuals of each species were produced at the same time, by one act of the will and power of God. The animalcula discovered in the semen masculinum of all living creatures by the laborious M. Van Leuwenboeck, in his microscopical observations, and, since his time, confirmed by many others, is, I think, a strong argument for the above opinion.

To proceed, and come a little nearer to my purpose:

If a man may be allowed truly to declare what spirit he is possessed with, as some of our modern enthusiasts have falsely, yet boldly done; I must consess, that a zeal for expressing natural things, with the utmost truth and preciseness, hath always inspired me, even to such a degree, that I have sometimes been afraid it would rise to something like what appears in bigots,

bigots, who pretend to infpiration; but as I never was a favourer of fuch enthusiastic or defigning men, so I was always on my guard, left my natural reasoning should be corrupted by slights, of which I could give no satisfactory account to the common sense and understanding of mankind.

CHAP.

CHAP. IV.

MAN is a creature too weak and imperfect to trace the works of the Great Creator in their just and natural gradations; yet he, with all humility and gratitude, ought to own, that, of all God's visible creatures, he is under the greatest obligations to his Creator, for having given to him the first place amongst created beings in this lower world, and also the command, dominion, and rule over all the beings inferior to himself that cover the face of this globe, having even denied them the means of escaping from man's unbounded will and tyranny. The human race is not only thus fuperior to the other creatures on this earth, but each particular man feems intended by his Maker to be equally free, and not subjected to the arbitrary will of any other man. Tyrants over men are the effect of popular depravity, vice, and unbounded ambition; and, when ufurped

usurped power persecutes, oppresses, and tortures mankind beyond a degree of human fufferance, a door is left open for their escape, which Providence has denied to brutes. The goodness of God to man is a mystery our weakness can never unravel. We are all naturally tyrannical, and all feek and endeavour to gain power and dominion over each other. We, with regret, fubmit to the superior power of those stronger or more powerful than ourfelves. Our compacts with one another arife from the mutual jealoufy and fuspicion each one has of his neighbour's villainy. Should a just, fublime, and highly rational created being, far above the condition of man, condefeend to give us a real history of some of our greatest heroes, wisest lawgivers, and canonized faints, what shocking scenes of lawless force, brutal cruelty, cunning, circumvention, deceit, vile hypocrify, and facrilegious frauds, would fuch a faithful history be filled with! It would certainly make men appear more infamoufly wicked, than men have made infernal spirits in the aerial histories they have given of them.

If we would know what men are in a state of nature, we may turn our eyes on despotic princes, and we shall see them acting without any law or conscience to restrain them from what their natural inclinations dictate. To sum up all the faculties of man, we must examine the whole brute creation, and take in all their qualities, such as in man would claim the names of virtues or vices: and this will give us the various mixtures of virue and vice in the human species, in some of whom the virtues are predominant, and in others the vices, though none of them are without a mixture of both, and they are more or less virtuous or vicious in proportion to such mixture.

Had man been created benevolent to all of his own kind, having no will or defire to subdue or rule over others, or invade their property, and likewise endowed with a desire to affist and help his weaker neighbour; had peace and tranquillity been inviolably maintained amongst the whole race; the world, before this time, must have been

fo overstocked with people, that it would have been impossible for them to subsist in it; and the animals, &c. which were given by God for the food of man and of each other, would have been nearly, if not quite extinct: for we know, that many of the wild animals require vast uninhabited plains, forests, and mountains, to breed, feed, and bring up their young. But Providence has ordered things otherwife, by putting enmity between man and man, and between nation and nation, in order to prevent the over-great increase of the human kind, which must consequently have greatly lessened, if not entirely extirpated, many of the animal species, before the still increasing number of men had proved their own destruction, which finally must have been the case: but it is reasonable to believe, that Providence equally regards the preservation of all the animals, &c. that are created.

Wife states, that have superstitious and ignorant subjects, are often under a necessity of making such laws as consist little with rea-

fon, common fense, or the natural liberties of mankind: they often are obliged by fuch methods to flop the course of popular clamour, which would otherwise reduce a well-established ftate to anarchy and confusion. The remedy against fuch inconveniencies is a flack execution of fuch bad laws. I believe, the wifest of the human race do not expect to find real and absolute moral justice and right amongst the most honest and most experienced of their own species; for right and wrong, virtue and vice, &c. are differently understood, according to the different modes, customs, and religions of different countries, and different times in the fame countries; though, in the unchangeable Divine Will, it would be great presumption in us to suppose the least variation or shadow of change. Divine justice and rectitude must be absolutely and constantly the same; but, as we are in our nature very imperfect beings, our conceptions, words, and actions, must be all imperfect; infomuch, that were ten of the wifest amongst men, living at the same time.

[28]

time, and under the same government, to form a plan of moral, universal, absolute rectitude in the conduct of human life, they would all widely differ from each other.

CHAP.

CHAP. V.

I N all countries, whether agriculture be promoted or neglected by mankind, nature affifts to fow and plant as well as to fertilize the earth. The feeds of lofty trees are many of them winged; and when they are ripe, the autumnal winds blow them off, and scatter them at a great distance from their mother plants: others are in pods, or husks, and not capable of being carried by the motion of the air; but Providence hath given them as food to birds, who carry them to distant places, and in feeding scatter part of the seed in soils proper for them to take root in and fpring up. Even the droughts of the autumn contribute to increase and propagate trees and plants; for by caufing deep chinks or chaps in the earth, the feeds of trees, and larger plants, that require depth, are lodged at proper depths for their growth, and, at the fame time, fecured from fuch animals as feed on them. The feeds of annual plants

are, many of them, provided with a light down, by which they are enabled, with the help of the wind, to rife to great heights, and fpread themselves very wide to propagate their species in diftant lands. The fun, by its annual visits to the northern and fouthern tropics, alternately gives action and rest to vegetation. The floods, which in many countries fall at certain feafons from the mountains, cover the plains, and enrich the foil by the fediment of their waters. The winter's frosts also, by expanding the moisture contained in the earth, loosen and break the clods, fo as to make them give way to the spreading roots of vegetables: swine, moles, and fome other animals, root up and loofen the earth, and fit it to receive the feeds of plants.

The Rev. Mr. Robinson, rector of Ousby in Cumberland, in his Natural History of West-moreland and Cumberland, part II. page 97, says, "that birds are natural planters of all forts of wood and trees: they disseminate the kernels upon the earth, which, like nurseries, brings them forth till they grow up to their "natural"

" natural strength and perfection," He says, "About twenty five years ago, coming from "Rofe-Castle early in the morning, I observed "a great number of crows very busy at their "work, upon a declining ground of a mostly " furface: I went out of my way on purpose to "view their labour; and I found they were " planting a grove of oaks. The manner of their " planting was thus: they first made little holes " in the earth with their bills, going about and " about till the hole was deep enough, and then "they dropped in the acorn, and covered it " with earth and moss: the young plantation is " now growing up to a thick grove of oaks, fit " for use, and of height for the crows to build "their nests in. I told it to the owner of the " ground, who observed them to spring up, and " took care to fecure their growth and rifing. "The feafon was at the latter end of autumn, " when all feeds were fully ripe."

Mr. Robinson seems to think, that Providence had given the crows this instinct solely for the propagation of trees; but, I imagine,

it was given them principally for their own prefervation, by hiding provision in time of plenty, in order to supply them in a time of scarcity ; for it is observed, in tame pyes and daws kept about houses, that they will hide their meat when they have plenty, and fetch it from their hiding-places when they want it: fo that fuch an instinct in these birds may answer a double purpose, both their own support in times of need, and the propagation of the trees they plant; for, wherever they hide a great number of nuts or grain in the earth, we cannot suppose they find them all again, but that as many will remain in the plat of ground they make use of, as can well grow by one another. Nature hath been amazingly bountiful in the wonderful increase of seeds in many vegetables; insomuch that, with proper culture, the face of the whole earth might be covered, from the feeds of a fingle plant, in a very few years. The feminating power in animals also equals, if not exceeds, that of plants: if we examine some of the fishes and infects, we find what great numbers of their species they are able to produce.

[33]

But all these great increasers are liable to perpetual destruction, they being the natural food of other animals, and of one another: the larger animals of prey, who are not liable to be thus destroyed, increase very slowly.

D

CHAP.

CHAP. VI.

T is not at all necessary, convenient, or posfible, that a whole civil fociety, or commonwealth, fhould be learned, greatly knowing, or experienced: it is necessary, indeed, that such as are intended for the fludy and practice of deep sciences, should be taught several of the dead languages, the better to enable them to join the knowledge and experience of past ages and diftant countries to that of their own. Politicians, priefts, phyficians, lawyers, hiftorians, &c. cannot be in any degree perfect, without the fund of science preserved in ancient authors. The mercantile part of fociety, of the fuperior class, need not be at the pains, unless they chuse it, to acquire any of the dead languages; but three or four of the living languages of Europe will be necessary to fit them for an extensive traffic, and raife them to the high fortune and reputation in which they stand amongst us; for, I believe, it may as justly be faid, that our

merchants are princes, as it could have been faid of any merchants in ancient times. The like accomplishments may affift many of the middling order of tradesmen. But, as to the lower class of trades, such as handicrasts, farmers, mechanics, &c. their mother-tongue is fufficient for all their purposes; but it is necessary that they should read their own language, and acquire fuch a knowledge of figures as may enable them to keep common accounts. As to the lowest class, such as common labourers, peasants, and that part of the people called the poor, it is not needful that they should have any fort of learning, except what may instruct and forward them in their various labours: it is fufficient that they are instructed in the moral and religious rights of their country, by persons whom the policy of the state, under which they live, has appointed for that purpose. would the orders of men be kept distinct, and labouring people would not be wanting to perform the lowest offices in society. A wrong policy prevails with us at prefent under the name of charity, Our middling people, through a thort fightedness, give education to the children

D 2

of

of the lowest class, above what the employments they ought to be bred up to can require: this robs the public of labouring people, and fets these children upon an equality with those of their benefactors, which must consequently hurt the benefactors children, by increasing the number of their order; for many of these children of the poor, when thus educated, will, in the rifing generation, out-strip, circumvent, and difplace the children of their benefactors, at a time when few of the benefactors themselves are living to see the consequences of their mistaken charity. To support the poor in times of necesfity, and to instruct and train their children in a habit of industrious labour, is real charity; and its confequences tend to the good of fociety. Men of great estates, I think, should be educated in proportion to their fortunes, and above those of the middling people; because out of fuch are generally chosen the governors and directors of states, as well as those who act as magistrates in their separate divisions; such ought to have knowledge and experience above that of the bulk of mankind whom they are defigned to govern. As to gentlemen who have made the chace their fole pleasure, and defign to breed their sons to the same occupation, it is needless that they should have a better education than that of their tenants, the samers, who are generally their companions; for it requires very little knowledge to enable a man to break his neck in the pursuit of deer, hares, foxes, &c. and in leaping over hedges, ditches and gates.

As I have no defign to publish any thing more in Natural History, these essays being chiefly extracts from my great work in seven volumes in quarto *, my petition to God (if petitions to God

* Mr. EDWARDS'S Address to the Public on the Sale of his Works to Mr. ROBSON.

College of Physicians, Warwick-Lane, May 1, 1769.
To the Nobility, Gentry, and Curious in general.

HAVING this day fold and delivered to Mr. James Robson, bookfeller in New Bond-fireet, all the remaining copies of my Natural History of Birds, and other rare and undescribed Animals, Quadrupeds, Reptiles, Fishes, &c. &c. in seven volumes quarto, French and English, printed upon a sine royal paper, containing fix hundred distinct subjects, engraved upon three hundred and fixty-five copper plates, from designs copied immediately from nature, and coloured under my own inspection; together with all my copper plates, letter-press, and every article in my possession relative to it: I have thought it a duty incumbent upon me, in justice to the public, as well as the purchaser, to declare that all future publications of the said natural history are the sole right and

God are not prefumptuous) is, that he would remove from me all defire of pursuing Natural History, or any other study, and inspire me with as much knowledge of his Divine Nature as my imperfect state is capable of; that I may conduct myself, for the remainder of my days, in a manner the most agreeable to his will, which must consequently be most happy to myself. What my condition may be in futurity is known only to the Wise Disposer of all things: yet my prefent desires are (perhaps vain and inconsistent

property of Mr. Robson: and that my labours may be handed down to pofferity with integrity, truth, and exactness, I have delivered into his hands a complete set of the plates, highly coloured by myself, as a standard to those artists who may be employed in colouring them for the future.

As the remainder of my life will be chiefly fpent in retirement, I beg leave to return my most grateful acknowledgments to the nobility, gentry, and public in general, for all their favours, and generous support, during the tedious period of all my publications; and am with the greatest truth and respect,

Their faithful and obliged

Humble fervant,

GEO. EDWARDS.

† † The public may always depend upon having of Mr. Robson, Mr. Edwards's Natural Hiftory, 7 vols quarto, carefully coloured, at the usual price of fourteen guineas half bound, or at a proportionable price in any elegant binding.

with the nature of things!) that I may become an intelligent spirit, void of gross matter, gravity and levity, endowed with a voluntary motive power, either to pierce infinitely into boundless etherial space, or into solid bodies; to see and know how the parts of the great universe are connected with each other, and by what amazing mechanism they are put and kept in regular and perpetual motion. But, oh vain and daring presumption of thought! I most humbly submit my suture existence to the supreme will of the One Omnipotent.

If men, in the prefent age, at the conclusion of their poetical, historical, or other works, should vaunt and promise themselves immortality, as many of the ancients seem to have done, I believe it would only serve to render them ridiculous, and depreciate rather than enhance the value of their peformances: nor can I believe that the ancients were openly so vain or self-conceited, as to promise themselves immortality in such a glaring manner; but I rather imagine, that those vain flourishes were added by their enthusiastic admirers, in the copies that were

made after the death of the authors. Our incomparable Shakespear was far from expecting an immortal name: witness the following quotation from his works:

The cloud-cap't tow'rs,
The gorgeous palaces,
The folemn temples,
The great globe itself,
Yea, all which it inherit,
Shall diffolve;
And, like the baseless fabric of a vision,
Leave not a wreck behind.

What may be the future fate of my NATURAL HISTORY, I cannot pretend to judge: but confcious of having endeavoured to become a useful member of society, I submit it to the critics, correctors, translators, regravers; and lastly, if it deferves no better fate, to obscurity and utter oblivion.

ESSAY II.

On Natural History; and Chiefly Ornithology.

CHAP. I.

ATURAL History cannot, in any degree, be perfect without figures; therefore I think we should promote drawing in all such young people who seem to have a liking to it; no one need think it an amusement beneath his dignity, since our present royal family, and many of the young nobility, have been instructed in that art. Every one who consults ancient authors is very sensible of their deficiencies in the want of figures; for many things are mentioned by a bare name, without any description or figure; and great physical virtues

virtues, and other uses, are attributed to some of these things; but there being no certain marks to flew what things in nature were called by those names, we have now wholly lost them, or take different things for them, or are in dispute about them; therefore authors, naturalists especially, should confult, first of all, the outward forms of things, in order farther to explain them by descriptions and other marks; and deliver them down to posterity, so as to free them, as far as human reason is capable of, from the losses and injuries they may fustain from time. fcribing natural things nothing ought to be omitted that is any way remarkable; and may fix and establish the character of the thing described, so as plainly to distinguish it from all other things: this may be done without following the minute steps of some authors, who have wrote large books on fingle birds or plants; for long descriptions lead the mind into mazes and confusion, and tire rather than instruct. On the other hand, too brief descriptions should be avoided; for very often these are found to confift only of fuch general forms and colourings that are common to many things of the fame genus

genus with the thing so briefly described, which makes the description uncertain, or rather no natural description at all. If naturalists would observe this medium, and study a plain comprehensive language, and well expressing the things treated of, they might gradually, by making the study both useful and pleasant, bring many into the love of natural history who now despite it.

I know there are some gentlemen that put the terms of mean and little upon fuch sciences or studies that they themselves have no taste for; and others would make them useless by calling them mere speculations. Natural history has been particularly aspersed and treated in this manner by the enemies to all real knowledge, their ideas, or conceptions, reaching only to fuch objects and pursuits as produce immediate profit or fenfual pleafure: but if thefe gentlemen will look back a little, they will find that men as great, as wife, and magnanimous, at least, as themselves, in all ages, have busied themselves in the discoveries and knowledge of nature. King Solomon is a great example in this matter, who was himself a natural historian, and perhaps had penetrated

netrated farther into nature than any one has done fince. Alexander the Great was remarkable for encouraging all the fine arts, as well natural history as other literature, without which his memory could not have subsisted till this time. But to eome nearer our own times, Lewis XIV. of France, though one of the greatest princes of the age he lived in, and engaged in feveral wars for a confiderable part of his life, yet found time to improve his mind by the ftudy of the fine arts, and established an academy for the farther improvement of arts and new difcoveries in nature: he was fuch a lover of the productions of nature, that he made gardens, and built magnificent stoves, &c. for the reception and raifing of all exotic plants; and built at Verfailles, near his palace, an elegant and curious place called the Managery, with large apartments and conveniencies for living animals from all parts of the world; and not only rare pictures and sculptures of the greatest masters were collected in his cabinets, but feveral extraordinary productions of nature. Augustus the late king of Poland was also a great encourager of natural knowledge, and had

had made a large collection of natural productions from most parts of the world .- To come still nearer, even to our own times, his present majesty king George III. has, with a liberality and munificence equal to the Augustan age, become the patron and enourager of the sciences and arts; and generously founded and endowed an academy of drawing, painting, architecture and fculpture. The numerous and noble collection of, paintings, manuscripts, and books in all languages and fciences, (but particularly in natural history) together with all kinds of natural and artificial rarities and curiofities collected by his majesty from all parts of the world, in the course of a few years, will deservedly rank the king of Great-Britain's cabinet with that of the greatest princes of Europe.

They who draw after nature, on account of natural history, should represent things justly, and according to Nature, and not strive to exalt or raise her above herself; for by so doing, instead of instructing, they will lead the world into errors; nor can the works of two authors

on the fame subject ever agree. The historical painter, especially he who would represent the fictions of the poets, may take greater liberties, and fludy by all methods to elevate his subject by adding the highest strokes of art, in order to please the eye, and raise in the mind ideas equal to the historian or poet he would represent : yet every one who reads natural history, and fees figures and descriptions of things in nature, supposes they are, or ought to have been immediately drawn and defcribed from nature. But no experienced man, when he beholds an historical piece, supposes the figures there drawn are like to those they are intended to represent either in feature or person, any farther than in general the historian or poet may have told us, that one man was a graceful person, another a little crooked or deformed; which accidents a painter has liberty to carry to what degree of perfection or imperfection he can conceive, provided always he doth not contradict the letter of his historian. But in drawing after nature, a most religious and scrupulous strictness is to be observed; and by this means only we can demonstrate, that nature is or is not the same through

through all times. If natural historians, or they who draw for them, would carefully observe these rules, some of them might, perhaps, produce figures that would be deemed perfect by the knowing naturalists of these times, and escape their censure; then might they, like the celebrated statues of the ancient Greeks and Romans, pass down as models to suture ages, as things justly and truly representing nature; but these things are rather to be wished for than expected.

I have been as perfect in my Natural History as the nature of the thing will admit of, in order that it may be added to a new general Ornithology (which, I think, is wanting) in case any one fit for the task should undertake it. It may not be here improper to give my thoughts on that subject, the study of which has lain dormant for many years: I know no English author who has wrote any thing considerable since Mr. Ray revised Willoughby's manuscript History of Birds, which was published anno 1678, till of later years Mr. Ray hath added some few, which see in his Synopsis Method. Avium, &cc.

where he has mentioned the authors from whom he collected them. The Memoirs of the Academy Royal of Paris, on fuch an occasion, ought also to be consulted, where something new may be collected. Mr. Catefby, in his History of Carolina, &c. hath figured and described upwards of a hundred rare birds, the greatest part of which would come into a new history, being mostly non-descripts. Albin hath published a great many, I think upwards of 300 figures: but, they being chiefly collected from Willoughby, a compiler must look cautiously on him; what new birds he has worthy of any notice are from Mr. Dandridge's collection, the originals of which I have feen, and could wish Albin's copies after them had been better; for what is well done after nature itself will be always valuable. Albin has given fome draughts of birds, which, he fays, were from Sir Thomas Lowther's collection: but I am very doubtful as to them, they being taken from drawings done by some very mean peformer, which Albin has not thought proper to confess. By accident I happened to meet with fome of these drawings, which has confirmed me in the truth of what I say. The natural histories

Histories we have had in England, till of late years, are mostly translations from other languages, which has rendered the understanding of them fomewhat difficult; for I believe it altogether impracticable to make a translation run fo fmooth and intelligible as the original from which one translates, without losing a good deal of the true fense and meaning of its author. This we daily discover in translators, who are forced. in some particular parts, to give the words of the first author in the margin, because they cannot be intelligibly rendered in the language of the translator; fo that being in its original language is always an advantage to a book, because translations must necessarily, at least in some small degree, give the readers of them different ideas from the originals. My Natural History hath the advantage to be original in its figures, as well as its descriptions; not one of the former being copied from others, or the latter either translated or transcribed.

We are much deceived by people who shew foreign birds and beasts; for they, to make them seem more rare, often pretend them to be

natives of places very diftant and unknown, by which, not only the ignorant, but fometimes the more knowing, are deceived; and, to ftrike us with furprise, they pretend that to be a fierce, savage and untameable creature, which in its real nature is very gentle and harmless. From fuch impositions proceeds the vulgar opinion, that the porcupine is a fierce beaft, and that it can kill by shooting its quills, though indeed he is a beaft of the more gentle and harmless kind. I believe there are few observing people, that are any way curious, but must have detected fome of their cheats. Many African birds have got the name of Americans amongst. us, because they generally come to us from the West Indies; they being first brought thither from Africa in ships, which trade in Negroe flaves, and prefented by captains to governors and planters in America, from whom they are often fent into England as prefents to the nobility and our London merchants, without mentioning their being natives of Africa, by which mistake many birds are afferted to be natives of countries where they were not bred. Therefore, fince it is not always possible to gain such full

and perfect accounts as one could wish, I think no man should be discouraged from publishing accounts of natural things, because he cannot give fo full an account of them as he defireth; for it is enough in a faithful author, if he can give but a tolerable account of things which we have not heard of before, or a clearer history of things we have yet known but obscurely, which may give a later fearcher opportunity to discover things more perfectly; for it is altogether impossible in many cases, at first, to come to the knowledge of things in all their particular circumstances. It is the work of some only to hint to us what there is in nature, barely by names; and of others, to fearch a little farther. and give some tolerable account of them, which may enable others, who come after, to attain a more perfect knowledge of things, who, perhaps, would never have busied themselves about them, had they not received their first hints from authors far more dark than themfelves. In natural productions we often meet with rare things brought from diffant parts of the world, which have lain in obscurity, unregarded by any knowing person, till it is for-

E 2

gotten

gotten from whence they were produced: when fuch things are discovered. I think it better to preserve figures and descriptions of them, than to let them fink in oblivion, to which they were hastening; because, when we certainly know that these things subsist in nature, the curiosity of fome will be incited to inquire after them, in order to make more full and perfect discoveries. Sir Francis Bacon has left us fomething in his Advancement of Learning, pointing out the means of improving science (which is, I think, fuitable to our present argument) in the following lines: "Those things are to be held pos-"fible, which may be done by fome person, "though not by every one; and which may be "done by many, though not by any one; and " and which may be done in fuccession of ages, " though not within the hour-glass of one man's " life; and which may be done by public de-" fignation, though not by private endeavour."

One is somewhat constrained in Natural History, having only one figure of each species, to keep to such attitudes in figures as will shew all their principal parts and colours treated of;

otherwise the figures and descriptions together would not be so agreeable to some readers. Therefore many such actions, turns, and fore-shortenings, which make up the agreeable variety of masterly compositions, must be avoided, lest they hide what is most conspicuous in the natural descriptions.

In colouring after nature one should be careful that the lights be not made too light, especially where subjects are of dark colours, because it may deceive those whom we design to inform, by making them believe those subjects are lighter coloured than they really are in nature; every indifferent judge not confidering that an artist cannot express the fullness of light and shadow in a picture, as they appear in natural objects: For example, what man can express the fullness of a shadow in an object that is wholly black; for the paper or canvass the object is drawn on, must be exposed to a good light to shew it advantageously to the eye, by which means the blackeft shadow one can make will appear as light as the highest light of the fame black object placed in the fame degree of light;

light; fo that we are conftrained to raife our lights in fuch objects fomething above their appearance in nature, otherwife all would be flat; for as we cannot make the shadows so dark as they appear in nature (shadows in painting being exposed to a strong light) fo confequently our lights must be lighter than they appear in nature, that there may be the fame proportion between light and shadow in pictures as there is in natural objects; but an excess of light ought to be avoided, otherwise in painting a black object, we may give the beholder rather an idea of grey. In painting objects perfectly white, you have not the advantage of railing your lights above what your natural object prefents, so that in pictures there cannot be fo great a difference between dark and light objects, as in natural bodies: this way of reasoning in relation to painting might be carried to a great length. I formerly imagined it possible, by the highest perfection in the art of painting, to deceive the eye, by performing what might be taken for nature; but, fince I hit on the above reasons, I plainly discover it to be impracticable. have observed, that rude scene paintings in theatres

theatres are more deceptive than more finished works; but this proceeds from the distance and lamp light in which we view them.

It is observable, that there are birds peculiar to fome particular tracts of land, which will not propagate or fpread themselves into other countries, though in the fame latitude, and on the same island, by which they might very eafily extend themselves, if one particular place had not fomething in it, unknown to us, which causes them to continue where they are. To instance one amongst many, by way of example: the Cornish Chough, or Coracias of Aldrovand, is faid by Mr. Willoughby, in his Ornithology, to breed on the clefts and rocks of Cornwal, and on the coasts of Wales, and all the western coasts of England. Yet I cannot learn that there are any of them on the fouthern coafts of England to the eastward of Devonshire, nor on any part of the eastern coafts; though these are in parallel latitudes to the western coasts where these birds abound, and the coasts in many places have clefts and rocks

feem-

feemingly as convenient for them to breed in as any on the western coasts of England. I have also observed the hen birds of a great number of species to be of a brown or clay colour, where the cocks of the fame species are covered with beautiful feathers of a very great luftre. It is very observable in the Duck kind, that the males are most of them remarkable for beautiful colours, and the females, almost all of them, of brownish or earthy colours. We may remark the fame thing in many land birds, as the Peacock, who is remarkable for shining colours, whereas the hen is of a dirty brown, with little or no lustre. The same difference may be observed between the males and females of all the Pheafant kind, and of many other tribes of birds. This difference feems to proceed from a providential design of nature; seeing the hen birds, when they hatch their young, fit on the earth, and are many of them exposed to the open fky, to the view of noxious beafts and birds of prey, which would prefently discover them, were they of glaring colours much differing from

from the earth on which they fit; but by being of an earthy colour, and drawing their heads close to their bodies, they appear like rude clods of earth, and deceive the eyes both of man and beast, by which means they are preferved from destruction.

CHAP.

CHAP. II.

TYORKS of Natural History, when truly illuminated, may be confidered as a book legible to people of all nations and languages, whether learned or illiterate: real representations of animals, &c. properly delineated and coloured, are characters that all nations are taught by nature to understand; and, in many respects, good figures from nature furpass the best verbal descriptions. In the course of my works I have generally had the advantage of working from real nature. many of my fubjects being alive and in high perfection, and others well preferved in order to be imported to us from foreign parts; and, if my figures fall fhort of nature, as they certainly must, it is not for want of care in me, or proper subjects to work from; but because there is an infinite difference between the Great Creator of natural productions, and the prefumptuous weak creature, who dared to essay an imitation of the works of the Omnipotent, Sometimes, being for a moment thoughtless of the Great Source of nature, I have vainly fancied my faint imitations of her works in some degree complete; but, on the least recollection, a flow, awful, majestic voice seemed to reprove me thus: Vain and presumptuous wretch! dost thou imagine thy faint endeavours can bear the least comparison with the works of him that created thee and all things?

Amongst animals there are, in respect to their fight and time of action, diurnal, nocturnal, and such as act in the morning and evening twilight. Amongst the first may be placed men and monkeys, from the Homo Sylvestris down to the smallest species of monkeys properly so called. Not long since I had a little monkey of St. Jago, who was so very nimble, that, when he got loose in a small room, I could not catch him; but, on shutting the light out of the room, I could take him presently. Birds of the granivorus kind are, I believe, all diurnal: and birds of prey are divided into diurnal and nocturnal; though many of those esteemed diurnal

urnal will prey in the evening and morning twilight, as most of the eagle and hawk kind do. Owls cannot bear the day, and do not fly till the twilight advances towards night; but whether or not they fly in dark nights, I cannot tell. I believe many of the water-fowls to be nocturnal; for herns, bitterns, and fome others, are feen on the wing in the morning and evening twilight. Many of the quadrupeds fee both in the night and in the day, but the cat kind more remarkably; for they not only range and prey in the night, but delight also to bask in the hot sunshine at noon-day, though their eyes are not formed to bear fo strong a light; but nature has given them a power to contract the pupil of the eye in fuch a manner, that no more light is admitted than what their eyes can bear. The bat is wholly a nocturnal quadruped, never appearing by day. All forts of cattle that graze in the fields are diurnal, and, in fome measure, nocturnal; for they move about and feed in the night. Beafts of prey are, in a stricter sense, nocturnal, because the night is their principal time of seeking their prey; nevertheless, most of them

occasionally appear and ravage in the day

There is a very great difficulty to trace precifely the links of nature's chain in its gradation from animal to vegetable beings. When we come below what men generally esteem animals, and enter upon the polypes and coralline species, we are greatly at a loss, as there are various opinions concerning them amongst the curious of these times, some making them real animals, and others real vegetables. For my own part, I think many of them may be deemed of a middle nature, partaking of both; for, though they feem to adhere by roots, and increase as vegetables do, by shooting forth young polypes from their fides, and by becoming perfect polypes from the divided parts of others, which are marks of vegetation, they have, at the fame time, a power to move their parts, and put forth tentacula or arms, with which they catch finall infects whereon they feed, thereby shewing they partake of an animal nature. See Mr. Baker on Polypes, and Mr. Ellis on Corallines. Various are the means in

nature

nature by which animals are produced; forme are males and females of the same species ; others are hermaphrodites, each one of the species partaking of both fexes, as do most forts of fnails, &c. Most animals on the land generate by contact; but many of the female fishes cast their eggs (called hard roe) in the water, when the male fish is near at hand, who shedding his feed (called foft roe) in the water at the fame time, it mixes with, and gives life to the eggs, without his touching the female. The whole race of birds increases from eggs, which they sit upon to hatch their young. Quadrupeds that are hairy, all bring forth their young alive; as do also some few that are scaly, as the Armadilla kind: but all animals of the Lizard kind, whether of the land or water, or frequenting both, from the Crocodile down to the smallest species, lay eggs, which are hatched by the warmth of the fun. Some fishes bring forth their young alive. A remarkable, and, I believe, fingular way of generation is observed in a large species of the toad brought from Surinam, whose back is full of small cavities, in each of which is found a young toad; some of the young broad

brood are breaking forth from their cells, others remain still covered with a thin membrane, and fome of the cells are found empty, at the fame time. A good specimen of this toad is preserved in spirits at the British Museum. Vegetables are propagated in various manners: the most general is by feed; but many by cuttings, flips, shoots from their roots, &c. What I have obferved to be most fingular is the tuft of leaves or crown of the pine-apple (Ananas), which, when taken from the fruit, and fet in a pot of earth, takes root, and becomes a new plant: and the early red lily, which bears roots at every joint up the stem that supports the flower: these roots fall off in the autumn, strike their fibres into the ground, and will, in two or three years, produce flowers. We know little of the generation of minerals, they being hid from our fight.

Infects not only prey on one another, but they can even catch birds, and devour them. The great spiders of America frequently take Humming Birds in their webs. See Marianus's History of Insects. Flies will also destroy sheep and other cattle, by laying their eggs on their fkins amongst their wool or hair; which eggs produce worms that will eat through their skins, and destroy the beasts, unless prevented by the owner's care. The generation of insects is more various and suprising than that of the other parts of the animal creation: many of them appear and act as different animals, in shapes very unlike each other, though they are identically the same.

In claffing of animals there is a very great difficulty. In birds we place the feveral fpecies of the fame genus together; but, when we have done this to the best of our abilities, we are doubtful which genus to prefer to the first place, and so on to the last; for, I believe, no two men, who had not consulted others, would place them in the same order. The like may be said of quadrupeds, sishes, and the whole tribe of lesser animals. It appears, at sist view, as if quadrupeds gradually declined into birds: for the bat seems to have extended wings, and actually slies; and the gerbo hops like a bird on its hinder legs, never using its fore paws or hands

hands in its progreffive motion, which is an action that belongs to birds: yet, on a strict examination, neither of these animals have any relation at all to birds; for they bring forth their young alive, they nourish them with their milk, they are covered with hair, they have teeth, and, in short, four limbs or legs, as other quadrupeds have. The bat, indeed, has the singers of its arms or fore legs greatly lengthened, and connected by sine membranes, to enable it to sly in the air: the gerbo has also hands or fore feet, with singers, in which it holds its food, though it doth not put them to the ground in its progression.

On the other hand, quadrupeds feem to unite with fishes; for it is doubtful whether we should class the several species of the seal kind with the four-footed beafts or sishes: they are hairy, and have teeth like four-footed beafts; but, whether to call their extremities feet or fins, with propriety, I do not know. Amongst birds, the penguins from the Straits of Magellan, and those from the Cape of Good Hope, (see my History of Birds, pl. 49 and 94) are accounted

F

half fowl and half fish by our feamen; but, on a strict inquiry, I think, they must hold the place of perfect birds, partaking of no other animal nature: for, though their little wings appear, at first fight, to be scaly fins, yet, on applying magnifying glasses, they plainly discover themselves to be covered with minute feathers, having tubes or quills, shafts and webs, as larger feathers have.

I believe it would be a vain attempt, in the most knowing naturalist, to think of ranging all the productions of nature, animals, vegetables, and minerals, in such a true and natural order, that each particular body should stand precisely in its proper place, between two other bodies that justly and naturally should go before and follow after it. There arise insurmountable difficulties, when we go about to consider what relation any one body or thing bears to another: sometimes, indeed, the chain of connexion may be carried on, in seeming regular links, for a little way; but we shall find it impossible for human judgment to continue it to any great length.

Mr. Briffon, in his Ornithology, published at Paris, A. D. 1760, has given a General History of Birds, both as a compiler and an original author; and I think it, in general, a very good and useful work: but I find in it, what will happen to every compiler that hath not long and carefully studied the subjects he treats of, viz. frequent repetitions of the same identical species of birds under different names, as they are described by different authors, which by him are described in feparate articles, as birds specifically distinct from each other; by which means, I apprehend, he hath greatly multiplied the species of birds. His Ornithology is now finished, which makes fix thick volumes in quarto, with a great number of copper-plates, containing the figures of a great number of new birds, altogether unknown to me. They are engraved with great labour and neatness: tho' most of them have a stiff air, as if drawn from dried or stuffed birds: but in a work of this nature it is excuseable; for it cannot be supposed the hired operators had opportunity to fee and study the shapes and attitudes of the subjects whilst living. Mr. Brisson has confulted all the authors, whether natural F 2 historians

historians or voyagers, who have wrote any thing on birds, and has collected the names given them by all the authors, in all languages: and I believe his Synonyma are fuller and more extensive than they are in any former author, but these very long Synonyma are very liable to mistakes.

ESSAY III.

OF BIRDS OF PASSAGE, &c.

CHAP. I.

I would be very proper for all travellers into foreign parts, to take notice of what birds and beafts they find, and at what feafons of the year they find them, and at what times they disappear, and when they appear again; that so we may in time give a tolerable account of the places to which birds and beafts of passage go that are found with us, and in other countries, only at certain seasons of the year. Many may think, perhaps, that there are no beafts of passage, but I have been informed by a person of reputation, who now resides in one of the English forts in Hudson's-Bay, that the

deer in that country pass northward in the beginning of winter, and return to the fouth at the approach of fummer; and that they pass in certain beaten tracts well known to the Indians, as well as the English residing there, who lie in wait for them, and kill great numbers for their skins. This makes the thing more strange, and contrary to our common way of reasoning, than it feems to be in the erroneous account; but if we confider, that these deer in the winter are cloathed with an exceeding thick covering, which falls off, and leaves them very thinly cloathed in the fummer, it will reconcile this account a little to our reason. Arthur Dobbs. Efg; has remarked their passage northward in winter, and fouthward in fummer, in his Account and Natural History of Hudson's-Bay. They are faid, by the natives, to pass very far north in the fummer, and to return, in the winter, far enough fouthward to come to a temperate climate. I have in my fearches after birds discovered some few, that are found in England. at certain feafons, to be found also in Bengal; and some found in Europe, though not in England, are found also in Bengal: whether they

they continue there all the year, or are only birds of paffage, as they are with us, I cannot tell; but it would be worth the observation of any curious Englishman residing in that country; therefore I shall set down their names, viz.

The Greater Redftart,
The Witwal,
The Wheat-Ear,
The Small-Green-Wren,
The Houfe-Swallow,
The Bee Eater,
The Wry-neck,

Merula Saxatilis, Aldrov. Icherus, Plinii, Oenanthe or Vitiflora, Regulus non criftatus, Hirundo domeftica, Merops, Iynx or Torquilla.

Of this number the Wheat-Ear, the Green-Wren, the House-Swallow and Wry-neck, are found in England in summer, and all of them in the southern parts of Europe, where I believe they are birds of passage also. All these I have met with in parcels of birds sent from Bengal; and if any person of good observation in India could discover that these birds are absent there while present with us, and present there whilst absent here, it would answer the question, whither and in what manner do these birds pass?

It is indeed my opinion, that all those birds, which are feen with us only fome part of the year, pass into other countries when they are out of our fight. We are certain some of them must, because they do not breed while they continue with us; these are the Wood-cock, Snipes, Field-fare, Redwing, and fome others. These, I believe, go into northern countries to breed. The fummer birds of paffage also come from more fouthern countries northward to us. and breed here. Seeing then birds retire from more northern parts to winter with us, why should not tender birds who visit us in summer, and breed here, retire and shelter themselves in fouthern countries, where they are fecure from cold, which they cannot bear, and find fuch food as is natural to them. But many would make fleepers of them, and fay they retire to holes under ground, and in hollow trees, &c. and that they are fo fat that they cannot fly far at the times they disappear, ; which fatness I take rather for a providential provision to enable them to take a flight of many days without being quite exhaufted and fpent. A farther reason

to me, that our fummer birds who disappear are not fleepers, is, that no fuch fleeping birds have at any time been found, and all the reports of these things are so uncertain, that no sober man can at all depend on them. Did they really creep into holes as is reported, it would be certainly known, and not remain, as it does, a very doubtful matter; for why should they not be daily found fleeping, as are Dormice, by woodmen and country people, fince many of the fupposed sleepers are found awake in much greater numbers. I believe, indeed, that the instinct of these birds is not so absolutely certain, as to prevent them from being fometimes furprifed by a very cold wet autumn. In fuch a case I believe fome flocks of Swallows have loft their paffage, and have been constrained through weakness to shelter themselves in holes where they have perished.

If travellers would be at a little expence of thought and labour, I believe we might come to fome tolerable knowledge in relation to the paffage of birds, which is now very obscure to us. In order to forward such knowledge, I shall here point

point out fuch authors as have faid any thing on that subject, and join to them such little observations as I have made. There was published fome years ago, by Mr. Charles Morton, without date, and fince republished in the Harleian Miscellany, Vol. II. pag. 558. an ingenious, though I think chimerical, account of the Paffage of Birds, which supposes them to go to the moon, or fome invisible aerial island fixed above our atmosphere, with some other such like conjectures. Dr. Shaw in his Travels, or Observations on Barbary, &c. has given us some light as to the paffage of the Stork, which I shall here borrow from him, pag, 428. " The Ibis, that " was once known to every family [in Egypt] is " now become exceeding rare, though the want " of it is fufficiently fupplied by the Stork; " for, besides a great number of these birds, that " might undoubtedly escape my notice, I saw in "the middle of April [1722] our ship lying "then at anchor under Mount Carmel, three "flights of them, each of which took up more "than three hours in passing by us, extending "themselves at the same time more than half a " mile in breadth; they were then leaving Egypt " (where

(where the canals and ponds, that are annually " left by the Nile, were become dry) and direct-" ed themselves towards N. E. It is observed of " the Storks, that for about the space of a fort-" night before they pass from one country to an-" other, they constantly refort together, from all "the circumjacent parts, to a certain plain, and "there forming themselves once every day into " a Dou-wanne (according to the phrase of the people) and are faid to determine the exact " time of their departure, and the places of their "future abodes. Those that frequent the marshes of Barbary appear about three weeks fooner "than the flights above-mentioned were observ-" ed to do, though they likewise are supposed to " come from Egypt, whither also they return a "little after the Autumnal Equinox, the Nile "being then retired within its banks, and the " country in a proper disposition to supply them " with nourishment. No less extraordinary are " those flights of Pigeons, that have been ob-"ferved in New-England, and other parts of " America." I think what is faid by Dr. Shaw in the above quotation is fufficient to convince any one, that the Stork is a constant inhabitant

of this world, and that it only passes from one part of its superficies to another at certain seafons, the better to accommodate itself with a temperate climate, and proper food. that leave Egypt in April, and direct their courfe north-east, are, I suppose, what appear in Germany, and the Low Countries, all the fummer. A north-east direction from Egypt carries them along the coast of Judea, for its whole length; from whence it is likely they go directly north, across Natolia, and pass by the east end of the Black Sea, by which means they have land in view through the course of their whole journey; when they have passed by the Black Sea, the firm lands of Europe and Afia to the north are open before them, fo that they may take their course to the places of their destined habitations. I fuppose they do not breed in Egypt, fince Dr. Shaw hath not mentioned it; but I imagine that all birds of passage go northward to breed, and retire fouthward toward winter, that is, of fuch birds as inhabit on this fide the Equinoctial Line; for, I suppose, that what birds of passage there are, that continue always to the fouth of the Equinoctial, go toward the fouthern Pole in the fummer fummer of that part of the world, and retire toward the Equinoctial Line at the approach of their winter. Yet, I believe, the Stork breeds in some parts of the world as far south as Egypt, though perhaps the climate may be cooler, because of its high situation. For le Bruyn, in his Travels into Muscovy, Persia, &c. tells us, that on the tops of the tall pillars in the ruins of Persepolis he observed Storks nests, on some of them one nest, on others two. Those Storks that pass to the northward of the west from Egypt to the northern coasts of Barbary, I suppose breed there, because they continue there all the summer according to Dr. Shaw's account.

I fuppose those Storks that visit the northern parts of Barbary never pass over the Mediterranean sea into Spain, or France; because we have no account of their being found there at any time of the year. These countries may be, for some cause unknown to us, not adapted to their nature. I am not of the vulgar opinion, that they avoid these lands, because their governments are monarchical. The Stork is, I believe, the largest bird of passage we have in Europe; it is known

known by its flight, and taken more notice of than smaller birds of passage. If any knowing persons, who travel, would make particular observations on the smaller kind of birds, when they pass to and from particular countries, I believe we should soon gain a tolerable knowledge in the passage of the smaller birds, and ascertain the places of many of their habitations at all times of the year. To illustrate the history of the Pelican, I shall add a quotation from Dr. Shaw's Supplement to his Travels or Observations, &c., page 89. which is as follows:

"The Onocrotalus, another noted bird of the "Nile, is likewise called the Pelican; the re"markable large pouch or bag, that is suspend"ed from the bill of this bird, serves not only
as a repository for its food, but as a net like.
"wise wherewithal to catch it; and it may be
further observed, that in feeding its young
ones (whether this bag be loaded with water or
fish) the Onocrotalus squeezes the contents of it
into their mouths, by strongly compressing it
with the bill upon its breast; an action which
might well give occasion to the received tradi
"tion."

L 79]

"tion, and report, that the Pelican, in feeding

" her young, pierced her own breast, and nou-

" rished them with her blood."

The reverend Mr. Durand, F. R. S. has obliged me with an observation on the passage of birds, which he himself made in Spain, and is as follows: "I can aver, that being in Spain in " 1707, in the kingdom of Valencia, upon the " fea coast, a little way from Castillon de la Plane, "I faw, in October, great flocks of birds com-" ing from Africa, in a direct line from the fouth: " fome of them, being flot, were found to be "Thrushes [Grives], but so dry and lean, that "they had little fubstance or taste; the people of the country told me, that they came every " year at the fame feafon in flocks, but that the " greatest part of them go on farther; they grow " fat in Switzerland by feeding on juniper ber-" ries, and are delicious all the winter long."

The above paragraph of Mr. Durand feems to contradict my opinion relating to the paffage of birds; but though these Thrushes come from

the fouth to the coast of Valencia, I do not think it a certain argument, that they come from Africa; for to me it feems contrary to reason to imagine, that after birds have lived in the fummer heats of Africa, they should go to Spain, and on farther northward, to fustain the cold of a winter, in a country fo far north of their fummer habitation; for it is generally believed, that birds pass, in order to attain habitations of near the fame temperature with those countries they come from; now, feeing the fea-coast of Valencia lies north and fouth, an eafterly direction only can bring these birds from the sea. Now, I suppose, that when birds depart from their fummer habitations, they gather into great flocks, and have a certain course to direct themselves in; and that in their greatest rout they may fly so high as to be out of fight; and, when they have arrived at the place of their winter's habitation, they may feparate into lesser flocks, in order to cover some large country; these leffer flocks may tend to every point of the compass; after this they may feparate, and difperfe themselves fingly, in order the better to accommodate themselves with food.

and featter themselves all over a country: so that I suppose, the birds Mr. Durand mentions might come from the most northern parts of Europe, and a great part of them in their passage turn a little to the west, through France, and into Spain; and when arrived about Granada, in the fouth of Spain, might feparate into parties, the better to occupy the whole country; fo that part of them might return a little way northward, along the coasts of Murcia and Valencia, and afterwards spread themselves into the inlands. I think this opinion no way contradicts what Mr. Durand has faid: what is mentioned of these birds feeding and growing fat in Switzerland doth not belong to this question, for it cannot be known. that they are part of the flocks feen paffing on the coast of Valencia.

There was published, anno 1745. in 12mo, A new general History of Birds, with wooden cuts, by J. Osborn in Pater-noster-Row, London; the author anonymous: in the article of

G

the Swallow there are collected feveral observations on, and accounts of, the passage of birds, from good authors *.

Dr. Shaw, in his fore-mentioned work, page 253. fays, "the Woodcock makes its first "appearance in October, and continueth till "March following: the Africans call it [Ham-"marel Hadiel] the Ass of the Partridges." Since no account tells us where the Woodcocks go in summer, I am of opinion that they retire to the northern and unfrequented parts of the world to breed. The above account shews, that they spread themselves far southward in the winter.

I have discovered, that there are many birds common both to the old world and America: I saw lately brought from Hudson's-Bay a bird, under the name of a Snow bird, which, they say, is one of the first that appears in the

^{*} See these Observations, page 96.

fpring, while the fnow is yet on the ground. On ftrictly examining this bird, I found it to be the great Pied-Mountain Finch, or Brambling, described in Willoughby's Ornithology, page 255. Besides this, I have received from North-America the Red-Legg'd Horseman, or Totano, described in Willoughby, page 200. the Bald Coot, described page 319, and the Cross-Bill, or Loxia, described page 248. of the same author. These are all birds found in Europe, as well as in America; two of them. viz. the Crofs Bill, and the Pied-Mountain Finch, are small land birds. I have also received from America the little bird we call the Golden-Crowned Wren. There are many of the water fowls, that frequent the northern parts of the world, found both in Europe and America; the White Partridge, or Lagopus Avis, is found in North-America as well as in Europe. Mr. Catefby, in his History of Carolina, &c. has particularized many birds that he observed to be inhabitants both of America and Europe. I do not wonder to find that birds, who breed on

G 2

the

the fea shores, and make long flights over the fea in the northern parts, should be, indifferently, inhabitants both of the new and old worlds, because we know that toward the North Pole the continents of Europe and America are very near to one another; and may, for aught we know, join near the Pole. We must suppose that these birds have passed from America to Europe, or from Europe to America; or that there were created, at first, birds of the felffame species in both these parts of the world; which, according to my way of reasoning, cannot be supposed. Most of the world agree, that each species sprung from an original fingle pair. But it feems more easy to conceive how the northern water fowl should inhabit all the northern parts of the world, than to imagine how fmall land birds, and fome greater fowls of short flight, such as the White Partridge, should be able, from one and the fame original, to propagate itfelf in Europe and America. I cannot think these small birds, &c. can spread themselves from

from any part of Europe westward, because we know that there are wide feas between Europe and America, which reach pretty near the North Pole, in countries where few or no land birds are found, even in the fummer: therefore I imagine, that they have found a way eastward from Tartary. We cannot indeed fay there is a commodious paffage that way, fince Japan in Afia, and California in America, are the nearest lands to each other that we certainly know of, which, however, are at a very great distance: yet we know not but there may be islands, or extended continent, between these lands, something to the northward, that may join, or nearly join, Asia and America. I think our finding fmall land birds of the fame individual species in both parts of the world, is a probable reason for this opinion. I cannot help thinking, that America was also peopled with the human species from Asia eastward. What has confirmed me in this opinion is a defcription of the Samoeds [man-eaters] to the north-east of Archangel in Russia: see Le Bruyn's Bruyn's Travels into Muscovy, Persia, &c. Vol. I. page 6. Le Bruyn was bred a limner, and has been at the pains to figure a head of one of the Samoeds in large, on a solito page, which gives every one that has seen any of the North-American people a persect idea of them.

CHAP.

CHAP. II.

MY good friend, the late Mr. Mark Catesby, I remember, fometime before his death, prefented a paper to the Royal Society, relating to the paffage of birds, which was read at one of their meetings. This paper I have not by me, but well remember the general opinion advanced in it was, that he imagined fuch birds as were inhabitants with us only part of the year, departed from hence to inhabit fouthern countries on the other fide of the Equinoctial Line, just of the same degree of latitude with those they departed from on the northern fide: fuch a conjecture, at first fight, seems to be probable enough; because, in general, it is supposed, that during our winter feafon, the temperature of the weather, in the fouthern latitudes, is nearly the fame as it is with us in our fummer; and then of consequence a bird of passage, that passes from fixty degrees of northern, to fixty degrees of fouthern latitude, will meet not only with the fame

fame altitude of the fun, in both latitudes, provided the paffage is made in September or March, but with nearly the same degree of heat. But if we consider, that there are many birds of passage found far to the northward, in feventy degrees of latitude (where, I believe, all the fowls are birds of passage, it not being a climate fit for their fublishance in winter) they must have a long way to pass, according to Mr. Catefby's notion; for feventy degrees to the Equinoctial Lane, and feventy degrees again to the fouth of it, are an hundred and forty degrees, which, at our lowest computation of a degree of latitude, make eight thousand four hundred miles, which is a prodigious flight for a bird to peform in a short time. Birds that are constant inhabitants between the Tropics, it is very likely, may make transits across the Equinoctial, to accommodate themselves with proper food at different feafons, or to avoid the inconveniency of the excessive rains in one place, by feeking the more dry and pleafant feafons in another; but to imagine that birds who inhabit the high latitudes, either of the northern or fouthern hemispheres, should change their habitations,

tions, from an extreme northern, to an extreme fouthern latitude, or vice versa, is contrary to all reason, and the nature of things; for birds inhabiting frigid, or temperate climates, would find themselves almost out of their proper element, while passing through a tract of more than forty five degrees of the Torrid Zone, before they could arrive at their natural and cooler climates on the opposite side of the Torrid Zone; nor is there any reason at all for birds to pass from the northern to the fouthern hemisphere, in order to arrive at a place of a proper and wished-for temperature; for when a bird leaves its northern fituation at the approach of winter, and advances fouthward, he arrives at fome place of an equal degree of heat with that of the northern fummer from whence he departed, without coming near the Equinoctial Line; fo that I fee no reason at all to suppose they pass from the north, across the Line, to southern habitations; but I think it most reasonable that they should stop when they have found a resting place in a climate of equal temperature with that from which they departed; for to suppose they go a long voyage across the Line, into far distant

diftant fouthern countries, is only carrying them a long journey to feek what they might find near at hand. We know that the Stork, who inhabits some of the more northern parts of Europe in the fummer, retires in the winter no farther than Egypt, about the mouths of the Nile, which is on this fide of the Line: but according to Mr. Catesby's opinion, she must retire into fome fouthern Terra Incognita; for we know of no land, on the old-world-fide of the globe, of so high a fouthern latitude as Holland lies north, which is one of the fummer habitations of the Stork. There remains fomething yet more difficult to be cleared up in relation to the passage of fome birds; I mean feveral of the short-winged water-fowl, that, during the fummer months, inhabit the northern islands of Europe; such as the Danish islands of Farro, and Iceland, and many others farther north, even on the coast of Greenland. Amongst these, the most remarkable for its fhort wings, is my Northern Penguin, figured in plate 147 of my large work, which is a bird never supposed to be capable of any flight at all, not even so much as to free itself from the water. There are feveral others with short wings,

wings, and of fuch fhort flight, that they cannot fly to the places where they breed, on high rocks, without making feveral flages, by flying from one ridge to another, and so mounting at last to their nests and roosting places. Amongst these are the Razor-Bill, the Gillemot, and the Coulterneb, which see described by our countryman Willoughby, in his Ornithology, page 123, 4, 5. All these birds, with some others of the same genus, disappear in the winter; and it is not conceivable that they should take long flights in order to change their situation, especially the Penguin, who certainly cannot sly at all.

It remains now to confider what should become of these birds, during their absence from the sight of the inhabitants of those islands: there must be some providential means to preserve them unseen, in that part of the world where they appear only in the summer months; for in the spring they are said to appear all at once, in as great numbers as if they had never been absent. I think the most rational conjecture, for the manner of their hiding themselves, and being preserved during the long and

cold winters of those climates, is, that there are fub-marine caverns in the rocky shores of those islands; the mouths of which caverns, though they be under water, may lead to hollows, fo rifing within fide as to afford a convenient dry harbour, fit to preserve these birds in a kind of torpid state during the winter. The sea lying before the mouths of fuch caverns, and they having a vast depth of mountain over them, their inward capacity must be defended from any rigid cold, which may be a means to preferve these fowls; and late in the Spring (about May) the time of the appearance of these birds, the outward warmth of the air, and the returning strong fun beams on the water, near the mouth of the cavern, may, by a fmall degree of heat and light, re-animate, as it were, these animals, and bring them from their state of forgetfulness, by degrees, to the use of life and motion, till at last they are emboldened to launch forth for another fummer, feek their prey in the ocean, and propagate their species on the neighbouring rocks.

It is supposed by many, that there are lands to the northward of the great mother of feas, the Pacific Ocean, and that they connect the western parts of North America with the eastern limits of Tartary. These lands cannot conveniently breed any birds but fuch as inhabit them all the year; because there are no lands to the fouthward of them for birds of passage to pass unto: fo that, if there be any, they must make long journeys to the east or west, before they can find land more fouth, and in a warmer latitude than what they must leave behind them. I think it reasonable to believe, that many birds, which are constant inhabitants of warm countries, pass from one warm country to another, on account of the great rains which fall very heavily at certain feafons of the year, and continue without intermission for several months together; while countries very near, perhaps feparated only by a ridge of mountains, enjoy a dry ferene feason. Numberless such instances are given by voyagers: fo that birds may eafily take the advantage of it; for it is not easy to conceivehow fine-feathered land-birds can fubfift during a three-months heavy rain.

Mr. Clineus fays, that the Sand-Martins, or Shore-Birds, continue in their holes all the winter: but Mr. Colinfon, of London, F. R. S. has examined into that matter, this present month (October 1757) after the Sand-Martins had wholly disappeared, by desiring a clergyman, his particular friend, in Surry, who lived near a convenient fpot for the experiment, to open a place where a great number of Sand-Martins had been observed to build their nests in the foregoing fummer. The earth was accordingly opened near the edge of a pit where many of their holes were made; and, on digging down to them, no birds were found; though the nefts were found perfect, in some of which were found corrupted white eggs, and in others fome flies, of the Bee kind, had taken shelter. To be the more certain, the passages into the nests, which were about a foot and a half in length, little more or less, were quite free of any lodgments of birds:

birds; and, upon fearch, were found to be open and empty. Many of the holes were examined, and traced to their utmost extent, and no birds were found in them.

I humbly beg pardon for troubling the reader with conjectures fo new and uncommon; but, as I cannot folve the disappearance of these birds any other way, I hope the hint may put some perfon, of a more acute penetration, upon fearching out the true place of their winter habitation, or at least produce some more probable conjecture. It is the opinion of feveral very curious and learned gentlemen, that feveral of our English small birds, which disappear in the winter, do not pass the seas into foreign countries, but that they hide themselves in holes and caverns, where they lie torpid all the winter. The reason they give for it is, that they become fo fat in the autumn, at the time of their disappearing, that they can make but very fhort flights: and this fatness is supposed to supply and nourish them during the winter. But this opinion will not,

I believe, hold good in all fmall birds; for I take it to be manifest beyond dispute, that the Swallow-kind leave this island in the autumn.

Having, in page 81, mentioned A new general History of Birds, wherein are collected several opinions on the passage of birds, I shall here, and in the following chapter, give an abstract of them, as that book is but little known.

"The migration of birds is no less wonderful than any other particular which has been mentioned. This is common to various kinds of them, as the Swallow, Quail, Stork, Crane, Fieldfare, Woodcock, Martin, Nightingale, &c. Mr. Derham has produced what is observed by the prophet, as a remarkable instance of instinct, "That the Stork in the heavens knoweth her appointed times, and the Turtle, and the Crane, and the Swallow, observe the time of their coming."

"This, fays Mr. Chambers, is a curious article in natural history, and furnishes a notable inftance ftance of a powerful inftinct impressed by the Creator. It is strange that these unthinking creatures should know the most proper times for their passage, when to come, and when to go.

—No doubt but the temperature of the air, as to heat and cold, and their natural propensity to breed their young, are the great incentives to these creatures to change their habitation; but yet, that they should comply with these incentives, and annually shift their habitation at all, is wonderful.

"Again, that they should know what way to steer their course, and whither to go, is somewhat amazing to consider. What instinct is it that moves a poor foolish bird to venture over vast tracts of land, and especially cross large seas, in quest of fresh and farther conveniences? If it be said, that by their high ascents into the air, they can see across the seas, yet what should teach or persuade them that that land is more proper for the purpose of breeding and feeding than this? that Britain, for instance, should afford them better accommodation than Egypt, than the Cana-

H

ries, than Spain, or any other of the intermediate countries?

"It is farther observable, that birds in their migration discover wonderful order and polity: they fly in troops, and steer their course through huge unknown regions without the compass. —Add to this, that the birds of passage are all peculiarly accommodated by the structure of their parts for long slights.

"Whither these birds go, or where they have their abode while absent from us, is an inquiry I can find little satisfaction in."

CHAP. III.

THE learned and ingenious differ so widely in their accounts with relation to the places where these birds go, it may afford the curious reader no disagreeable entertainment to give him their various sentiments on the subject.

Dr. Derham remarks, "Swifts and Swallows have remarkably short legs, especially the former, and their toes grasp any thing very strongly: all which is useful to them in building their nests, and other such occasions as necessitate them to hang frequently by their heels. But there is far greater use of this structure of their legs and feet, if the reports be true of their hanging by the heels in great clusters (after the manner of Bees) in mines and grottos, and on the rocks by the sea, all the winter. Of which latter, I remember the learned Dr. Fry told this story

H 2

at the University, and confirmed it to me fince, viz. That an ancient fisherman, accounted an honest man, being near some rocks on the coast of Cornwal, saw, at a very low ebb, a black list of something adhering to the rock, which when he came to examine, he found it was a great number of Swallows; and, if I misremember not, of Swifts also, hanging by the feet to one another, as Bees do; which were covered commonly by the sea-waters, but revived in his warm hand, and by the fire. All this the fisherman himself affured the doctor of.

"The fame ingenious author farther remarks, that it is Mr. Willoughby's opinion, Swallows fly into Egypt, Ethiopia, &c. but Olaus Magnus, Etmuller, and some modern travellers, he says, put this matter quite out of doubt.

"He then gives the relation of Dr. Colas, as follows:

"We had, at a meeting of the Royal Society Feb. 12, 1712-13, a farther confirmation of Swallows retiring under water in winter from Dr. Colas, a person very curious in these matters; who, speaking of their way of fishing in the northern parts, by breaking holes, and drawing their nets under the ice, saith, that he saw sixteen Swallows so drawn out of the Lake of Samrodt, and about thirty out of the king's great pond in Rosineilen; and that at Schlebitten, near an house of the Earl of Dobna, he saw two Swallows just come out of the waters, that could scarce stand, being very wet and weak, with their wings hanging on the ground; and that he hath observed the Swallows to be often weak for some days after their appearance.

"The ingenious Dr. Owen, in his History of Serpents, speaking of Woodcocks and Field-fares visiting us in the winter, and then returning northwards, says, "But as to Cuckows and Swallows, it is generally allowed that they sleep in winter, having, as it is faid, been found in hollow trees and caverns. Nor is this at all unlikely; though, on the other hand, I can see no absurdity in supposing that these should go upon a summer, as the others do upon a winter pilgrimage; that these pursue a lesser heat, as well as the others fly from a greater cold.

"De Ovalle observes, that the Swallows come into Chili in the fummer, and go away against the winter into warmer climates, as they do with us in Europe.

"The following account may be found in the Tour through Great Britain; where, speaking of the towns of Southwould, Ipswich, and some others in the eastern parts of the kingdom, the author has the following remarks: " At this town in particular, and fo at all the towns on thiscoast, from Orford-Ness to Yarmouth, is the ordinary place where our fummer friends, the Swallows, first land when they come to visit us; and here they may be faid to begin their flight, when they go back into warmer climates. I was fome years before at this place, about the beginning of October; and lodging in a house that looked into the church-yard, I observed in the evening an unufual multitude of Swallows fitting on the leads of the church, and covering the tops of feveral houses round about: this led me to inquire of a grave gentleman, whom I saw near me, what the meaning was of fuch a prodigious multitude of Swallows fitting there; O, Sir, fays he.

he, turning towards the sea, you may see the reafon, the wind is off sea; for this is the season of the year when the Swallows, their food failing here, begin to leave us, and return to the country, wherever it be, from whence I suppose they came; and this being the nearest land to the opposite coast, and the wind contrary, they are waiting for a gale, and may be said to be wind bound.

"This was more evident to me, when in the morning I found the wind had come about to the north-west in the night, and there was not one Swallow to be seen.

"Certain it is, that the Swallows neither come hither merely for warm weather, nor retire merely from cold; they, like the shoals of fish in the sea, pursue their prey; they are voracious creatures, and feed slying; for their food is the infects, of which, in our summer evenings, in damp and moist places, the air is full. They come hither in the summer, because our air is fuller of fogs and damps than in other countries; and for that reason breeds great quantities of insects. If

the air be hot and dry, the gnats die of themfelves, and even the Swallows will be found famished for want, and fall down dead out of the
air, their food being taken from them. In like
manner, when cold weather comes in, the infects
all die; and then of necessity the Swallows quit
us, and follow their food wherever they go. This
they do in the manner I have mentioned above;
for fometimes they are feen to go off in vast
flights like a cloud; and sometimes again, when
the winds grow fair, they go away a few and a
few, as they come, not staying at all upon the
coast.

"This passing and repassing of the Swallows is observed no where so much, that I have heard of, as on this eastern coast; namely, from above Harwich to the east point of Norsolk, called Winterton-Ness, north; which is all right against Holland. We know nothing of them any farther north, the passage of the sea being, as I suppose, too broad from Flamborough Head, and the shore of Holderness in Yorkshire, &c."

To the foregoing accounts, we shall give an abstract from Mr. Penant's valuable work intitled British Zoology, under the article Swallow.

"There are three opinions among naturalists concerning the manner the Swallow tribes dispose of themselves after their disappearance from the countries in which they make their summer residence. Herodotus mentions one species that resides in Egypt the whole year: Prosper Alpinus afferts the same; and Mr. Loten, late governor of Ceylon, assured us, that those of Java never remove. These excepted, every other known kind observe a periodical migration, or retreat. The Swallows of the cold Norway, and of North America, of the distant Kamtschatka, of the temperate parts of Europe, of Aleppo, and of the hot Jamaica, all agree in this one point.

"In cold countries, a defect of infect food, on the approach of winter, is a fufficient reason for these birds to quit them: but since the same cause probably does not subsist in the warm climates, recourse should be had to some other reafon for their vanishing.

"Of the three opinions, the first has the utmost appearance of probability; which is, that they remove nearer the fun, where they can find a continuance of their natural diet, and a temperature of air fuiting their constitutions. That this is the case with some species of European Swallows, has been proved beyond contradiction. We often observe them collected in flocks innumerable, on churches, on rocks, and on trees, previous to their departure hence; and Mr. Collinfon proves their return here in perhaps equal numbers, by two curious relations of undoubted credit: the one communicated to him by Mr. Wright, mafter of a ship; the other by the late Sir Charles Wager, who both described (to the fame purpose) what happened to each in their "Returning home, fays Sir Charles, " in the fpring of the year, as I came into found-"ing in our channel, a great flock of Swallows came and fettled on all my rigging; every " rope was covered; they hung on one another " like

" like a fwarm of Bees; the decks and carving "were filled with them. They feemed almost "famished and spent, and were only feathers and bones; but being recruited with a night's "rest, took their slight in the morning." This vast fatigue proves that their journey must have been very great, considering the amazing swiftness of these birds: in all probability they had crossed the Atlantic ocean, and were returning from the shores of Senegal, or other parts of Africa; so that this account, from that most able and honest seaman, confirms the later information of M. Adanson.

"The fecond notion has great antiquity on its fide. Aristotle and Pliny give as their belief, that Swallows do not remove very far from their summer habitation, but winter in the hollows of rocks, and during that time lose their feathers. The former part of their opinion has been adopted by several ingenious men; and of late several proofs having been brought, at least, of some species having been discovered in a torpid state. Mr. Collinson favoured us with the evidence of three gentlemen, eye-witnesses to numbers of Sand

Sand Martins being drawn out of a cliff on the Rhine, in the month of March 1762. And the honourable Mr. Daines Barrington, this year, communicated to us the following fact, on the authority of the late Lord Belhaven, that numbers of Swallows have been found in old dry walls, and in fand-hills near his lordship's feat in East Lothian; not once only, but from year to year; and that when they were exposed to the warmth of a fire, they revived. We have also heard of the same annual discoveries near Morpeth in Northumberland, but cannot speak of them with the same affurance as the two former: neither in the two last instances are we certain of the particular species.

"The above are circumstances we cannot but affent to, though seemingly contradictory to the common course of nature in regard to other birds. We must, therefore, divide our belief relating to these two so different opinions, and conclude, that one part of the Swallow tribe migrate, and that others have their winter quarters near home. If it should be demanded, why Swallows alone are found in a torpid state, and not

the other many species of soft billed birds, which likewise disappear about the same time? The following reason may be affigned:

"No birds are so much on the wing as Swallows; none fly with such swiftness and rapidity; none are obliged to such sudden and various evolutions in their flight; none are at such pains to take their prey; and we may add, none exert their voice more incessantly; all these occasion a vast expence of strength, and of spirits, and may give such a texture to the blood, that other animals cannot experience; and so dispose, or, we may say, necessitate, this tribe of birds, or part of them, at least, to a repose more lasting than that of any others.

"The third notion is, even at first fight, too amazing and unnatural to merit mention, if it was not that some of the learned have been credulous enough to deliver, for fact, what has the strongest appearance of impossibility; we mean the relation of Swallows passing the winter immersed under ice, at the bottom of lakes, or lodged beneath the water of the sea at the foot

of rocks. The first who broached this opinion was Olaus Magnus, archbishop of Upfal, who very gravely informs us, that these birds are often found in clustered masses at the bottom of the northern lakes, mouth to mouth, wing to wing, foot to foot; and that they creep down the reeds in autumn, to their subaqueous retreats. That when old fishermen discover such a mass, they throw it into the water again; but when young inexperienced ones take it, they will, by thawing the birds at a fire, bring them indeed to the use of their wings, which will continue but a very short time, owing to premature and forced revival.

"That the good archbishop did not want credulity, in other instances, appears from this, that after having stocked the bottoms of the lakes with birds, he stores the clouds with mice, which sometimes fall in plentiful showers on Norway, and the neighbouring countries.

"Some of our own countrymen have given credit to the submersion of Swallows; and Klein patronises the doctrine strongly, giving the following lowing history of their manner of retiring, which he received from some countrymen and others. They afferted, that sometimes the Swallows assembled in numbers on a reed, till it broke and sunk with them to the bottom; and their immersion was preluded by a dirge of a quarter of an hour in length: that others would unite in laying hold of a straw with their bills, and so plunge down in society: others again would form a large mass, by clinging together with their feet, and so commit them selves to the deep.

"Such are the relations given by those that are fond of this opinion; and, though delivered without exaggeration, must provoke a smile. They assign not the smallest reason to account for these birds being able to endure so long a submersion without being suffocated, or without decaying, in an element so unnatural to so delicate a bird; when we know that the Otter*, the Cormorant,

[•] Though entirely fatisfied in our own mind of the impossibility of these relations; yet, desirous of strengthening our spinion with some better authority, we applied to that able anatomist,

[112]

and the Grebes, foon perifh, if caught under ice, or entangled in nets: and it is well known, that those animals will continue much longer under water than any others to whom nature hath denied that particular structure of heart, necessary for a long residence beneath that element."

anatomift, Mr. John Hunter; who was so obliging to inform us, that he had diffected many Swallows, but found nothing in them different from other birds as to the organs of respiration. That all those animals which he had diffected of the class that sleep during winter, such as lizards, frogs, &c. had a very different conformation as to those organs: that all these animals, he believes, do breathe in their torpid state; and, as far as his experience reaches, he knows they do: and that therefore he esteems it a very wild opinion that terrestrial animals can remain any long time under water without drowning.

I shall here insert a receipt of the manner of making pictures of birds with their natural feathers.

RECEIPT

FOR MAKING

PICTURES OF BIRDS,

WITH THEIR

NATURAL FEATHERS.

FIRST, take a thin board, or pannel of deal, or wainfcot well feafoned, that it may not shrink, then smoothly paste on white paper, and let it dry; and if the wood casts its colour through, you may paste on a second paper, and it will be whiter: let the second paper dry, then get ready any bird that you would represent, and draw it as exact as may be on your paper'd pannel, of its natural size, (middle-sized birds are best for this work) then paint what

ground-work, or tree, or other thing, you defign to fet your bird on, together with the bill and legs of the bird in water-colours, leaving the bird to be covered with its own natural feathers. You must first prepare the part to be feathered. by laying on pretty thick gum Arabic, diffolyed in water, with a large hair pencil; then lay the pannel flat, and let it dry hard, and when dry cover it with your gum-water a fecond time, and let it dry, and then a third, in case you do not find it lie with a good body on the paper; the thickness of a shilling, when dried hard, is fufficient. When your piece is thus prepared. take the feathers off from your bird, as you use them, beginning always at the tail, and points of the wing, and working upwards to the head; observing to cover that part of your draught with the feather, that you take from the fame part in your bird, letting them fall one over another in their natural order. You must prepare your feathers by cutting off the downy part that is about their bottoms; and the larger feathers must have the insides of their shafts shaved off with a knife, to make them lie flat; the quills of the wings must have their inner webs

webs clipped off, that in laying them the gum may hold them by their shafts. When you begin to lay them, take a pair of steel pliers to hold the feathers in; and have fome gum-water, not too thin, and a large pencil ready to moisten the gummed ground-work by little and little as you work it; then lay your feathers on the moistened parts, which must not be waterish. but fomething tacky or clammy to hold the feathers. You should prepare a parcel of small leaden weights, in the form of fugar-loaves, which you may cast in fand, by first making holes in its furface with a pointed flick: these weights will be necessary to set on the feathers you have newly laid on to hold them to the gum, till they are dry and fixed; but you must be cautious left the gum come through the feathers; for it not only fmears them, but dries to the bottoms of the weights, and you will be apt to pull off the feathers with the weights, which will diforder your work. When you have wholly covered your bird with feathers, you must, with a little thick gum, stick on a piece of paper cut round, of the bigness, and in the place of the eye, which you must colour like

I 2

the eye of the bird. When the whole is dry, dress the feathers round the out-line that may chance to stare a little, and rectify what may be mended in any other part; then lay a sheet of clean paper on it, and on that a heavy book, or some such thing, to press it: after which it may be preserved in a frame covered with a glass.

I shall add to this receipt another, that may serve to decorate the former; which is a way to take the figures of Butterslies on thin gum'd paper, which may be cut out and stuck into other pictures by way of embellishment.

RECEIPT

For taking the FIGURES of

BUTTERFLIES

O N

THIN GUMMED PAPER.


TAKE Butterflies, or field Moths, either those catched abroad, or such as are taken in Caterpillars, and nursed in the house till they be Flies, clip off their wings very close to their bodies, and lay them on clean paper, in the form of a Butterfly when flying, then have ready prepared gum Arabic, that hath been some time dissolved in water, and is pretty thick; if you put a drop of Ox gall into a spoonful of this, it will be better for the use;

temper them well with your finger, and spread a little of it on a piece of thin white paper, big enough to take both fides of your Fly; when it begins to be clammy under your finger the paper is in proper order to take the feathers from the wings of the Fly; then lay the gummed fide on the wings, and it will take them up; then double your paper fo as to have all the wings between the paper; then lay it on a table, preffing it close with your fingers; and you may rub it gently with fome fmooth hard thing; then open the paper, and take out the wings, which will come forth transparent. The down of the upper and under fide of the wings, flicking to the gummed paper, form a just likeness of both sides of the wings in their natural shapes and colours.

The nicety of taking off Flies depends on a just degree of moisture of the gummed paper; for if it be too wet, all will be blotted and confused; and if too dry, your paper will stick so fast together, that it will be torn in separation. When you have opened your gummed papers, and they are dry,

you must draw the bodies from the natural ones, and paint them in water-colours. You must take a paper that will bear ink very well for this use; for a sinking paper will separate with the wet, and spoil all.

ESSAY



ESSAY IV.

CHARACTERS OF EMINENT MEN; WITH A CATALOGUE OF SIR HANS SLOANE'S MUSEUM, AND OTHER NATURAL CURIOSITIES.

CHAP. I.

DURING the time of the publication of my History of Birds, I had the great honour, happiness, and pleasure of being patronized by four gentlemen, who were, perhaps, the greatest promoters of learning, science, and arts, of any in the present age.—The first of these gentlemen was the late Most Noble Duke of Richmond; noble in his lineage and descent from the royal house of these kingdoms, but still

ftill more noble and great from the innate magnificence, generofity, and goodness of his soul. Though, by his high offices, his time was taken up by the important affairs of the public, yet his doors were always open to men of learning, science, and ingenuity.

The fecond was the good Sir Hans Sloane. Bart. who employed me, for a great number of years, in drawing miniature figures of animals, &c. after nature, in water-colours, to encrease his very great collection of fine drawings by other hands; which drawings are now all fixed in the British Museum, for the help and information of those in future generations, that may be curious or studious in natural history. Sir Hans, in the decline of his life, left London, and retired to his manor-house at Chelsea, where he refided about fourteen years before he died. After his retirement to Chelsea, he requested it as a favour to him, (though I embraced his request as an honour done to myself) that I would visit him every week, in order to divert him, for an hour or two, with the common news of the town, and with any thing particular that should happen amongst his acquaintance of the Royal Society,

Society, and other ingenious gentlemen, many of whom I was weekly converfant with; and I feldom miffed drinking coffee with him on a Saturday, during the whole time of his retirement at Chelfea. He was fo infirm as to be wholly confined to his house, except sometimes. though rarely, taking a little air in his garden in a wheeled chair: and this confinement made him very defirous to fee any of his old acquaintance to amuse him. During this latter part of his life, he was frequently petitioned for charity by fome decayed branches of families of eminent men, late of his acquaintance, who were famous for their learned works, &c. which petitions he always received, and confidered with attention; and, provided they were not found fraudulent, they were always answered by his charitable donations. He has often defired that I would inquire into the merits of fuch petitioners; and, if found fatisfactory, he commiffioned me to convey his bounty to the diffressed. The last time I saw him, I was greatly surprifed and concerned to find fo good a man in the agonies of death: this was on the tenth day of January 1753, at four o'clock in the afternoon: he died on the eleventh, at four in the morning. I continued with him later than any one of his relations, but was obliged to retire, his last agonies being beyond what I could bear; though, under his pain and weakness of body, he seemed to retain a great firmness of mind, and resignation to the will of God.

The third of my patrons was the great Richard Mead, M. D. He was certainly magnanimous beyond the common measure, and deferved the title of Great in as extensive a sense as any man in his station could do. He, as well as Sir Hans Sloane, died in the highest stations of physic they could arrive at, viz. Physicians in Ordinary to the King. Dr. Mead, indeed, never was at the head of the College of Physicians of London, but it was because he always absolutely declined it; for he hath been elected into that honourable station, but never could be perfuaded to accept of it. His personal service, his ample fortune, his house, and every thing in his power, always contributed, in the most extenfive manner, to the promotion of learning, science, arts, mechanics, and, in short, every thing that

that tended to the public benefit and honour of his country, or was of use to particular members of the community he lived in. In short, his generofity was fo diffusive, that he may be justly deemed a benefactor to the whole community; whilft, instead of hoarding up that great wealth his practice gained, to raise a vast estate, as he might easily have done, his public fpirit was unconfined, and he was contented to leave behind him a moderate fortune only. The worthy Dr. Askew, from a laudable veneration for the memory and public character of fo great a patron of learning, &c. has caused a fine marble buft of him to be made by one of the most eminent sculptors of the present age, which is placed in the College of Physicians, London. And, on this occasion, I cannot help informing fucceeding generations, that they may fee the real features of Dr. Mead in this faid bust; for I, who was as well acquainted with Dr. Mead's face as any one living, do pronounce this buft of him to be so like, that, as often as I fee it, my mind is filled with the strongest idea of the original.

Martin Folkes, Efg; the last of my deceased principal patrons, was a friend and intimate acquaintance of the other three. He had made the grand tour of Europe, not in the younger part of life, but after his marriage. He travelled with part of his family and fervants, at a proper age to make just observations, and gather all the commendable parts of the learning, customs, and manners of the countries through which he paffed, in order to refine and polish those of his own, He travelled not in hafte, as is the general cuftom; but proceeded flowly, and fpent what time was necessary to inform himself of all that was worth notice: and, indeed, he feemed to have attained to univerfal knowledge; for, in the many opportunities I have had of being in his company, almost every part of fcience has happened to be the fubject of difcourse, all of which he handled as an adept in each. He was a man of great politeness in his manners, free from all pedantry and pride, and, in every respect, the real unaffected fine gentleman.

The loss of four patrons, so truly nobles fo good, fo great, and every way fo highly accomplished, in the small space of three or four years, was an event that greatly humbled me. I imagined, that, after fo great a loss to arts and sciences in general, and to myself in particular, all endeavours to excel in any branch of knowledge would be fruitless, and of little avail to its author, for want of shining patterns to inspire the rising generation; and I thought of discontinuing any farther progress in natural hiftory: but I find, that the national spirit for the promotion of learning and arts, in the establishment of that immense fund of science. the British Muleum, has, in some measure, revived the passion for learning and useful knowledge; and I hope these seeds, sown by public authority, cherished and protected by a PRINCE diftinguished for virtue and learning, will take root, spring up, and yield a plentiful harvest.

The British Museum reminds me of a brief catalogue of the natural and artificial subjects

[128]

contained in it, which Sir Hans Sloane shewed me about a year before he died, and permitted me to take a copy of; and, as I believe, though it is so very general, it may, for want of a more perfect one, be acceptable to the reader, I shall give it as follows:

An account of the names and numbers of the several species of things contained in the Museum of Sir Hans Sloane, Bart. and which, since his death, are placed for the use of the public in the British Museum.

... in all all a shoot of duant

| The library, including books of draw- | |
|---------------------------------------|-----------|
| ings, manuscripts, and prints, a- | vol.50000 |
| mounting to about | |
| Medals and coins, ancient and modern | 23000 |
| Cameos and intaglios, about | 700 |
| Seals, &c. | 268 |
| Vessels, &c. of agate, jasper, &c. | 542 |
| Antiquities | 1125 |
| Precious stones, agates, jaspers, &c. | 2256 |
| Metals, minerals, ores, &c. | 2725 |
| Crystals, spars, &c. | 1864 |
| Fossils, flints, stones, &c. | 1275 |
| | Earths, |

| Earths, fands, falts, &c. | 1035 |
|---|-------|
| Bitumens, fulphurs, ambers, &c. | 399 |
| Talcs, micæ, &c. | 388 |
| Corals, sponges, &c. | 1421 |
| Testacea, or shells, &c | 5843 |
| Echini, echinites, &c. | 659 |
| Afteriæ, trochi, entrochi, &c | 241 |
| Crustaceæ, crabs, lobsters, &c | 363 |
| Stellæ marinæ, star-fishes, &c. | 173 |
| Fishes, and their parts - | 1555 |
| Birds, and their parts, eggs and nefts) | |
| of different species | 1172 |
| Quadrupeds, &c. | 1886 |
| Vipers, ferpeats, &c | 521 |
| Infects, &c. | 5439 |
| Vegetables | 12506 |
| Hortus ficcus, or volumes of dried plants | 334 |
| Humana, as calculi, anatomical pre- | |
| parations, &c } | 755 |
| Miscellaneous things, natural, &c. | 2098 |
| Mathematical inftruments - | 55 |
| Pictures and drawings framed | 47I |
| | ., |

Every fingle particular of all the above articles are numbered, and entered by name, with K fhort

[130]

short accounts of them, and references to several authors who have heretofore wrote about them, in thirty-eight volumes in solio, and eight in quarto. Some addition has been made to this valuable collection since it was deposited in Montague-house, especially to the sossilis, by a valuable present from Gustavus Brander, Esq;

CHAR.

CHAP. II.

THE excesses of heat and cold have, in fome instances, near the same effect: fire blifters the skin; and, in the coldest seasons at Hudson's Bay, and in the northern parts of Europe, the touch of cold iron, &c. is dangerous: for metals, by their greater gravity, are, in proportion, colder than frozen water; and, if touched by the hand, will blifter and take off the fkin. A fort of chemistry may be performed by frost as well as by fire. A friend of mine, who refided fome years at our fettlements at Hudson's Bay. in North America, told me, that on broaching a barrel of lime-juice, for the use of their factory, they found it to be hard frozen, which obliged them to take off the hoops from the barrel, and chop off some of the ice for their use: this, when melted, they found to be almost as insipid as water; and concluded, that the whole cask was fpoiled, and of no use; but, on breaking farther into the ice, they found in the centre of it a small

K 2

quantity

quantity still liquid, which was fo sharp and acid. that a drop of it could hardly be endured on the tongue: this fmall quantity was preferved to sharpen their liquors, and went almost as far as the whole barrel would have done, had it continued unfrozen. Olive oil is faid to become so hard in that country, that they cut it out of the iars with chifel and mallet; and it is dangerous to stand in the way of its splinters, for they cut the eyes like glass. The same curious person also gave me some account of the large islands (as they are called) of floating ice, which frequently appear in that tract of fea our ships make between the north of Scotland and the fouthermost cape of Groenland, in their way to and from Hudson's Bay. These masses of ice, he fays, might be taken for land covered with fnow, did they not find them in places, which they know, from long experience, to be open feas. Some of these islands appear high and craggy like rocks, having lower parts or plains; and when the warm feafons are coming on, the fun melts the fnow and ice, and causes cascades to fall from the craggy high parts into the lower, where the water fettles in hollows, forming itself into lakes and rivulets. In their voyages they fometimes go into these islands to fetch fresh water, and hunt for game, which they fhoot in plenty, the pools abounding with many forts of fea-fowl: they also find on them some quadrupeds of the neighbouring countries, fuch as the white Bear, an amphibious animal, with fome others which are natives of those northern parts. These islands are found in very deep feas, and are many of them supposed to be some hundreds of feet deep in the water; fince, otherwife, their upper parts would not rife fo high above the water as they appear to do; for, in floating ice, a small proportion of its thickness appears above the water. These great masses of ice are certainly broken, or some how or other detached from the shores or land in the high northern latitudes; otherwise, I think, no land animals could be found on them: but how, or in what manner, I cannot prefume to conjecture. Some of them extend in length and breadth many leagues. I believe these icey islands have often deceived northern voyagers, who have pretended to the discovery of islands in certain latitudes and longitudes, which never could be feen by after voyagers. voyagers, who diligently fought for the latitudes, &c. pointed out.

To the above account of Hudson's Bay, I shall make bold to subjoin an extract of Mr. Ellis's voyage thither, when, he is speaking of the farthest part to which they went in Wagers' Straits, he fays, "I canot help, however, taking notice, that in afcending those mountains, we had at once as great, as gloomy, and as awful a prospect, as perhaps ever astonished mortal eyes. While we walked along the beach, the ridged rocks above feemed pendent over our heads; in force places there were falls of water dashing from cliff to cliff; from others hung prodigious icicles in rows one behind another, like the pipes of a vast organ; but the most tremendous part of the scene was the shattered rocks and craggs which lay at our feet, and appeared plainly to have burft from the mountain's tops, through the expansive power of the rigorous frosts, and so rolled with inexpressible fury down the fides, till they reached those places where their ruins now lie. I call them ruins, for fuch they properly were; and if there is some-

· [135]

thing that deeply affects us, when we behold either the waste of war, or the devastations of time, it may be easily conceived, that something much more terrible must be felt from the sight of the amazing relicks of the wreck of nature." An attempt towards discovering the cause of the great rising of the sea, and the uncommon agitation of the lesser waters at Lisbon, and other parts far distant from thence, immediately after the dreadful earthquake, on the sirst of November 1755.

THE causes of earthquakes are, I must confess, altogether unknown to me; but whether the late violent far-spreading shock proceeded from the atmosphere or air above us, or from subterranean convulsions, makes no difference in regard to my conjecture, which only respects the agitation of the waters.

If the folid parts of this globe be confidered, as connected and joined altogether in one mass, (though superficially divided into main-lands and islands) and the waters as a sluid, which may have a motion independent of the folid earth: then supposing the earth should receive some excessive violent stroke, either from with-

out its circumference, or from within its bowels, which might, in any manner, stun, stop, retard, or check its diurnal motion on its axis, (as I think might probably happen from fo violent a shock as that of the late earthquake) in fuch a case, the earth's being stopped in its diurnal rotation, or only checked or retarded for a few minutes. or even feconds, must necessarily occasion a great agitation in the feas and other waters: for as the earth turns from west to east, and the waters are moved equally, and in the fame direction with the folid parts, if the folid parts are fuddenly stopped or retarded by any unnatural violence, fuch ftop cannot be immediately communicated to the watery parts of the globe, but they will move still onwards in their first direction, and continue their motion eastward, according to the diurnal rotation of the earth, till meeting with lands to oppose their motion, they rise upon the fhores to fuch a height, and increase by degrees fo much in weight, that the foremost waves, becoming an over-ballance for the waters behind (which must be lower than they) vibrate backwards and forwards, until the cause of such an unnatural motion ceases.

This may particularly be supposed to be the case on the coasts of Portugal, which lie open and exposed, and, as it were, meet the whole force of the great western ocean, which would still keep its course for a short time, though the shores of Portugal should be stopped or stacken in their motion.

Leffer waters may likewise be supposed to have been affected proportionably, by an inftantaneous stop or decrease of motion under them: and the waving of the candles in a tallowchandler's shop in Holland, as mentioned in a letter to the Royal Society, may be accounted for on the same principle; nor is it improbable, that every veffel of water, or other liquor, in our houses, had some little motion at the time of the shock; for it is reasonable to believe, that every thing, both by fea and land, was more or less affected in proportion to its situation, and as it was nearer to or more remote from the place agitated with the greatest violence, which place is not I believe exactly known. I also imagine it will readily be allowed, that the motion of the earth, according to the ordinary course of nature.

nature, might be checked or diminished for a very fmall space of time, without its being perceived by fense, or discovered by any of our timekeepers. I am of opinion, that time will difcover to us, that this mighty shock has extended its influence farther than the generality of people imagine. I think it already appears, that the whole Atlantic Ocean has been violently moved. Many accounts from America we received, which mentioned unnatural and fudden rifings and fallings of the fea, without giving us the precise time, tho I believe them to have been on the first of November. One letter particularly from Barbadoes fays, on the first of November, at about two o'clock in the afternoon, the sea ebbed and flowed in a strange manner, and brought up fish over the wharfs into people's houses. See General Evening Post of December 27, 1755. This feems to prove, that the shock was rather on the eaftern than on the western side of the great Atlantic Ocean. Therefore, supposing the cause to be in Portugal, its progressive motion may be traced to the West-Indies, which motion feems to have taken up about feven hours; for from ten in the morning in Portugal, to two in

the afternoon in Barbadoes, make four hours difference; and the hours between the longitudes of the two places, makes in all about feven hours; which feems but a small space of time to extend a motion over one of the greatest oceans on the earth, the distance of Barbadoes from Lisbon being about equal to fifty degrees of the earth's latitude.

A Brief

A

BRIEF AND GENERAL IDEA

O F

DRAWING and PAINTING

I N

WATER COLOURS;

Intended for the Amusement of the Curious, rather than for the Instruction of Artists.

I shall not meddle with perspective: yet, it may not be improper to hint, that persons who are unacquainted with it can be no proficients in drawing, as is manifest from the works of some painters of no small same, in whose works a mathematical eye discovers very gross absurdities. We have many good authors of our own, as well as translations from other languages, on the subject of perspective; from which any one may easily gain a general conception of the art, and by a little labour become a master of it.

Perspective is principally necessary in regular buildings, where many straight lines run through the various parts of them, of which all that are parallel must meet in one point. In other fubjects a thorough knowledge of perspective is. not so absolutely necessary; yet a due regard for it is always to be had; as in landscapes, to diminish every thing according to its supposed distance from the eye; for, by making the distant figures the leaft, and drawing them in finer or fainter lines than you do those that come forwards in your picture, they naturally feem to be more diftant; and when you come to finish fuch picture, your extreme distant objects should appear fo faint, or fo fecure, as not to be difcovered to be of any precise form or colour; for so it is in natural objects far distant from our fight. As objects draw nearer they may be made a little more expressive; and so on, more and more, till you come to the nearest objects of all in the fore-ground of the picture, which should be finished with great strength, and brighter colouring: for it must always be confidered, that fuch objects as have really in themfelves a very bright colouring, if they are removed to a little distance from the eye, will lose (by the interposition of the air) some of their luftre; and by being farther removed they will lose more of it, till they appear, as it were, colourless: for if several men, cloathed in feveral very different and glaring colours, be placed on a diftant mountain's edge, just within the utmost reach of the eye, we may discover these men as objects distinct from each other. but without any other colour than what is caused by feeing them through a great space of greyish air: fo that very distant objects may properly be faid to have neither light, shadow, nor colour. Any common observer may perceive, when he commands an extensive prospect, where there are ranges of distant hills one behind another, that the most distant are of a flat, faint, bluish colour, without any lighter or darker parts, and confequently without any diffinct objects visible on them; therefore, if you would make a picture appear like nature, your greatest distances must be faint. Those hills, that lie a little nearer, may shew some small distinction between wood-lands and the bare furface of the ground; on others, still nearer, we may distinguish guish churches and villages, till we come nearer still, where particular houses, men, and cattle, may be perceived, and so on, till we see distinctly every visible object about us.

A theory of this fort is absolutely necessary in every painter who would imitate nature in almost any respect. To run it over again; from a near view to a distant place, let your first or nearest objects have pure and bright colours, according as the nature of the subjects may require. These should be finished with great lights and strong shadows: those at a little distance should be fomething less bright in their ground-colours, not so high in their lights, or so deep in their shadows; and as they are farther distant, they should diminish more in the purity of colour, as well as in light and shadow, till they have neither light, shadow, colour, or distinct form; for all is confused, and mixed at very great diftances. As one goes backwards in a picture, much finishing is to be spared; the windows of a house are not supposed to be visible at some miles diftance, though the house, in its general form, may be feen. As to little ornaments in drefs,

dress, they are always to be let alone, if a figure be at any distance, for we know that the buttons on a man's coat, or a lady's trinkets, are Invisible at a little distance.

In fpeaking of colours, I shall not perplex the reader, as the common books on the subject of drawing, &c. have done; which tell you what to mix together for a ship, trees, the earth, a brick house, lion, fox, &c. for these particulars are trifling and fuperfluous. The way to colour well is, when we are provided with all necessary colours, to consult the natural colours of the objects we would represent; then by casting the eye over the colours we have ready prepared, it is very likely we may find fomething that in many cases will serve our turn, pure and unmixed; but if we cannot, let us confider the colours in a compound fense. We have an object, for example, which is purple; amongst our colours we do not find that, but by mixing red and blue it is produced. Blue and yellow produce green. Red and yellow make an orangecolour. Red, blue and yellow, make browns and cloth-colours of all kinds, by varying the T.

quan-

quantities of each; fo that red, blue and yellow, by a compound of some two of them, produce the fine colours, viz. purple, green, and orangecolour; and the three primary colours, red, blue and yellow, compounded all together, in different proportions, produce all the different degrees of browns and cloth-colours, and a shadow for white itself: for if you take a round piece of card-paper, and divide it into three parts, by lines from the center to the circumference, and wash these three parts with the three primary colours, fo that neither of them be too ftrong for the other, and all them pretty light, then fix a pin in the centre, and turn it about swiftly, you will find the colours will be loft in each other, and the paper will appear white, though not of fo pure a white as before it was coloured.

Though all colours may be compounded from three of the principal colours, yet as the colour-shops produce a long lift of colours, wherein are variety of reds, blues and yellows, of different shades and casts, as well as browns of many different forts, it will be convenient for those

these who set out in painting or colouring, to be furnished with all of them, which may save some trouble in compounding.

I shall give here a few hints on the preparing of colours, though this subject has been largely handled already.—Common reason will teach one to reduce all hard substances by grinding them well on a stone, and after grinding them, to levigate them finely in water, by pouring them several times out of one vessel into another, after stirring them, and letting the gritty and grosser parts settle: this not only takes out all the gritty and gross particles, but frees many earthy and mineral colours from corrosive salts, which would have a bad effect, by making a work spotty, or changing the colours, as well as attracting moisture, which in time is apt to rot the canvas or paper on which they are laid.

There are some few colours which are only gums; these are gamboge and sap-green: they hold themselves on the paper without any additional gum; but all the mineral, or earthy colours, must be mixed with a due proportion of

L 2

gum-arabick, or fenega, to bind them together, and make them flick to the paper. If there be too little gum, the colours will rub off if you pass your finger over the paper when dried: if too much, the colours will shine, crack when very dry, and fometimes peel off. What I fav must always be understood of water-colours, or painting and colouring in water. Indigo must be ground with gum diffolved in water, and, when well ground, dried in fmall drops, which will be eafily reduced again to a liquid, in fair water, fit for use. I have discovered a secret relating to purifying indigo, which may be of use: make a strong lye of pot-ash, then break your rock-indigo pretty small, and put it into the lye, so that it be covered: it may stand a month or more. When you pour off the lye, cover it with boiling water, shifting it every day till the water comes from it pretty clear, and it will be purified from all its filth; for the lye, and many of the waters after it, will come from it of the colour of very strong brown beer, while the blueness of the indigo is not extracted; the foul colour is drawn from the rotten leaves that are mashed with the indigo when it is made up:

-it should be thus prepared before the grinding.

There are two useful colours I have not mentioned, white and black, which some count no no colours at all. I think they may be termed the two extremes of colouring, fince the one is the strongest light we can lay on, and the other the deepest shade. These are seldom used pure, but are mixed with other colours. The white (where colours are laid on in a body) mixed, in different proportions, with any other colour, makes all the variety of shades that the two colours fo mixed are capable of producing. White may be compounded with any fimple or compound colour, to produce different shades thereof. Black is often mixed (a little of it) in the shades, where the object is of a beautiful and and primary colour, as red, blue, or yellow; for these colours, shadowed with fine dark colours of their own species, would be too glaring, and quite unnatural; fo that it is necessary to allay them with black, or fome dull colour; for if you observe nature itself, for example, a fine red or blue garment, it will appear exceeding

fine in the first and second lights; but if you attentively examine the deep shades, the colour is often so obscure that you can call it by no particular name.

There are two ways of painting in water; one by mixing white with your colours, and laying on a thick body; the other is only washing your paper or vellum with a thin water tinctured with colour. The first method, which may more properly be called painting, is thus performed: when you have a drawing finished in out-lines, you lay in your colours mixed with white, in fuch a medium, as to be about the middle colour between your highest lights and deepest fhadow. You may lay in the whole piece before you begin to shadow and heighten, or lay in and finish it in parts as you think best: if you do it in parts, the distances must be done first; because the out-lines of the parts more forwards, may then be worked over the more distant and first finished parts. When you have laid your ground, the way is, to shadow first with the same colours you have laid in, only with less white in them, till you come to your deepest shadows, wherein

wherein is no white at all; but it is to be remembered, that these strong shadows are required only in the front objects of the picture. and that the deep shadows of the fine colours must be allayed with black, or brown, to give them their natural obscurity. When the dark shadows are finished, you may begin to heighten the lights, by adding white to the colours with which you laid in the different parts of your picture; observing always, that as objects are little shadowed, they must be little or nothing heightened when very diftant; but front-figures may be heightened very much: yet we should avoid using pure white in the heightening of any object, unless it be of a white colour, or hath a polished surface, or be some other body that reflects the light very ftrongly.

When all the particular parts of a picture are finished separately, the whole is to be carefully surveyed and considered, to see that there is harmony throughout: for, if distances nearest to the fore-ground are too faint, they will seem to be farther off than their perspective proportions will allow: or, if your greatest distances are expressed.

prefied too ftrong and diffinct, they are brought too near, and contradict the fense and meaning of the piece; so that after finishing the parts, there generally wants some amendment in the whole, to make a proper harmony in a picture.

In defigning, it is generally necessary to contrive a piece fo, that the objects shall be relieved by the ground, or relieve each other; for example, if you have light or bright objects, the ground behind them may be a group of dark-green trees, or shrubs, which will bring them forwards, and make them appear to advantage. If you have objects in your foreground, that are in the shade, or in themselves are of dark colours, then it will be convenient to place behind them some light objects, such as a clear opening in a landscape, either the earth, hills, or fky. It is also often necessary, the better to free a large object from the ground, to make the ground dark on the light fide, and light on the dark fide of fuch object or figure; but yet the ground must be so studied as to appear very natural, and conceal the artift's contrivance.

In a piece of painting, special care should be taken that there be no very sharp, or hard lines (as we call them) or any fudden lights immediately bordering on dark shadows, for they are discordant in painting: on the contrary, the outlines of objects should be so broken into the grounds behind them, as not to be precifely traced. Many great painters, to avoid a too shocking glare of colours, have broke the colours of their draperies, as well as other objects, into one another, for they are really fo in nature: for example, expose a red and a blue fattin in a good light near each other, and they shall both appear purple in those parts of each of them which directly receive the reflection of the other: the fame is to be observed of other colours, fo that many painters have harmonized all their colours, by never introducing a direct red, blue, yellow, or hardly any other gay colour, without fome little mixture or allay.

I shall proceed to speak of washing, or staining in colours, either of drawings or prints, by way of hint to private persons, who like to amuse themselves in that way, rather than to artisans.

artisans.—And first, of the common way practifed by the print-shops about the town, in their views of palaces, gardens, figures, and all pictures for common sale. These are to be considered as cheap things, done with much expedition, and with little study, as to propriety in colouring; for such is the judgment of the bulk of the people, that the more glaring they are in their colouring, and the more distant from nature, the more they are prized. These common washers generally mix a little white in their skies and distances in colouring of prints, because it takes off the harshness of an ordinary print, as most of them are that are sold coloured.

A fine print, coloured by a judicious artift, may be made almost equal in value to an original drawing in colours: but for such no one will pay a price equal to its worth. To make an intire drawing in the thin or washing way, it must first be drawn in out-lines, and then you may preceed to finish it with different colours in its different parts, as the nature of the thing requires, beginning to wash with water thinly tinctured

tinctured with colour, at first, and gradually proceeding to use it more strong in your shadows, employing no white at all throughout your work, but carefully leaving the white of your paper in the high lights of white objects, and very thinly washing the lights in coloured bodies. You are to observe, that this method is no more than making a drawing in Indian ink, only instead of making it all black, you use fine prepared colours in the different parts of your picture.

I have fpoken already of the management and mixture of colours. Prints may be coloured this way, without white intermixed; all the prints in my Natural Hiftory being without white, for fuch water-coloured prints, or drawings, as have white mixed in their colours, are apt to change black. In order to procure colours that will be exceeding fine, and run very smooth in this way of washing, mix a little gummed colour in a large shell, and work it well with your singer; then thin it with water, and let it settle a little, and by pouring a little off the top of it into another clean shell, you

will procure a fine free working colour, which you may make as light as you please by the addition of water. If a colour doth not spread itself freely, by reason of any greasiness on your paper, if you touch your pencil ever so little in ox-gall, it will make your colours run free. Always observe in these first and lightest colours to use a large pencil, in order to fill up the space you have to cover with all convenient expedition; for if you are slow, and let your colour dry in parts, and touch again over their edges, your colours will be blotchy and streaky.

Paper proper for drawing on in this way, ought to be neither over nor under-gummed: that which is too much gummed, or fized in the making, is fo hard and close it will not take in the colours at all; and what is laid on at first, one is apt to wash off again in the second shadowing, and so on, which is very inconvenient. An under-gummed paper hath a contrary inconveniency; for the colours are apt to run through it, and spread beyond your design on the outline. A proper paper may be chosen by touching it with your tongue: an ungummed paper will

will stick very strongly to the tip of the tongue when touched: an over-gummed paper will hardly stick at all; by which a proper medium may be found, that only sticks a little to the tongue. It is of small import, whether your paper be very white, or not; for provided it be of an even clear grain and surface, a cast on the yellow or cream will not hurt the drawing when sinished. If a print that you would colour be on a loose ungummed paper, it may be prepared for colouring by washing it over (once or more, as it may require) with a thin paste made of wheat-slour, boiled in water, and letting it dry on between each washing.

I am far from thinking myself properly qualified to treat on the arts of designing and painting; yet it cannot be amiss for any person to treat of an art, so far as it hath fallen within the compass of his own experience and observation.

SOME

BRIEF INSTRUCTIONS

F O R

ETCHING OF ENGRAVING

O N

COPPER-PLATES,

WITH

AQUA FORTIS.

I N the course of my performing the engraving or etching of the copper-plates contained in my Natural History, I received not only the instructions of my friends, but bestowed some pains to examine such authors as had wrote on the subject of etching with Aqua Fortis.

I could find little or nothing on that subject originally wrote by any author of our own country; and what was translated from those of other countries, was from authors of ancient date, wrote, I believe, before artists in that way had arrived at the perfection of knowledge they have now attained; and many of these authors seem not to have practised it themselves; for I have been led by them through many labyrinths (from which I found it difficult to extricate myself) before I attained the ready practice of etching, which I am here willing to communicate, in as short and plain terms as I can, for the benefit of many curious young gentlemen who are my friends and acquaintance.

First of all, it will be proper to say something of copper-plates.—Authors on the subject of etching, tell us how to smooth, scour, and polish them for use; which is, I believe, a thing hardly any gentleman will trouble himself about, seeing that several people, in and about London, make it their business to square and smooth plates of all sizes, for persons who want them. Examine your plates when you buy them, to see if they are perfectly free from scratches, dents or holes; and if they are

bad, see that the maker mend them before you take them of him. When you are provided with a plate, the next thing to be considered is, a ground to cover it withal.

General Instructions in relation to Grounds or Varnishes, proper to lay on the Plates before they are etched.

The ingredients generally made use of for the ground or varnish, are, first, Asphaltum, called also Pitch of Judea, or Jew's Pitch: it is a pretty hard, black, pitchy, or resinous substance, commonly brought to us in large gourd shells, containing, more or less, about forty pounds, and to be had of the most eminent druggists in London. The second is Bees-wax, either white or yellow. The third is common Rosin. The fourth is Mastick, a sort of fine hard rosin in small grains. I have sometimes added a little common pitch to soften it.

Though it will be proper to vary your ground a little, according to the different times of the year you work in, for that which does very well in frosty weather, may be so soft as to stick to your singers in summer; therefore what is used in winter must have a greater proportion of the softer materials, such as the wax and common pitch; and that which is for summer use may have more of the harder materials of the receipt, which I shall here give at a medium, as near as I can, between the two extremes.

A RECEIPT for a Ground or Varnish.

 Afphaltum
 —
 I ½ Ounce

 Bees wax
 —
 2 Ounces

 Rofin
 —
 ½ Ounce

 Mastick
 —
 ½ Ounce

 Common Pitch
 ¼ Ounce,

Put all these into a new pipkin we'il glazed, and place it on a moderate fire, and as the ingredients melt, stir and incorporate them very well together with a little stick: be careful that they do not take fire, or boil over. When all is well melted and mixed, let it stand a little while in the pipkin, till the bubbles have done rising, and some of the grosser parts are a little settled

M

to the bottom; then pour it off into a bason of water, leaving the dregs in the pipkin. When it is a little cooled in the water, take it out, and roll it into a long form, of the thickness of your thumb; and while it is yet warm, cut it into pieces of two inches long, more or less.

You may make double the quantity of the receipt, but cannot well make lefs. I have found that my Ground, by long keeping, has grown too hard and dry, which I have rectified by melting it down again, and adding a little common pitch.

To lay the Ground on your PLATE.

Take your copper-plate, and clear the furface of it well from all tarnish or dirtiness; then having some charcoal lighted, in an earthen pan, or chasing dish, six a small hand-vice to the edge of your plate, and you may then hold the backside of it downwards to the charcoal sire, that the polished side may lie upwards to receive the Ground or Varnish. When your plate is of a due heat, have a piece of your Ground tied up

in some very thin silk, or sarfenet, to keep the dreggy parts from getting through; then pass it over your plate, in all parts, that the plate may be wholly covered; then take a little wad of cotton, tied up in a thin piece of filk, and pass it all over your plate, to spread your varnish even. When it is so spread, let the plate gradually cool, and while it is cooling dab it all over with your cotton puff, and it will lay your Ground still smoother, and with a finer grain, or rather shew no grain at all. When you have so fpread your varnish on the plate, have ready a very large candle, and hold the varnished side of the plate over the candle, moving it backwards and forwards, till it be of a good black in every part, but be careful the fnuff do not touch the plate: after which lay it to cool, and it is fit to work upon.

Care must be taken in heating your plate, for if your fire be too fierce, your plate will turn of a bluish colour: if you perceive any such change on your plate, it must be cleansed bright, and heated again, for such burnt places will not hold the Ground when the Aqua fortis is laid on.

M 2

When

When the plate is varnished, and cold, you may try how your Ground bears the needle, by hatching (in a waste corner) some close strokes two contrary ways over each other; and if it is of a moderate temperature, so as neither to stick to the singers by its softness, or sly from the copper by its brittleness, you may venture to bestow some labour on it, and proceed in your work.—The next thing in order, is to trace your design on the plate.

To trace the Out-lines from a Print or Drawing on your varnished Plate.

A print that is not of any value, may be rubbed on the wrong fide with red chalk, red oaker, Spanish brown, Indian red, or any other fine soft colour that will rub dry into the grain of the paper. When you have so done, lay it on to your plate, and be careful that it doth not slip in the working; then trace over all the out-lines of your print with a stick of ivory, having a pretty small smooth point; for an actual sharp point will injure the print, and perhaps raise the varnish behind it. When your

your principal out-lines are drawn, you may touch over fome of the less principal lines in order to have as much of the print on the plate as you can. When all is drawn, take off the print, and you will find the colour sticking to vour Ground, wherever you have drawn over it with your flick. If you have a curious drawing, or print of value to copy, you may rub your colour into another paper, which may be laid on the plate first, with the coloured side downwards, and your drawing may be laid on that, and it will do pretty well; but you will have a better out-line through a fingle paper, than through a double one.-When your defign is traced on the plate, you must be furnished with tools to etch withal.

NEEDLES for ETCHING.

Take half a dozen needles, of different fizes, which may be fluck into fmall cedar-flicks for handles; the points may be drove into the flicks, after which you may break off their heads, and grind new points on a hone or oil-flone: these may be of various degrees of sharp-ness.

ness, in order to make strokes of different breadths. When you are so furnished, you may begin to work on your copper.

Of Etching on your varnished Plate.

It will be necessary, before you begin, to have a piece of very clean, foft, old linen rag, with all the feams and felvages torn off: this may lie double under the hand you work with, to keep the heat, fweat, or roughness of your hand, or nails, from foftening, fcratching, or otherwife injuring the Ground. Then take one of your middle-fized needles, and trace over the out-lines that you have made on the copper, minding to touch strong enough to cut through your varnish. When all your lines are traced, you may wipe the plate with a foft wet sponge, to take off the coloured out-line; fo shall you see what you have traced with your needle more diffinctly: then set the print or drawing before you, on a floping board or defk, and carefully copy it in its leffer lines, by your eye, observing to touch with a fine pointed needle, and a very light hand, the light parts of the print or drawing you copy; and, with blunter pointed needles, give more strength to your strokes, as the darkness of the shadows increases; and by a little practice, observation and care, a piece may be sinished this way, without the help of engraving after the common method.

I have found by experience, that some labour may be faved in etching, by a fort of artifice, which has an effect beyond any thing that can be performed with the needle; that is, in case you have a dark object, on which you would represent many small white, or light spots, first etch fuch object with close cross hatches, so thick that it would print almost black; then take a fine hair pencil, dipped in common turpentine varnish and a little lamp-black, and touch with the pencil what shaped or fized fpots you would express on the abovesaid dark ftrong hatching, and it will dry on, and prevent the Aqua fortis from taking effect, or eating in those places; and so they will print white. The fame fort of varnish, with a little lamp-black, is a good stopper, in places where the varnish is accidentally rubbed off, or where any small error or mistake is committed, and when dry may be worked over again to rectify a mistake. The piece should be thoroughly examined, and all omissions rectified, before the *Aqua fortis* is applied to the plate.

A foft Wax for bordering the Plate to keep on the Aqua fortis.

Take white rosin and bees-wax in equal parts, incorporate them together over a fire in a pip-kin, and make the mixture into a roll for use. If it be found too hard to be worked and kneaded with your hands in winter, it may be brought to a greater or less degree of softness, by melting it again, with a less or greater proportion of olive oil.

When your plate and the wax are ready, take a piece of the wax, wet your hands, and roll the wax out in length like a cord, fufficient to go round the borders of your plate; then lay your plate in an horizontal position, where it may lie firm; then fix your wax on its edges very close, that the Aqua fortis may not pass between the

wax and plate, then pinch it up to an edge, and fo make it into a kind of wall of half an inch high; after which pour on your Aqua fortis, a proper fort of which is to be had at most of the chemists shops in London, and is generally too strong to be used without a mixture of water. You will know when it is too strong, by its almost boiling on the plate where it touches the copper; therefore you are to lower it with water, till you see the bubbles rise very moderately; for too great a strength of Aqua fortis will break up your Ground, and spoil your plate.

When the Aqua fortis has been on the plate a little while (about half an hour) if you perceive by the equal bubblings that it has bit kindly, it may be taken off, and the plate clean washed with fair water, and well dried; then you may try the depth of your strokes by rubbing off a little spot of the Ground, and, if you find it too faint, put the Aqua fortis on again; but if you think it has bit enough for the first time, you may stop (with the before-mentioned varnish) all those parts that you would preserve light and tender: let your varnish dry a little, then

then put on your Aqua fortis a second time, and let it lie about half an hour. It may be taken off, and put on again, if the case requires: and you may ftop other parts that you would not have very dark; but remember to wash and dry your plate every time you stop with the varnish. Few of my plates have had the Aqua fortis on them less than half an hour on the lighter parts, or more than a hour and an half on the darker parts. When the plate is bit in as deep as you would have it, wash the Aqua fortis well off from it; then fcrew your hand-vice on the edge of it, and hold its wrong fide a while before, or over a fire, and the wax border will flip off; then take a little olive, or any oil, put it on the hot plate, and rub it over with a rag, then wipe the plate clean, and you will fee your defign very plain. The plate is then fit to fend to the rolling-press for a proof, after which, any common hand may put in a few strokes with a graver, in case there be found any little deficiences.

Thus have I given as much, and no more, on the subject of etching, than I have discovered from from my own practice and experience. There are, I believe, many of my countrymen, who could give far better instructions in this art than myself; but some of them, perhaps, are idle, and others interested to keep it secret. I know of none that have advanced any thing worth naming, on this subject, in our language, but what is translated from some other.

ANECDOTES,

AND

ADDITIONAL ACCOUNTS

OF SOME

Subjects in Natural History.

The BEARDED VULTURE.

N laying this bird before the Royal Society, as a fubject unknown, my friend, Dr. Parsons, took particular notice of two large groups of feathers that fall on the sides of the lower part of the back or rump, and fill up the spaces or gaps between the back and wings, when the wings are closed; and having observed the like feathers in Eagles to be raised up at the pleasure of the bird, he examined these in the Bearded Vulture, and found them to be no part of the wing, but that they had their bottoms fixed

fixed only in the skin on the sides of the back? and thinking it strange that the skin, simply, should have the power to raise, and keep supported, a large group of long feathers, he asked me if he might open that part of the skin at the roots of these feathers, which I was very willing should be done for the satisfaction of the Doctor's curiosity, as well as my own. On opening the skin, the Doctor soon discovered the muscle described in his following curious letter, wrote at my request, which he has given me free liberty to publish for the information of the curious.

S I R, Red-Lion-Square, Sept. 21, 1750.

"It is but doing you the juffice due to your great care and industry, in obliging the world with your excellent *Natural History of Birds*, to communicate any thing in my power, which might fulfil your laudable intention of putting what you do in a clear light, for the better understanding of the branch you are engaged in.

" I have made honourable mention of you, in my lecture upon the muscles, which I dis-

covered in the Sea-Eagle and other birds, read on Thursday the 31st of May last, before the Royal Society, on account of the happy opportunity you were so kind to give me of diffecting the African Bearded Vulture, which you shewed to them at one of their meetings, in order to search for the same muscles, which I found in your company.

"Whatever relates to their actions, not only in the Eagle and Vulture-kinds, but also in every other bird whatsoever, will be found in the above mentioned lecture, in the transactions of that time: but as this pair of muscles, and indeed some others mentioned in my lecture, were never observed before, it may not be improper to add a little account of them to your History of the Vulture, if you think proper; for they are about the same size, and in the same situation with those of the Haliætos, which gave occasion to the lecture; and both birds are nearly related to each other, being of the same genus.

"This muscle on each side is about two inches long, arising sleshy by three digiti from the second,

fecond, third, and fourth ribs, and ending also fleshy in the skin a considerable way behind the wings. It is a bundle of fleshy fibres about as thick as a small finger, and equal in bigness all along; it has a very strong action, being entirely fleshy, and must of consequence contract in every part; and as the place of its infertion in the fkin is also the place of the insertion of a large group of feathers, having no fort of connexion with the great wing, which is moved by its own proper muscles analogous to those of the humerus in other animals, it must have been designed for a very particular use both in land and waterfowls, for which we must refer to the said lecture, where they are fully accounted for. In the mean time you will please to add the name I have invented for this muscle, which will in some measure be expressive of its use. It is the

Musculus novus remigatorius,
The new steering, or rowing muscle.

"Now, in water-fowls, as well as in those of land, this may be called the Remigatorius anterior,

rior, as moving a group of feathers in the forepart of birds; but there is another pair which I discovered, and call the *musculi remigatorii poste*riores, as moving a group of feathers behind, and these are described in the same lecture.

"I am, with fincere wishes for your health, and success in your undertakings,

"Your friend, and humble fervant,
"JAMES PARSONS.

Of the PORCUPINE.

Extract of a letter, dated Albany, Aug. 10th, 1742.

The Porcupine, in this country, is a beaft which makes its neft or den under the roots of great trees, and fleeps much; it feeds on the bark of juniper and other trees, but chiefly on juniper; in winter it eats fnow inftead of drinking, and laps water in fummer like a cat or dog, but carefully avoids going into it. His hair and quills remain all fummer without alteration of colour; but as the weather grows warmer in the fpring, the fur grows thinner, as in all creatures

tures in this country: fince our conquest of America, many have been brought alive to England.

The Whip-poor-will, or Lesser Goat-Sucker.

The following account Mr. Catesby received with these birds from a Gentleman in America:

"They come to Virginia about the middle of April, from which time, to the end of June, they are heard every night, beginning about dusk, and continuing till break of day; but it is chiefly in the upper or western parts that they are fo frequent: I never heard but one in the maritime parts; but near the mountains in the month of May, within a few minutes after funset, they begin, and make so very loud and shrill a noise all night, that the ecchoes from the mountains increase to such a degree, that the first time I lodged there I could hardly sleep: they are feldom feen in the day-time. The Indians imagine these birds are the souls of their ancestors formerly slaughtered by the English, and

and fay, that they never appeared in their country before that flaughter. Many people here look on them as birds of ill omen. I have been informed they lay two eggs, of a dark green, fpotted and fcrawled with black, in the plain beaten paths, without any fign of a neft, upon which they fit very close, and will fuffer a near approach before they fly off."

The PETERIL.

The Peteril is a native of the Cape of Good Hope, where it is called the *Pantado*, which is a name the Portugueze have given to other birds, of a different nature, where they find them spotted or painted, as the name denotes.

Dampier fays, "between Brafil and the Cape of Good Hope, we passed by a dead whale, and saw (as I may say) millions of seafowls about the carcass, (and as far round about it as we could see) some feeding, and the rest slying about, or sitting on the water, waiting to take their turns. We first discovered the whale by the sowls, for indeed I never saw so many fowls

fowls at once in my life before, their numbers being inconceivably great: they were of divers forts, in bigness, shape and colour. Some were almost as big as geese, of a grey colour, with white breafts, and with fuch bills, wings, and tails. Some were Pintado-birds (our white and black spotted Peteril) as big as ducks, and speckled black and white. Some were Shearwaters, some Peterils. We saw of these birds, especially the Pintado-birds, all the sea over, from about two hundred leagues distant from the coast of Brasil, to within much the same diftance of New Holland. The Pintado is a fouthern bird, keeping within the Southern Temperate Zone, for I never faw any of them much to the northward of thirty degrees fouth: the Pintado is as big as a duck, but appears, as it flies, about the fize of a tame pigeon."

Of the Little Peteril I have seen a great many together, in the midst of the more northern or widest part of the German Occan, where they must have been more than 100 English miles from land. It is strange that so small a bird should be able to subsist in such open seas, where they

they cannot rest but on the water, which is always pretty rough. Those I have seen were continually on the wing; they appear not, but in tempestuous weather, near ships, or land.

The EIDER COCK.

The Eider Cock is brown when he is young, but when he is old he groweth almost white, and is called Eider-Blink.

From this fowl is gathered Eider-down, which the Eider plucks from his breast and layeth in its nest about its eggs when it hatcheth them; and when the young ones are come out and sled away with their dam, this down is taken up from the nest, being then full of moss and straw, of which it is cleansed, and dried. The down which is plucked off at other times from the Eider is good for nothing, for it is fat, and rotteth.

The SUMMER-DUCK.

Mr. Catefby has described this bird in his history of Carolina, vol. I. page 97.

" They

They breed, fays he, in Virginia and Carolina, and make their nefts in holes of tall trees (made by wood peckers) growing in water, particularly cypress-trees. While they are young, and unable to fly, the old ones carry them on their backs from their nefts into the water; and at the approach of danger they fix with their bills on the backs of the old ones, who fly away with them. The female is all over brown." I suppose by the name, it is a bird of passage, and retires fouthward from Virginia, Carolina, &c. at the approach of winter. I have had the advantage of feeing feveral of these birds brought from Carolina to London alive, as well as the above described, which were newly killed. The females of these I have seen were all over brown. having fomething of a creft, like the male.

MACCAWS.

To illustrate the history of the Maccaws, I cannot help borrowing from Commodore (now Lord) Anson's Voyage a beautiful passage, which describes a waterfall in the island of Quibo. "Near the north-east point of the island

they discovered a natural cascade, which furpassed, as they conceived, every thing of this kind, which human art or industry hath hitherto produced. It was a river of transparent water, about forty yards wide, which ran down a declivity of near one hundred and fifty yards in length. The channel it ran in was very irregular, for it was entirely formed of rock; both its fides and bottom being made up of large detached blocks, and by these the course of the water was frequently interrupted, for in some places it ran floping, with a rapid, but uniform motion, while in other parts it tumbled over the ledges of rocks, with a perpendicular descent. All the neighbourhood of this stream was a fine wood, and even the huge maffes of rocks which hung over the water, and which by their various projections formed the inequalities of the channel, were covered with lofty forest trees. While the Commodore and those who were with him attentively viewing the place, were remarking the different blendings of the waters, the rocks, and the woods, there came in fight (as it were still to heighten and animate the prospect) a prodigious flight of Maccaws, which hovering over this spot, and

and often wheeling and playing on the wing above it, afforded a most brilliant appearance, by the glittering of the sun on their variegated plumage; so that some of the spectators cannot refrain from a kind of transport when they recount the complicated beauties which occurred in this extraordinary water-fall."

MONKIES.

Monsieur de la Condamine, of the Royal Academy of Paris, in a voyage through the inland parts of South-America, down the river of the Amazons, gives the following account of a very extraordinary Monkey:

"The governor of Para prefented me with a Monkey, which was the only one of its kind ever feen in the country, the hairs of its body being bright as filver, and of the colour of the finest fair treffes, whilst its tail was of a shining chesnut, inclining to black: it had still another singularity yet more remarkable; its ears, sides of the face, and nose, were of such a lively red, that one could scarce be induced to believe it to be its natural colour. I kept it a year, and it was living when I was writing this, almost in fight of the coast of France, but in spite of the continual precautions I took to preserve it from the cold, the severity of the weather killed it."

I once had an opportunity of feeing, in the house of the late Duke of Richmond, at Whitehall, an old she Monkey, who had been brought to England with young: and she brought forth a single cub, of which she was very tender. It was pleasant to see her hold it in her arms, and suckle it. Her actions and manner nearly resembled a woman's nursing her child. This fort of Monkey being pretty frequently brought into most of the maritime trading parts of Europe, it has probably been described by some former naturalist.

The BAT.

Monsieur de la Condamine, in his voyage down the river of Amazons, says the Bats which suck fuck the blood of horses, mules, and even men, when they do not secure themselves from them, are a nuisance common to hot countries in America; and some of them are of a monstrous bigness. At Borja, and in divers other places, they have destroyed the great cattle which the missionaries had introduced there, and which began to multiply in those parts.

Dampier, in his voyage round the world, fays, in the island of Mindanao there are Bats as big as Kites. Near the last mentioned island lies the island of Bats. Dampier says this island was the habitation of an incredible number of great Bats, with bodies as big as Ducks, or large fowls, and with vast wings; for he saw at Mindanao one of this fort, and judged the wings stretched out in length could not be less than seven or eight feet from tip to tip; for it was much more than any of them could fathom with their arms when extended to the utmost.

The reverend Mr. Hughes, in his Natural History of Barbadoes, p. 68, describes a Bat different

different from any I have met with: he calls it the Cave-Bat. He fays, the Hebrew name is Atalleeph, i.e. a bird of darkness. "This Bat, fays he, hath its name from the place of its refidence. It is often as big as a young pigeon; its body is covered with a fnuff-coloured foft hair; its ears are more upright, and larger in proportion than those of a rat; and its whole head, especially its mouth and nose, shorter and thicker. From the extremity of one wing to that of the other extended, measures eighteen inches: its feet are guarded with fix sharp talons, each turning inwards like fish-hooks." I believe his giving it fix claws on a foot to be an overfight; for I have not observed more than five in those Bats I have examined. Mr. Hughes fays, they have also, in Barbadoes, the same fmall Bat we have in England.

Whether the Cave-Bat hath a tail, as the two English Bats described by me, p. 201, of my Natural History, or not, Mr. Hughes does not inform us. There is, in the British Museum, a Bat from Egypt, of a size between this Cave-Bat and my Great Bat from Madagascar; which Egyptian

Egyptian Bat is tailless, and much resembles that of Madagascar, but much less. As a duck is a web-footed bird, a Bat is just in the same fense a web-footed beast or quadrupede, though they differ in many respects: a duck, or other water-fowl, hath the toes webbed together with a ftrong, tough, though pliable web, of a small dimension, yet large enough to work in so dense a medium as water: the Bat hath the legs forwards webbed principally, though these webs are always joined to the hinder legs; the webs are exceeding thin, foft and pliable, and vaftly extended in breadth, if compared with the webs on the feet of fowls; the reason of which is manifest; for the air being a medium vastly more rare than that of water, it requires a membrane broader, thinner, and more light and delicate to work and support itself therein. It is convenient for water-birds to have their oars in the hinder-parts of their bodies, because the water is under them, and they row themselves forwards on its surface; but it is different in Bats; for they have their webs principally on their forward limbs, in order to row themselves forwards in the air. A gentleman, an eye-witness, has

* O

told

told me, that the great East-Indian Bats work their wings slowly, in the manner herons do with us, and not by a swift fluttering motion, as our little Bats do. On weighing what I have read in natural historians and voyagers on this subject, I have reason to believe there is a great number of distinct species of Bats, from the fize of a very small bird, gradually increasing to (almost) the bigness of an eagle.

The Ruffed Heath-Cock, or Grous.

This bird is a native of Pennfylvania, where it is called a Pheasant. M. Bartram sent with it a very curious account in a letter to M. Colinson, of whom I obtained leave to take an exact copy; which is as follows:

"He is a fine bird when his gaiety is difplayed; that is, when he spreads his tail, like that of a turkey-cock, and erects a circle of seathers round his neck like a ruff, walking very stately with an even pace, and making a noise something like a turkey; at which time the hunter hunter must fire immediately at him, or he slies away directly for two or three hundred yards, before he fettles to the ground. There is something very remarkable in what we call their thumping, which they do with their wings, by clapping them against their sides, as the hunters fay. They stand upon an old fallen tree that has lain many years on the ground, where they begin their strokes gradually, at about two feconds of time diffant from one another, and repeat them quicker and quicker, until they make a noise like thunder at a distance; which continues, from the beginning, about a minute; then ceafeth for about fix or eight minutes before it begins again. The found is heard near half a mile; by which means they are discovered by the hunters, and many of them killed. I have fhot many of them in this position; but never faw them thump, they mostly seeing me first, and so left off. They commonly exercise thumping in Spring and Fall, at about nine or ten in the morning, and four or five in the after-Their food is chiefly berries and feeds of the country: their flesh is white, and choice food. I believe they breed but once a year, in

* O 2

the Spring, and hatch twelve or fourteen at a brood, which keep in a company till towards the following Spring. Many have attempted to raife the young ones, and to tame them, but to no purpose. When hatched under a hen they escape into the woods soon after they are hatched, where they either find means to sub-sist or perish."

In order further to illustrate the history of this bird, I wrote to Mr. Brooke, of Maryland, in North-America, May 1752, now in London, to defire the favour of him to give me what acaccount he could of the bird called a Pheasant, in the provinces of Pennsylvania, Maryland, &c. and he obliged me with a satisfactory answer, by letter, from which I have made the following extract, relating to the history of this ruffed Grous or Pheasant.

"The Pheasant breeds in all parts of Maryland, some countries on the western shore excepted. They lay their eggs in nests they make in the leaves, either by the side of fallen trees, or the roots of standing ones. They lay

from twelve to fixteen eggs. The time of incubation is in the Spring; but how long their eggs are hatching I cannot fay; but, probably, it is three weeks, the time that a dung-hill hen fits. I have found their nefts, when a boy, and and have endeavoured to take the old Pheafant, but never could fucceed: fhe would let me almost put my hand upon her before she would quit her neft; then by artifice she would draw me off from her eggs by fluttering just before me for a hundred paces or more; fo that I have been in constant hopes of taking her. They leave their nests as soon as hatched, and I believe they live at first on ants, small worms, &c. When they are a few days old, they hide themfelves fo artfully among the leaves, that it is difficult to find them: as they grow up they feed on various berries, fruits and grain of the country; grapes they likewife are fond of in the feafon; but the Pheasant is more particularly fond of the ivy berry. I do not know any other animal that feeds on these berries: I know they are poison to many. Though the Pheasant latches many young ones at a time, and often fits twice a year, the great number and variety of hawks in Maryland feeding on them prevents their increasing fast.—The beating of the Pheasant, as we term it, is a noise chiefly made in the spring of the year by the cock-birds; it may be distinctly heard a mile in a calm day. They swell their breasts like the pouting pigeon, and beat with their wings, which makes a noise not unlike a drum in sound; but the Pheasant shortens each sounding note, till they run one into another indistinguishably like striking two empty bottles together."

In order to perfect, as far as I am able, the history of this bird, I shall give a quotation from Byron Lahontan's voyages to North-America, published in English. See vol. first, page 67th, where he speaks of a bird sound near the lakes of Canada, which I think can be no other than the above described, though the names given them disagree.

Lahontan fays, "I went in company with fome Canadians on purpose to see that fowl flap with its wings. I believe this fight was one of the greatest curiosities in the world; for their flapping makes a noise much like a drum for about

the

the space of a minute, then the noise ceaseth for half a quarter of an hour, after which it begins again. By this means we were directed to the place where the unfortunate More-hen fat. and found them upon rotten mosfly trees. By flapping one wing against another they mean to call their mates, and the humming noise that enfues thereupon, may be heard a quarter of a league. This they do only in the months of April, May, September and October; and, which is very remarkable, the More-hen never flaps in this manner but upon one tree. It begins at break of day, and gives over about nine o'clock in the morning, till about an hour before funfet, then it flutters again and continues fo to do till night.

The Spur-winged PLOVER.

Paul Lucas, in his Voyage to the Levant, edit. in 3 vols. 12mo, printed at Rouen, anno Domini 1719, gives a very strange account of a bird found in the river Nile, which seems to me to be this very species of bird. Therefore, to amuse the reader, I shall transcribe his account

of it (see vol. iii. page 7.) "This bird is like a lapwing, and near of its bigness, which flew about and went into the crocodiles mouths, and throats, which were then extended on the water in the Higher Egypt, and were just before our author's boat; and after they had staid a while, the crocodiles shut their mouths, and opened them again foon after to let them go out. The people told me that these birds, of which there was a vast number, feed themselves on what remains between this animal's teeth, by fucking them; and as they have a kind of four, or very fharp thorn on the tips of their wings, they prick the crocodile and torment him when he has shut his mouth, till he opens it again and lets them out; and thus they fecure themselves from the danger they were in. Likely these are the birds which Pliny calls Trockilos. Beitar an Arabian author tells fuch another flory of a bird, but doth not mention its name." As I have received one of these birds from the East Indies, it is very probable it may be a native of the Upper Egypt, which is in or about the fame latitude.

The BUTCHER-BIRD.

Mr. Bell, a curious and inquisitive gentleman, long a refident in Russia, informed his friend, Mr. Colinfon, (April 5th, 1745) that the Great, or Ash-coloured Butcher-bird, is often taken by the bird-catchers in Russia, and made tame. Mr. Bell had one given him; and he fixed a sharpened stick, or long skewer, in the wall, for the bird to rooft on, with the point outward: but the curiofity was, the fingular nature of the bird; for if he let fly a small bird, either linnet or green-finch, he would prefently fly from his perch, and feize the little bird in a particular manner by the throat, which stops his breath, and foon kills him. The next extraordinary thing observable was his carrying the bird he had just killed to his perch, and spitting it on the sharp-pointed stick, drawing it on with his bill and claws; and thus would he ferve one bird after another, spitting them and letting them hang by the neck, until he eat them at his leifure. The inftinct of spitting the dead birds is to enable him the better to pull them to pieces;

pieces; for he has not strength to hold them, as a hawk does, in his claws, and pull them with his bill; but being fast spitted, he has strength enough to dissect. These birds are much admired by the Russians for the diversion they afford them in seizing and killing their prey, and artfully hanging it up for their food. The bird above described is very near, and possibly may be the same with the Guiraru Nheengeta of Marcgrave.

Account of the NEEDLES, in the Isle of Wight.

In the beginning of June 1761, I had the curiofity to vifit the Isle of Wight, where I spent a week in seeing what was curious in that part of the island, and went off to sea several times under the stupendous rocks and cliffs called the Needles. Many strangers of our southern counties visit these parts yearly on the same account. When we enter some of our great cathedrals, their greatness and solemn gloominess strike us with a pleasing reverential kind of chilling horror; and when we view the magnificent palaces of sovereign princes, we are struck with beauty,

beauty, harmony, and regularity, and a striking fense of the richness, power, art, and fine taste, that could form such terrestrial heavens: but, O! when I had launched a little way into the ocean, and taken a full view of this most amazing and stupendous work of nature, all the sensations produced by temples and palaces, the works of art, were like shadows compared with real fubstances. The stupendous greatness of the rocks strikes the beholder with chill horror, and amazement, never felt before. While a stranger is near them, he fears that some protuberant maffes of the rock will give way and wreck his veffel, and drown the prefumptuous spectator. It is necessary to keep a quarter of a mile's diftance at least, to make any judgment of the height of the cliffs. In some places it is near perpendicular; in others overhanging; in others there are rows of shelves, or lodgments, for the birds called Puffins and Razor-birds, where they fit thick, in rows, tho' hardly diffinct to be feen feparately, but their motion discovers them. In certain places high in the cliff, as well as under water-mark, you fee great chasms and deep caverns, that seem to enter far into the rock. Here and there are chryf-

tal streams and broken rippling waters iffuing forth pretty high in the rock. The strata of chalk, stone, flints, &c. divided in some parts, on an almost plain surface, for the depth of fix hundred feet, the heighth of the rock in many places affords great entertainment to a curious and inquisitive mind. It is strange to see sheep and lambs feeding near the water's edge in the lower part of this cliff, and not eafily conceivable how they get thither without being precipitated into the deep, but they have the power of treading furely in places inaccessible to man. Though the birds are not counted eatable, yet many of them are destroyed through wantonness. When a gun is discharged from sea under the rock, they fly off in fuch amazing numbers as to darken the furface of the fea under them. Great numbers are always feen fishing in the fea, others fitting in the cliffs, and many always passing and repassing over your boat. The fishermen make baits of their flesh to catch lobsters, crabs, &c. The ignorant on this part of the island suppose that these birds are found in no part of the world, but at the Needles. The face of this stupendous rock extends about four miles, and very nearly,

if not precisely, facing the fouth. The west point terminates in what is properly called the Needles, which are feveral vaft rude obelifks, or pillars, separated by time and force of the sea from the main rock, and stand detached from each other, arifing immediately out of the fea. These birds, they say, are seen here not much above two months in the year, and first appear in the beginning of May. The fishermen, who are always about these rocks, declare that these birds are seen three or four times in the winter, for a day or two each time, in as great numbers as at their breeding time; and that they know when to expect them, which is after a little mild weather, when the fun lies warm on the cliff. and the fea beneath is pretty calm, to give them an opportunity to feek their food. The top of the cliff is barren, chalky, and stonny, down which feeds a great number of sheep, cormorants, shags, gulls, Cornish choughs, jackdaws, ftarlings, wild pigeons, and many forts of small birds, breed annually on these rocks.

Having in the Essays given the opinions of many ingenious men, respecting Birds of passage, we shall, in further elucidation of the subject, give the follow-

ing extract from a work entitled Huetiana; on the Immersion of Swallows in Sweden.

The Swallows in Sweden, at the approach of winter, plunge themselves into the lakes, and there remain afleep and buried under the ice till the return of fpring. Being then awakened by the genial warmth, they leave the water and take their flights as usual. While the lakes are frozen, if you break the ice in some places which appear blacker than ordinary, you will find heaps of Swallows, cold, afleep, and half dead. But if you take them out and warm them between your hands, or before the fire, they will immediately give figns of life, move, and stretch themselves, and in a little while fly away. The common people fancy that the water of the lakes in Sweden has a virtue in it to change into fwallows the leaves which fall from the trees in autumn. In other places, they hide themselves in caverns, and under rocks. We have a great many of these caverns between the city of Caën and the fea, along the river Orne, where fometimes in the winter, large clusters of fwallows are found hanging at the roofs, like bunches of grapes. The fame thing has been long ago obferved

ferved in Italy; for Pedo Albinovanus, in his elegant elegy on the death of Mæcenas, mentions the retreat of swallows, as one of the signs of the approach of winter:

Conglaciantur aquæ, scopulis se condit birundo, Verberat egelidos garrula vere lacus.

To draw Birds preserved in Spirits.

If any one would draw a bird preferved in fpirits, let him take it out, wash it pretty well in warm water, and rinse it in a good quantity of cold, and let it dry gradually, and he will restore the true colour of the seathers as far as can be; for some feathers, in the glasses of spirits, I have observed to appear of colours very contrary to the true colour they are of before they were put in.

Dampier, in his travels, tells us, that when feamen are thrown upon any of the unknown coasts in America, they never venture upon the fruit of any tree, how tempting soever it may appear, unless they observe that it is marked with the picking of birds; but fall on without any fear or apprehension when they perceive the birds have been before them.

Á

CATALOGUE

Of the NAMES of the

BIRDS, BEASTS, FISHES, INSECTS, PLANTS, &c.

EDWARDS'S Natural History of Birds,

And his Gleanings of Natural History, in a

Generical Order.

Of Birds that take their prey in the day-time, and first of

Eagles.

| | PLA |
|-------------------------------------|-----|
| THE white-tailed eagle | İ |
| ⚠ The crowned eagle - | 224 |
| Vultures. | |
| The king of the vultures | 2 |
| The bearded vulture | 106 |
| The crefted or copped black vulture | 290 |
| Hawks. | -1- |
| The afh-coloured buzzard | 53 |
| The marsh hawk | 291 |
| | The |

[173]

CATALOGUE

Des NOMS de tous les Oifeaux, Betes, Poifons, Infectes, Plantes, &c.

CONTENUS DANS

l'Histoire Naturelle des Oiseaux d'EDWARDS, Et dans ses Glanures de l'Histoire Naturelle, dans un Ordre Generique.

Des Oiseaux qui prennent leur proye de jour, et en premier lieu des

Aigles.

| | PLA. |
|--|------|
| Y 'Aigle à la queüe blanche - | 1 |
| L'Aigle à la queüe blanche L'aigle huppé | 224 |
| Vautours. | |
| Le roy des vautours. | 2 |
| Le vautour barbu | 106 |
| Le vautour noir couronné ou chaperonné | 290 |
| Faucons. | |
| La buze cendrée | 53 |
| Le faucon des marais | 291 |
| | Le |

[174]

| The fpotted hawk or falcon - | 3 |
|---|-----------------|
| The black hawk or falcon | 4 |
| The ring-tailed hawk | 107 |
| The blue hawk | 225 |
| The little black and orange-coloured Indi | |
| hawk - | 108 |
| Butcher-birds. | |
| The grey pye of Brafil - | . 318 |
| The black and white butcher-bird | 226 |
| The crested red or russet-coloured butche | r- |
| bird | 54 |
| The least butcher-bitd | 55 |
| The fork-tailed Indian butcher-bird | 56 |
| Birds of Paradise. | |
| The greater bird of Paradise | 110 |
| The king of the birds of Paradife | 111 |
| The golden bird of Paradife | . 112 |
| | |
| Notturnal rapacious birds, and first of own | |
| small heads, of kin to eagles and hawks | • |
| The great white owl | 61 |
| The little hawk-owl | 62 |
| Horned Owls. | : 7.1 |
| The great horned owl | - '''' 'ర్రస |
| The great nother own | The |
| | TIIC |

[175]

| Le faucon tacheté | 43 |
|---|------------|
| Le faucon noir | 4 |
| Le faucon à queüe annelée | 107 |
| Le faucon bleu | 225 |
| Le petit faucon noir et orange des Indes | 108 |
| | |
| Pie-grieches. | |
| La pie grise de Bresil | 318 |
| La pie grise noire et blanche | 226 |
| La pie-grieche rousse, hupée | 54 |
| | |
| La petite pie-grieche | 55 |
| La pie des Indes à queüe fourchue | 56 |
| Des Oiseaux du Paradis. | |
| Le grand oifeau du Paradis - | 110 |
| Le roi des oiseaux du Paradis | 111 |
| L'oiseau de Paradis de couleur d'or | 112 |
| Des oiseaux de proye nocturnes, et premierement | des |
| biboux à petite tete, qui ont une affinité ave | |
| aigles et avec les faucons. | |
| Le grand hibou blanc, favoir le duc | 6 r |
| Le petit faucon-chouette | 62 |
| Hiboux cornus. | |
| Le grand due | 60 |
| • | Le |
| | |

[176]

| The great horned owl from Athens | 227 |
|---|-----|
| An owl without horns | , 1 |
| The little owl | 228 |
| | |
| Of Parrots in general, and first of | |
| Maccaws. | |
| The red and blue maccaw - | 158 |
| The blue and yellow maccaw | 159 |
| The great green maccaw | 313 |
| The Brafilian green maccaw | 229 |
| : | |
| Crested parrots, called | |
| Cockatoos. | |
| The great black cockatoo | 316 |
| The greater white cockatoo - | 160 |
| The leffer white cockatoo with a yellow creft | 217 |
| | |
| Parrots with long tails, with feathers of eq | uai |
| length. | |
| The black parrot from Madagascar | 5 |
| The hawk-headed parrot | 165 |
| Parrots with short tails. | |
| The green and red parrot from China | 231 |
| The Brafilian green parrot - | 16i |
| The great green parrot from the West-Indies | 162 |
| The Breat Breen Parties and Aller | |
| | |

The

[i77]

| Le grand hibou cornu d'Athens | 227 |
|---|-------------|
| Un hibou fans cornes | |
| Le petit hibou | 228 |
| Des perroquets en general, et en premier lieu | des |
| Lirras: | |
| L'arras rouge et bleu | 158 |
| L'arras bleu et jaune | |
| Le gros arras vert | 313 |
| L'arras vert de Bresil | 229 |
| Des perroquets qui ont des cretes, nommés | des |
| Cacatuas. | |
| Le grand cacatua noir | 316 |
| Le grand cacatua blanc | 160 |
| Le petit cacatua blanc à crete jaune. | 317 |
| Des perroquets qui ont des queües longues, au | vec des |
| plumes de longueur egale. | |
| Le perroquet noir de Madagascar | 5 |
| Le perroquet à tête de faucon | 165 |
| Des perroquets à courtes queues. | |
| Le perroquet rouge et vert de la Chine | 231 |
| Le perroquet verd du Bresil | 16 1 |
| Le grand perroquet verd des Indes Occide | ntales |
| | 162 |
| N | Le |

[178 J

| The blue-faced green parrot - | 230 |
|--|-------|
| The blue-headed parrot | - 314 |
| The white-headed parrot | 166 |
| The dufky parrot | 167 |
| The ash-coloured and red parrot | 163 |
| - | _ |
| The leffer green parrot - | 164 |
| The little green parrot - | 168 |
| The little dusky parrot - | 315 |
| The white-breafted parrot | 169 |
| Parrots of scarlet colour, called | |
| Lories. | |
| The first black-capped lory - | 170 |
| The fecond black-capped lory | 171 |
| The scarlet lory | 172 |
| The long-tailed scarlet lory - | 173 |
| The lory parrakeet | 174 |
| Smaller parrots, called | |
| Parrakeets: | |
| And first of such as have long pointed tails | |
| The long-tailed green parrakeet | 175 |
| The ring parrakeet, and the blue-headed | |
| parrakeet | 292 |
| <u>*</u> | The |
| | T 116 |

[179]

230

Le perroquet vert face de bleu

| | - |
|---|--------|
| Le perroquet à tete bleue | 314 |
| Le perroquet à tete blanche | 166 |
| Le perroquet brunatre | 167 |
| Le perroquet rouge et cendré | 163 |
| Le petit perroquet verd | 164 |
| Le petit perroquet verd | 168 |
| Le petit pe rroquet noiratre - | 315 |
| Le perroquet à poitrine blanche | 169 |
| Des perroquets ecarlates, appellés | |
| Lories. | |
| Le premier lory à calotte noir | 170 |
| Le fecond lory à calotte noir | 171 |
| Le lory ecarlate | 172 |
| Le lory ecarlate à longue queüe | 173 |
| Le lory perruche | 174 |
| De moindres perroquets, nommés | |
| Perruches: | |
| Et premierement de ceux qui ont des queües longu pointues. | ies et |
| La perruche verte à longue queüe | 175 |
| La perruche à collier, et le perroquet a tete le | |
| | 292 |
| N 2 | Ĺa |
| | |

[180]

| The golden-crowned parrakeet | 23 |
|---|----------|
| The red and blue-headed parakeet | 170 |
| The brown-throated parrakeet | 17 |
| The red-breafted parrakeet | 232 |
| The rofe-headed ring parrakeet | 233 |
| The yellow-faced parrakeet | 234 |
| The little red-winged parrakeet | 236 |
| | |
| Parrakeets with short tails, having their fea | thers o |
| equal length. | 7.3 |
| The green and red Indian parrakeet | 6 |
| The little red-headed parrakeet, or Guin | ea |
| fparrow | 237 |
| The fapphire-crowned parrakeet, and the | ne . |
| golden-winged parrakeet - | 293 |
| The least green and blue parrakeet | 235 |
| | |
| Birds with very large bills and parrots feet | , called |
| Toucans. | |
| The toucan, or Brafilian pye | 64 |
| The red-beaked toucan | 238 |
| The yellow-breafted toucan | 329 |
| The green toucan | 330 |
| | 330 |
| Cuckows. | |
| The great spotted cuckow - | 57 |
| | The |

[181]

| La perruche couronnée d'or | 235 |
|---|-------|
| La perruche à tete rouge et bleue | 176 |
| La perruche à gorge brune | 177 |
| La perruche à l'estomac rouge | 232 |
| La perruche à collier à tete couleur de rose | 233 |
| La perruche à face jaune | 234 |
| La petite perruche à l'aile rouge | 236 |
| Des perruches à courtes queües, dont les plumes | Sont |
| de longueur egale. | |
| Le perroquet Indien verd et rouge | 6 |
| La petite perruche à tete rouge, ou le moi- | |
| neau de la Guinée | 237 |
| La perruche couronnée de faphir, et la per- | |
| ruche aux ailes d'or | 293 |
| La plus petite des perruches verte et bleue | 235 |
| Des Oiseaux qui ont de becs fort gros et des pies | ds de |
| perroquet, et qui sont appellés des | |
| Toucans. | |
| _ ···································· | |
| Le toucan, ou la pie du Brefil | 64 |
| Le toucan à bec rouge | 238 |
| | 329 |
| Le toucan verd | 330 |
| Des coucous. | |
| Le grand coucou tacheté | 57 |
| | Le |

[182]

| The black Indian cuckow | 51 |
|--|---------------|
| The brown fpotted Indian cuckow | 59 |
| Birds of kin to cuckows. | |
| The yellow-bellied green cuckow | 33 I |
| The touraco | 7 |
| The jacamaciri of Marcgrave | 334 |
| The yellow wood-pecker with black fpots | 333 |
| Wood-peckers. | |
| The grey-headed wood-pecker | 65 |
| The wood-pecker of Jamaica | 244 |
| The red-cheeked wood-pecker | 332 |
| The fpotted Indian wood-pecker | 182 |
| The three-toed wood-pecker | 114 |
| Birds of the creeper kind. | |
| The hoopoe | 345 |
| The wall-creeper | 361 |
| The blue creeper | 2 I |
| The black and blue creeper - | 264 |
| The purple Indian creepers | 265 |
| The red-breafted green creeper, and the | |
| fpotted green creeper | 347 |
| The little brown and white creeper | 26 |
| The little black, white and red Indian creep | er 8 ņ |
| | The |

[183]

| Le coucou noir des Indes | 51 |
|---|------|
| Le coucou brun et tacheté des Indes | 59 |
| Des Oiseaux qui ont de l'affinité avec les couc | ous. |
| Le coucou vert au ventre jaune | 331 |
| Le touraco | 7 |
| Le Jacamaciri de Marcgrave | 334 |
| Le piverd jaune avec des taches noires | 333 |
| Des Piverts. | |
| Le pivert tete-grife | 65 |
| Le pivert de la Jamaïque - | 244 |
| Le pivert à rouge-joue | 332 |
| Le pivert moucheté des Indes | 182 |
| Le pivert à trois ongles | 114 |
| Des Grimpereaux. | |
| La huppe | 345 |
| Le grimpereau de muraille | 361 |
| Le grimpereau bleu | 2 I |
| Le grimpereau noir et bleu - | 264 |
| Les grimpereaux pourpre des Indes | 265 |
| Le grimpereau vert à gorge rouge, et le | |
| grimpereau vert tacheté - | 347 |
| Le petit grimpereau brun et blanc | 26 |
| Le petit grimpereau des Indes noir, blanc et | |
| rouge | 18 |
| | Le |

[184]

| The black and yellow creeper | 122 |
|---|--------|
| The yellow-bellied creeper - | 362 |
| The green creeper - | 348 |
| The green black-cap fly-catcher, and the | |
| blue-headed fly-catcher - | 25 |
| The wall-creeper of Surinam | 346 |
| King's-fishers, | ₽. |
| The great king's-fisher from the river Gaml | oia 8 |
| The American king's-fisher | 115 |
| The black and white king's-fisher | 9 |
| The fpotted king's fisher | 335 |
| The crested king's-fisher - | 336 |
| The little green and orange-coloured king's- | - |
| fisher | 245 |
| Little Indian king's-fishers | īi |
| Birds of kin to King's-fishers. | |
| The fwallow-tailed king's-fisher | 10 |
| The Indian bee-eater | 183 |
| The green sparrow, or green humming-bird | 121 |
| The grey and yellow fly-catcher | 262 |
| A bird of the greater kind, that will class w | ith no |
| other bird that I know of. | |
| The dodo | 294 |
| | |

[185]

| Le grimpereau noir et jaune | 122 |
|---|--------|
| Le grimpereau au ventre jaune | 362 |
| Le grimpereau vert | 348 |
| La mesange verte à tete noire, et le mouche | t |
| verd à tete bleue | 25 |
| Le grimpereau de Surinam - | 346 |
| Les Martins-pecheurs. | |
| Le grand martin-pecheur de la riviere de | í |
| Gambia | 8 |
| Le martin-pecheur de l'Amerique | 115 |
| Le martin-pecheur blanc et noir | 9 |
| Le martin-pecheur tacheté | 335 |
| Le martin-pecheur hupè | 336 |
| Le petit martin-pecheur vert et orange | 245 |
| Les petits martins-pecheurs des Indes | ıį |
| Des Oiseaux qui ont une affinité avec les ma | rtins- |
| pecheurs. | |
| Le martin-pecheur à queüe d'hirondelle | 10 |
| Le merops mangeur des abeilles des Indes | 183 |
| Le moineau verd, ou le colibri verd | 121 |
| La moucherolle ardoise et jaune. | 262 |
| Un Oiseau assez gros qu'on ne peut ranger p | barmi |
| quelque autre espece d'oiseau que je connoisse. | |
| Le dodo | 294 |
| | Des |

[186]

| Birds of the Turkey kind, having protuberan | ices of |
|---|---------|
| bare loose skins about their heads. | |
| The curafio-bird, and the cushew-bird | 295 |
| The horned Indian pheafant | 116 |
| The quan or guan | 13 |
| The turkey-pheafant, a mixed species | 337 |
| Pheasants. | |
| The black and white Chinese pheasants, | |
| cock and hen | 66 |
| The peacock-pheasant from China | 67 |
| The hen peacock-pheasant - | 69 |
| The painted pheafant from China | 68 |
| The hen of the painted pheasant | 69 |
| Birds of the partridge kind. | |
| The francolin | 246 |
| The red-legged partridge from Barbary | 70 |
| The Chinese quail | 247 |
| Birds of the grous or heath-cock kind, having | their |
| legs feathered to the toes. | |
| The ruffed heath-cock - | 248 |
| The black and fpotted heath-cock | 111 |
| The brown and fpotted heath-cock, suppose | d |
| the female of the next above. | 71 |
| The long-tailed grous | 117 |
| | The |

[187]

| Des Oiseaux d'espece des dindons, qui ont des tun | eurs |
|---|--------|
| ou des peaux branlantes sans plumes près de | leurs |
| tetes. | |
| L'oiseau de curassau, et le cusco. | 295 |
| Le phaifan cornu des Indes | 116 |
| Le guan ou quan | 13 |
| Le phaifan-dindon, espece melée | 337 |
| Des phaisans. | |
| Le phaisan de la Chine noir et blanc, avec sa | |
| femelle | 66 |
| Le paon-phaifan de la Chine | 67 |
| La femelle du paon-phaisan | 69 |
| Le phaifan à belles couleurs de la Chine | 68 |
| La femelle du phaisan de belles couleurs | 69 |
| Des Oiseaux du genre des perdrix. | |
| Le francolin | 246 |
| La perdrix rouge de Barbarie - | .70 |
| La caille de la Chine | 247 |
| Des Oiseaux du genre des coqs de bruyere, et q | ui ont |
| les jambes covertes de plumes jusqu'aux doig | ts. |
| Le coq de bruyere à fraise - | 248 |
| Le coq de bruyere noir et marqueté | 111 |
| Le francolin brun tacheté - | 7 x |
| Le coq de bruyere à longue queïle | 117 |
| | Le |

[188]

| The little pin-tailed grous | 249 |
|---|--------|
| The white partridge | 72 |
| Land-birds, having only three toes all ft | anding |
| forwards. | 7 |
| The buftard cock - • | 73 |
| The hen buftard | 74 |
| The Arabian buftard | 12 |
| The Indian buftard | 250 |
| The little buftard - | 251 |
| Pigeons. | |
| The great crowned Indian pigeon | 338 |
| The pigeon from the island of Nicobar | 339 |
| The triangular spotted pigeon | 75 |
| The brown Indian dove | 76 |
| The mountain partridge - | 119 |
| The green-winged dove - | 14 |
| The long-tailed dove | 15 |
| The transverse striped or barred dove | 16 |
| | |
| Birds of the crow and jack-daw kinds. | - 10 |
| The nut-cracker | 240 |
| The minor or mino, greater and less | 17 |
| The Chinese starling or black-bird | 19 |
| The black and yellow daw of Brafil | 319 |
| | The |

[189]

| Le petit coq de bruyere aux deux aiguilles | àlä |
|--|------|
| queüe | 249 |
| La perdrix blanche | 72 |
| Des Oiseaux-terrestres, n'ayant que trois doigts | qui |
| font tous devant. | |
| L'outarde male | 73 |
| L'outarde femelle | 74 |
| L'outarde d'Arabie | 12 |
| L'outarde des Indes | 250 |
| La petite outarde | 251 |
| Des pigeons. | |
| Le gros pigeon couronné des Indes | 338 |
| Le pigeon de l'isle de Nicobar | 339 |
| Le pigeon aux taches triangulaires | 75 |
| Le pigeon brun des Indes | 76 |
| La perdrix de montagne | 119 |
| Le pigeon à l'aile verte | 14 |
| Le pigeon à longue queüe - | - 15 |
| Le pigeon barré | 16 |
| Des Oiseaux du genre des corneilles et des chocas. | |
| Le caffe-noix | 240 |
| Le minor ou mino, grand et petit | 17 |
| La merle ou l'etourneau de la Chine | 19 |
| La pie noire et jaune du Bresil | 319 |
| | La |

[190]

| The yellow-winged pye | 322 |
|-----------------------------------|-----|
| The yellow-headed starling + | 323 |
| The blue and green daw | 320 |
| The green pye of Ceylon | 321 |
| The fhort-tailed pye | 324 |
| The little Indian pye | 181 |
| The pyed bird of Paradife | 113 |
| The crested long-tailed pye | 325 |
| Jays. | |
| The fwallow-tailed Indian roller | 327 |
| The roller | 109 |
| The blue jay from the East-Indies | 326 |
| The blue jay of North-America | 239 |
| The Brafilian faw-billed roller | 328 |
| Birds called Itteres. | |
| The black-headed Indian icterus | 77 |
| The golden thrush, icterus | 185 |
| The yellow Indian starling | 186 |
| The leffer Bonana bird | 243 |
| Thrushes, &c. | |
| The brown Indian thrush | 184 |
| The leffer mock-bird | 78 |
| The little thrush | 296 |
| The golden-crowned thrush | 252 |
| | The |
| | |

[191]

| La pie aux ailes jaunes | 322 |
|---|-----|
| L'etourneau à tete jaune | 323 |
| La pie bleue et verte | 320 |
| La pie verte de l'isle de Ceylon | 321 |
| La pie à la courte queüe | 324 |
| La petite pie des Indes | 181 |
| L'oifeaux ou la pie du Paradis | 113 |
| La pie hupée à longue queüe | 325 |
| Des Geais. | |
| Le rollier des Indes à queüe d'hirondelle | 327 |
| La corneille bléué | 109 |
| Le geai bleu des Indes Orientales | 326 |
| Le geai bleu | 239 |
| Le rollier au bec edentelé du Brefil | 328 |
| Des Oiseaux appellés Icteres. | |
| Le loriot à tete noire des Indes | 77 |
| La grive dorée, icterus | 185 |
| L'etourneau jaune des Indes | 186 |
| L'oifeau Bonana minor. | 243 |
| Des Grives, &c. | |
| La Grive brune des Indes | 184 |
| Le petit mocqueur | 78 |
| La petite grive | 296 |
| La grive couronnée d'or | 252 |
| | Le |

[192]

| The folitary sparrow - | . 18 |
|---|--------|
| The rose or carnation-coloured ouzle | 20 |
| The black and white Indian starling | 187 |
| Birds called Manakins. | |
| The hoopoe hen | 264 |
| The cock-purple-breafted manakin | 340 |
| The purple-breafted blue manakin | 241 |
| The pompadour | 341 |
| The red bird from Surinam - | 39 |
| The chatterer of Carolina | 242 |
| The blue-backed manakin, and the red and | i |
| black manakin | 261 |
| The golden-headed black tit-mouse | 21 |
| The black and yellow manakin | 83 |
| The black-capped manakin, and white-cap- | |
| ped manakin | 260 |
| Swallows. | |
| The whip-poor-will, or leffer goat-fucker | 63 |
| The greatest martin, or swift - | 27 |
| The great American martin | 120 |
| Slender-billed small birds, whose tails are all | of one |
| colour. | |
| The golden-winged fly-catcher | 299 |
| | The |
| | |

[193]

| Le moineau folitaire | 18 |
|---|---------|
| La merle de couleur de rose ou d'incarnate | 20 |
| L'tourneau noir et blanc des Indes | 187 |
| Des Oiseaux appellés manakins. | |
| Le widdehop | 264 |
| Le manakin à gorge pourprée | 340 |
| Le manakin bleu à poitrine pourprée | 241 |
| La pompadour | 341 |
| L'oiseau rouge de Surinam | . 39 |
| Le jaseur de la Caroline | 242 |
| Le manakin à dos bleu, et le manakin rou | ge |
| et noir | 261 |
| La mesange noire à la tete dorée | 2 I |
| Le manakin noir et jaune | 83 |
| Le manakin chaperonné de noir, et le mar | 1a- |
| kin chaperonné de blanc | 260 |
| Hirondelles, | |
| Le petit tette-chevre | 63 |
| Le grand martin, ou hirondelle | 27 |
| Le grand martin de l'Amerique | 120 |
| Des petits Oiseaux qui ont des becs minces, | et dont |
| les queües sont toutes d'une seule couleur. | |
| La moucherolle aux ailes dorées | 299 |
| . 0 | La |

[194]

| The black-throated green fly-catcher, and | |
|--|------|
| the black and white creeper | 300 |
| The blue red-breaft | 2.4 |
| The red-bellied blue-bird | 22 |
| The green Indian fly-catcher - | 79 |
| The Maryland yellow-throat - | 237 |
| The blue fly-catcher | 252 |
| The blue manakin | 263 |
| The yellow wren | 278 |
| Slender-billed small birds, whose tails are pa | rtv- |
| coloured. | |
| The lark from Pennfylvania | 297 |
| The red or ruffet-coloured wheat-ear | 31 |
| The grey red-flart | 29 |
| The blue-throated red-start | 28 |
| The golden-crowned fly-catchers, cock and | |
| hen | 298 |
| The red-throated fly-catchers, cock and | 290 |
| hen | 301 |
| The yellow-tailed fly-catcher, and fpotted | 501 |
| yellow fly-catcher - | 257 |
| The cock cold-finch, and the hen cold- | ,237 |
| finch | -30 |
| The golden-crowned wren, and the ruby- | 30 |
| crowned wren | 254 |
| | The |
| | |

[195]

| 300 |
|------|
| 24 |
| 22 |
| 79 |
| 237 |
| 252 |
| 263 |
| 278 |
| dont |
| |
| 297 |
| 31 |
| 29 |
| 28 |
| |
| 298 |
| |
| 301 |
| 3 |
| 257 |
| 30 |
| 3,3 |
| 254 |
| Le |
| |

[196]

| The fmall American red-start - | 80 |
|---|------|
| The black and white fly-catcher | 348 |
| The American nightingale - | 121 |
| The yellow-rumped fly-catcher | 255 |
| The yellow red-pole | 256 |
| The pine-creeper | 277 |
| The little blue-grey fly-catchers, cock and | |
| hen | 302 |
| Water-wagtails. | |
| The yellow water-wagtail | 258 |
| The grey water-wagtail | 259 |
| Of tit-mice. | |
| The tit-mouse of Paradise | 349 |
| The black and blue tit-mouse | 350 |
| The red-headed green-finch | 23 |
| The spotted green tit-mouse | 262 |
| The golden tit-mouse | 263 |
| Long-tailed bumming-birds | Ü |
| The long-tailed red humming-bird | - 32 |
| The long-tailed green humming-bird | 33 |
| The long-tailed black-cap humming-bird | , |
| | 34 |
| Humming-birds with short tails. | |
| The red-breafted humming-bird | 266 |
| The little brown humming-bird | 32 |
| | The |

[197]

| Le petit rossignol de muraille de l'Amerique | 80 |
|---|------|
| La moucherolle noire et blanche | 348 |
| Le roffignol de l'Amerique - | 12.1 |
| La moucherolle au croupion jaune | 255 |
| La tete-rouge au corps jaune - | 256 |
| Le grimpereau du fapin - | 277 |
| Les petites moucherolles de gris de fer, male | e |
| et femelle | 302 |
| Les hoches-queues. | |
| La bergeronnette jaune | 258 |
| La bergeronnete grife - | 259 |
| Des mesanges. | |
| La mesange du Paradis | 349 |
| La mesange noire et bleue - | 350 |
| Le verdier à la tete rouge - | 23 |
| La melànge verte tachetée | 262 |
| La mesange dorée | 263 |
| Des colibris à queues longues. | |
| Le colibri rouge à longue queüe | 32 |
| Le colibri verd à longue queüe | 33 |
| Le colibri à tete noire et à longue queue | 34 |
| Des colibris qui ont des queues courtes. | |
| Le colibri à poitrine rouge | 266 |
| Le petit colibri brun | 32 |
| | Le |
| | |

[198]

| 35 |
|-----|
| |
| 36 |
| 37 |
| |
| 38 |
| 66 |
| 56 |
| 44 |
| 66 |
| O į |
| des |
| |
| 39 |
| 43 |
| 44 |
| 22 |
| 90 |
| 53 |
| 05 |
| |
| |
| 88 |
| 25 |
| he |
| |

[199]

| Le colibri au ventre blanc, et le colibri bleu | |
|--|-------|
| et verd | 35 |
| Le colibri verd au ventre noir, avec sa fe- | |
| melle - | 36 |
| Le colibri hupé | 37 |
| Le colibri à gorge rouge, avec sa femelle, | |
| &c | 38 |
| Le colibri à gorge verte | 266 |
| Le colibri à queüe blanche | 256 |
| Le colibri à crete couleur de rubi | 344 |
| Le colibri entierement vert | 360 |
| Le plus petit colibri | 105 |
| Des Oiseaux qui ont des becs d'une epaisseur moy | enne, |
| entre les becs fort minces et les becs fort epa | is. |
| L'oiseau rouge d'été - | 239 |
| Le moineau ecarlate | 343 |
| Le manakin au yifage blanc - | 344 |
| Le moineau be buisson de l'Amerique | 122 |
| Le rouge-queüe des Indes | 190 |
| La moucherolle olive | 253 |
| Le mangeur de vers | 305 |
| Des Oiseaux qui ont des becs très epais et fori | s, et |
| qui font appellés des Gros-becs. | |
| Le gros-bec - | 188 |
| Le gros-bec bleu d'Angola | 125 |
| | I.e |

[200]

| The cock padda, or rice-bird - | 41 |
|---|-------------|
| The female of the next above | 42 |
| The sparrow of paradife - | 180 |
| The yellow-headed Indian sparrow | 189 |
| The collared finch | 172 |
| The white-breafted Chinese sparrow | 355 |
| The black and yellow frizzled sparrow, and | |
| the Brafilian sparrow - | 27 I |
| The Malacca gros-beak | 306 |
| The black gros-beak | 352 |
| The Gowry bird | 40 |
| Chinese sparrows - | 43 |
| The little brown bull-finch | 83 |
| Birds with bills moderately thick, that feed on | Seeds |
| and grain. | |
| The greatest bull-finch cock | 123 |
| The greatest bull-finch hen | 124 |
| The great bull-finch | 82 |
| The shirley - | 34 2 |
| The cross-bills, cock and hen | 303 |
| The dominican cardinal | 127 |
| The calandra | 268 |
| Reed-birds, cock and hen - | 291 |
| | The |

[201]

| Le gros-bec de la Chine, ou l'oiseau de riz | |
|---|-------------|
| appellé padda | 4i |
| La femelle de l'oiseau de riz | 42 |
| Le moineau de Paradis | 180 |
| Le moineau des Indes à tete jaune | 189 |
| Le pinson à collier | 172 |
| Le moineau de la Chine à la poitrine | |
| blanche -/- | 355 |
| Le moineau frise jaune et noir, et le moi- | |
| neau du Brefil | 271 |
| Le gros-bec de Malacca - | 306 |
| Le gros-bec noir | 35 2 |
| Le moineau appellé Gowry | 40 |
| Les moineaux de la Chine | 43 |
| La petite pivoine brune - | 83 |
| Des Oiseaux qui ont des becs d'une epaisseur medi | iocre, |
| et qui se nourissent de graines. | |
| La groffe pivoine male | 123 |
| La femelle de la grosse pivoine | 124 |
| La grande pivoine | 82 |
| Le shirley - | 342 |
| Les becs croisés, male et femelle | 303 |
| Le dominicain cardinal | 127 |
| La Calandre | 268 |
| Les ortolans de la caroline - | 291 |
| | Te |

[202]

| The ichomburger | 8, |
|--|-----|
| The red-breafted black-bird | 267 |
| The white-throated sparrow | 304 |
| The red-breafted long-tailed finch | 86 |
| The long-tailed fparrow | 270 |
| The yellow red-pole, and the black gros- | |
| beak 1 2. 1 1 2 2. | 352 |
| The Indian green-finch | 84 |
| The grenadier | 178 |
| The green gold-finch | 128 |
| The green gold-finch | 272 |
| Black sparrows, cock and hen | 353 |
| Two forts of linnets from Angola | 129 |
| The snow-bird from Hudson's Bay | 126 |
| The yellow headed linnet | 44 |
| Mountain sparrows, cock and hen | 269 |
| The painted finch, cock and hen | 273 |
| Other figures of the next above | 130 |
| The American gold-finch, cock and hen | 274 |
| The little sparrow, and the wax-bill | 351 |
| Another wax-bill | 179 |
| The black linnet, and the olive-coloured | |
| linnet - | 362 |
| The Jacarini | 306 |
| The dusky linnet | 270 |
| | The |

[203]

| Le schomburger, sorte d'alouette de l'A. | |
|--|-----|
| merique | 85 |
| La merle à gorge rouge | 267 |
| Le moineau à gorge blanche | 304 |
| Le rouge-gorge à longue queüe. | 86 |
| Le moineau à longue queüe | 270 |
| Le rouge-tete jaune, et le gros-bec noir | 352 |
| Le verdier des Indes | 84 |
| Le grenadier | 178 |
| Le chardonneret vert | 128 |
| Le chardonneret vert | 272 |
| Les moineaux noirs, male et femelle | 353 |
| Deux differentes linottes d'Angola | 129 |
| L'oiseau de neige de la Bay de Hudson | 126 |
| La linotte à tete jaune | 44 |
| Moineaux de montagne, male et femelle | 269 |
| Le pinson peint, male et femelle | 273 |
| Autres figures des memes oiseaux | 130 |
| Le chardonneret Ameriquain, male et fe- | |
| melle - | 274 |
| Le petit moineau, et le bec de cire | 351 |
| Un autre bec de cire | 179 |
| Le tangara noire, et le tangara olive | 362 |
| Le jacarini | 306 |
| La linorte brune | 270 |
| | Le |

[204]

| The grey finch | i Branco | 179 |
|-----------------------------------|---|--------|
| The blue-bellied finch | | 131 |
| The red and blue Brafilian finch | | 191 |
| The amadavad - | - : , , , , | 355 |
| Of water-fowls in general: and fu | rst of the ci | loven- |
| footed water-fowls that wade in J | hallow was | ters. |
| Cranes. | | |
| The greater Indian crane | - | 45 |
| The hooping crane from Hudson | 's Bay | 132 |
| The brown and ash-coloured cran | ie. | 133 |
| The crowned African crane | - 1 | 192 |
| The demoiselle of Numidia | - | 134 |
| Herons. | | |
| The ash-coloured heron from No | rth-Ame- | |
| rica | ₹ . | 135 |
| The bittern from Hudson's Bay | | 136 |
| The little brown bittern | | 275 |
| Birds with longish bills bent d | lownward. | |
| The bill of the Egyptian ibis | | 105 |
| The leffer ibis | - 4 | 356 |
| The leffer curlew - | • · · · · · · · · · · · · · · · · · · · | 307 |
| Birds with straight, long, sle | nder bills. | |
| The great American godwit | | 337 |
| The red-breafted godwit | - | 138 |
| | | The |
| | | |

[205]

| Le pinfon gris | 179 |
|---|--------|
| Le pinson au ventre bleu | 131 |
| Le pinson rouge et bleu du Bresil | 191 |
| L'amadavad | 355 |
| Des oiseaux-aquatiques en generel: et en premie | r lieu |
| des oiseaux aux pieds fendus qui vont dans les | eaux |
| peu profonds. | |
| Grues. | |
| La grande grue des Indes - | 45 |
| La grue de la Baye de Hudson | 132 |
| La grue brune et cendrée | 133 |
| La grue panachée de l'Afrique | 192 |
| La demoiselle de la Numidie | 134 |
| Des Herons. | |
| Le heron cendré de l'Amerique Septen- | |
| trionale | 135 |
| Le butor de la Baye de Hudson | 136 |
| Le petit butor brun | 275 |
| Des Oiseaux qui ont des becs longs recourbés en | bas. |
| Le bec de l'ibis | 105 |
| Le petit ibis | 356 |
| Le petit corlieu | 307 |
| Des Oiseaux qui ont des becs droits, longs et m | inces. |
| Le grand francolin de l'Amerique | 137 |
| Le francolin à poitrine rouge | 138 |
| | Le |

[206]

| The white godwit, and the white redshank | |
|--|-----------|
| or pool-fnipe | 39 |
| The knot | 76 |
| The spotted tringa 2 | 77 |
| Birds with scolloped fins on the sides of their toe. | s. |
| The coot-footed tringa | 46 |
| The red coot-footed tringa - 1 | 42 |
| The cock coot-footed tringa - 1 | 43 |
| The grey coot-footed tringa - 3 | 08 |
| Short-billed cloven-footed water-birds. | |
| The black-breafted Indian plover | 47 |
| The spur-winged plover - 28 | 80 |
| The fpotted plover - 1 | 40 |
| The turn-stone from Hudson's Bay | 4 I |
| Water-hens. | |
| The pulple water-hen | 87 |
| The first Brasilian water hen of Marcgrave 3: | 57 |
| The spur-winged water-hen | 48 |
| The little American water-hen | 44 |
| The little water-hen of Jamaica 27 | 78 |
| The American water-rail | 79 |

[207]

| Le francolin blanc, et la beccassine blanche | 139 |
|---|--------|
| Le canut | 276 |
| Le tringa tacheté | 277 |
| Des Oiseaux qui ont des membranes edentelée. | s aux |
| cotés des doigts. | |
| Le tringa au pie de foulque - | 46 |
| Le tringa rouge aux pattes de la foulque | |
| d'eau | 142 |
| Le tringa male aux pattes de la foulque | 143 |
| Le tringa gris de fer, &c. | 308 |
| Des Oiseaux-aquatiques, qui ont les becs courts | et les |
| pieds fendus. | |
| Le pluvier des Indes à la gorge noire | 47 |
| Le pluvier aux ailes eperonnées | 280 |
| Le pluvier moucheté | 140 |
| Tourne-pierre de la Baye de Hudson | 141 |
| Des Poules d'eau. | |
| La poule fultane ou lé bluet | 87 |
| La premier poule d'eau du Bresil de Marc- | |
| graye | 357 |
| La poule d'eau aux ailes eperonnées | 48 |
| La petite foulque d'eau de l'Amerique | 144 |
| La petite poule d'eau | 278 |
| Le râle d'eau de l'Amerique | 279 |
| | |

[208]

| Web-footed Birds, baving only three toes stand | ding |
|---|-------|
| forward. | |
| The albatross | 8.8 |
| The northern penguin | 147 |
| The guillemot | 359 |
| The puffin of the Isle of Wight, and the | |
| auk or razor bill | 358 |
| The fpotted Greenland dove | 50 |
| The fmall black and white diver | 91 |
| Birds called Peterils, baving no back-toe, but | nails |
| or spurs on their heels. | |
| The great black peteril - | 89 |
| The puffin of the Isle of Man | 359 |
| The white and black spotted peteril, and | |
| the little peteril | 91 |
| The arctick bird, of kin to the peteril, sup- | |
| posed to be the male | 148 |
| The arctick bird, female - | 149 |
| Southern penguins, whose wings resemble the fir | 15 Oj |
| fishes. | |
| The penguin with red feet | 49 |
| The black-footed penguins | 94 |
| Whole-footed duckers, or loons with tails. | |
| The speckled diver or loon - | 146 |
| The red-throated ducker or loon - | 97 |
| Clo | ven- |

[209]

| Des Oiseaux qui ont des membranes aux pieds, et dont |
|---|
| les doigts sont placés devant, |
| L'albatross 88 |
| Le penguin du nord |
| Le guillemot - 359 |
| Le plongeon de mer de l'Isle de Wight, et |
| le bec de razoir - 358 |
| La colombe tachetée de Groenland 50. |
| Le petit plongeon noir et blanc |
| Des Oiseaux appellés Peterils, qui n'ont point de doigt |
| en arriere, mais qui ont des ongles ou des especes |
| d'ergots sur le talon. |
| Le grand pierrot, oiseau de tempête 89 |
| Le puffin de l'Isle de Man - 359 |
| Le pierrot tacheté, et le petit pierrot 91 |
| L'oiseau arctique, le male - 148 |
| L'oiseau artique, la femelle 149 |
| Des penguins du sud, dont les ailes resemblent aux |
| nageoires des poissons. |
| Le penguin aux pieds rouges - 49 |
| Les penguins aux pieds noirs 94 |
| Des plongeons aux pieds entiers, ou des plongeons à |
| queües. |
| Le plongeon marqueté 146 |
| Le plongeon rouge-gorge - 97 |
| P Cloven- |

[210]

| Claman footed duchan mithaut tails | |
|--|-------|
| Cloven-footed duckers without tails. | |
| The great dobchick from the Lake of Ge- | |
| neva | 360 |
| The black and white dobchick, and the | |
| eared dobchick - | 96 |
| The eared or horned dobchick | 145 |
| Birds with four toes, all webbed together. | |
| The pelican | 92 |
| The pelican of America | 93 |
| The man of war bird | 309 |
| The tropic bird | 149 |
| Whole-footed birds with narrow bills, booked a | t the |
| end, and toothed, called in Latin Mergi. | |
| The red-breafted goofander - | 95 |
| The round-crefted duck | 360 |
| Swans and Geese. | |
| The tame fwan, and the wild fwan, called | |
| an Elk | 150 |
| The Canada goose | 151 |
| The blue-winged goofe - | 152 |
| The laughing goofe | 153 |
| Ducks in general. | |
| The great black and white duck, with his | |
| female called the Elder | 98 |
| The dusky and spotted duck - | 99 |
| - | The |

[211]

| Des plongeons aux pieds fendus, et qui sont sans | |
|--|----|
| queües. | |
| La groffe grebe du Lac de Geneve 36 | 0 |
| La foulque noir et blanche, et la foulque | |
| oreillée 9 | 6 |
| La foulque à aigrettes ou à cornes | -5 |
| Des Oiseaux qui ont quatre doigts, liés tous ensemb | le |
| par une membrane. | |
| Le pelican | 2 |
| Le pelican de l'Amerique | 3 |
| La fregate - 30 | 9 |
| L'oiseau tropique - 14 | 9 |
| Des oiseaux aux pieds entiers, et qui ont des be | cs |
| etroits courbés vers le bout, et edentelés, et qui soi | nt |
| appelles en Latin Mergi. | |
| Le plongeon à la poitrine rouge | 95 |
| Le canard à la crete ronde - 36 | io |
| Des cignes et des oies. | |
| Le cigne privé, et le cigne sauvage | 0 |
| L'oie du Canada 1 | 51 |
| L'oie aux ailes bleues 18 | 52 |
| L'oie moqueuse - 19 | 3 |
| Des canards en general. | |
| Le grand canard noir et blanc | 8 |
| Le Canard brun et tacheté | 99 |
| P 2 | Le |

| The grey-headed duck | 154 |
|--|------|
| The great black duck from Hudson's | |
| Bay | 155 |
| The long-tailed duck from Newfoundland | 280 |
| The long-tailed duck from Hudson's Bay, | |
| fupposed to be the female of the next | |
| above | 156 |
| The little black and white duck | 100 |
| The fummer duck of Catefby - | 101 |
| The Chinese teal | 102 |
| The red-billed whiftling duck, supposed to | |
| be the male | 194 |
| The black-billed whiftling duck, supposed | |
| be the female | 193 |
| The little brown and white duck | 157 |
| Parts of birds. | |
| Four curious beaks of birds, but little | e |
| known | 28 I |
| HAR HAR HAR HAR HAR | ar. |
| Of man. | |
| The hand of a boy with a diftempered skin | 212 |
| Of four footed beasts: | |
| And first of monkeys. | |
| The man of the woods | 213 |
| | The |

[213]

| Le canard à la tete grise | 154 |
|--|------|
| Le gros canard noir de la Baye de Hudson | 155 |
| Le canard à longue queüe de Terre-neuve | 280 |
| Le canard à longue queüe de la Baye d | e |
| Hudfon | 156 |
| Le petit canard noir et blanc | 100 |
| Le canard d'eté de Catesby - | 101 |
| La cercelle de la Chine | 102 |
| Le canard fiflant au bec rouge | 194 |
| Le canard fiflant au bec noir | 193 |
| Le petit canard brun et blanc | 157 |
| Parties des oiseaux. | |
| Quatre becs d'oiseaux peu connus | 28 I |
| | |
| AR FAR FAR FAR FAR | .R. |
| De l'homme. | |
| La main d'un petit garçon, qui avoit une | |
| maladie de la peau | 212 |
| Des quadrupedes: | |
| Et premierement des singes. | |
| L'homme fauvage | 213 |
| | Le |

| The pig-tailed monkey | 214 |
|--|--------|
| The middle-fized black monkey | 311 |
| The St. Jago monkey - | 215 |
| The bush-tailed monkey | 312 |
| Animals of kin to monkeys. | |
| The maucauco - | 197 |
| The mongooz | 216 |
| The black maucauco | 217 |
| Small monkeys approaching to the nature of Squin | rrels, |
| The little lion-monkey - | 195 |
| The little black monkey | 196 |
| The fanglin, or cagui minor | 218 |
| Squirrels. | |
| The Barbarian fquirrel | 198 |
| The flying fquirrel | 191 |
| The ground fquirrel | 181 |
| Beasts of kin to rabbits. | |
| The gerbua | 219 |
| The Guiney-pig | 294 |
| The dormoufe - | 266 |
| Animals with broad fore-teeth that gnaw. | |
| The porcupine from Hudson's Bay | 52 |
| The monax, or marmotte of America | 104 |

[215]

| Le finge à queüe de couchon | 214 |
|--|-------|
| Le finge noir de moyenne groffeur | 311 |
| Le finge de l'Isle de St. Jaques | 215 |
| Le finge à queüe touffuë - | 312 |
| Des animaux approchans des singes. | |
| Le maucauco - | 197 |
| Le mongous - | 216 |
| Le maucauco noir | 217 |
| Des petits singes, qui ont quelque affinité au | ux |
| ecureuils. | |
| Le petit singe-lion à tete grise | 195 |
| Le petit finge noir | 196 |
| Le fanglin, ou cagui minor | 218 |
| Des ecureuils. | |
| L'ecureuil de Barbaire - | 198 |
| L'ecureuil volant | 191 |
| Le petit ecureuil de terre rayé | 181 |
| Des animaux, qui ont une affinité aux lapins. | |
| Le gerbua | 219 |
| Le cochon d'Inde | 294 |
| Le loir | 266 |
| Des animaux qui ont des larges dents de devant | t, et |
| qui rongent. | |
| Le porc-epic de la Baye de Hudson | 52 |
| Le monax, ou la marmotte d'Amerique | 104 |
| | Des |

[216]

| Animals difficult to be classed. | |
|---|--------|
| The floth | 310 |
| The little ant-eater | 220 |
| The fpotted mole | 268 |
| Beafts of prey. | |
| The quick-hatch, or wolverene | 103 |
| The Indian ichneumon - | 199 |
| Flying quadrupeds, or bats. | |
| The greater bat from Madagascar | 180 |
| Three fmall bats | 201 |
| Coven-hoofed beasts that chew the cud. | |
| The Greenland buck | 51 |
| The little Indian buffalo - | 200 |
| Animals with folid hoofs. | |
| The male zebra | 222 |
| The female zebra | 223 |
| Great beasts that will not class with any other | ers. |
| The elephant, and the rhinoceros | 221 |
| Quadrupeds, many of them of an amphibious n | ature, |
| that propagate their species by eggs. | |
| Tortoises. | |
| The African land-tortoife | 204 |
| The land-tortoife from Carolina | 205 |
| | The |

[217]

| Des animaux dont il est dissicile de determiner en | <i>quelle</i> |
|--|---------------|
| classe de genres de les placer. | |
| Le pareffeux | 310 |
| Le mangeur de fourmis minor | 220 |
| Une taupe tachetée | 268 |
| Des betes de proye. | |
| Le petit-ours, ou louveteau | 103 |
| L'ichneumon des Indes - | 199 |
| Des quadrupedes volants, ou des chauves-sour | is. |
| La grande chauve-fouris de Madagascar | 180 |
| Trois petires chauves-fouris - | 201 |
| Des betes à pattes fendues, et qui ruminent | |
| Le daim de Groenlande | 51 |
| Le petit buffle des Indes | 200 |
| Des animaux aux pattes entieres. | |
| Le zebre male - | 222 |
| La zebre femelle | 223 |
| Des gros animaux qui ne peuvent se ranger da | ns le |
| meme genre avec aucun autre. | |
| L'elephant, et le rhinoceros - | 22 I |
| Des quadrupedes dont plusieurs sont amphibies, e | et qui |
| multiplient leur espece par les oeufs. | |
| Des tortues. | |
| La tortue de terre de l'Afrique | 204 |
| La tortue de terre de la Caroline | 205 |
| , | La |

[218]

| The fmall mud-tortoise - | 287 |
|---|-----|
| The fea-tortoife | 206 |
| · Lizards. | |
| The large green and spotted lizard | 202 |
| The great spotted lizard with a forked tail | 203 |
| The blue lizard | 245 |
| The Guernsey lizard | 247 |
| The thorn-tailed Indian lizard - | 190 |
| The little brown lizard - | 225 |
| The fmall fpotted grey lizard - | 204 |
| Serpents. | |
| The black and white Indian snake | 290 |
| The double-headed fnake - | 207 |
| The fmall black and red fnake | 349 |
| Fishes: | |
| And first of sea-fish. | |
| The prickled dog or hound-fish - | 288 |
| The greater cat-fish | 289 |
| The fea-bat | 283 |
| The ribband-fish | 210 |
| The pyed acarauna | 383 |
| The flying fish | 210 |
| The spur-fish, and the Indian gattorugina | 282 |
| • | The |

[219]

| La petite tortue de marécage - | 287 |
|--|-----|
| La tortue de mer | 206 |
| Des lezards. | |
| Le gros lezard verd et moucheté | 202 |
| Le gros lezard moucheté à queüe fourchue | 203 |
| Le lezard bleu | 245 |
| Le lezard de Guernsey | 247 |
| Le lezard des Indes à queüe d'epine | 190 |
| Le petit lezard brun - | 225 |
| Le petit lezard gris et mouchetê | 204 |
| Des serpents. | |
| Le serpent noir et blanc des Indes | 290 |
| Le serpent à deux tetes | 207 |
| Le petit serpent rouge et noir | 349 |
| Des poissons: | |
| Et en premier lieu des poissons de mer. | |
| Le chien de mer eperonné - | 288 |
| Le chat de mer majeur | 289 |
| Le chauve-fouris de mer | 283 |
| Poiffon rayé - | 210 |
| L'acarauna noir et blanc | 383 |
| Le poisson volant | 210 |
| Le poisson eperonné, et le gattorugina des | |
| Indes = = | 282 |
| | Lè |

[220]

| The fea-scorpion, and the horned-fish | 284 |
|---|-----|
| The fucking-fifh | 210 |
| River-fish. | |
| The mango-fish | 208 |
| Gold-fishes from China, of four forts | 209 |
| Chinese fish | 309 |
| Insects in general: | |
| Of beetles. | |
| The rhinoceros beetle | 324 |
| Horned Indian beetles, male and female | 105 |
| The forceps-beetle from the East-Indies | 40 |
| The goat-beetle | 305 |
| The fmall black and yellow beetle | 178 |
| The first whistle-beetle | 178 |
| The fecond whiftle-infect - | 285 |
| The fire-fly or beetle - | 120 |
| Locusts. | |
| The greatest locust | 322 |
| The great brown locust | 208 |
| The fearlet locust | 2 2 |
| The walking-flick | 288 |
| The fecond walking-stick | 347 |
| | The |

[221]

| Le scorpion de mer, et le poisson cornu | 284 |
|--|-----|
| La remore | 210 |
| Des poissons de riviere. | |
| Le poiffon appellé mango | 208 |
| Quatre especes de poissons dorés de la | |
| Chine | 209 |
| Poisson de la Chine | 309 |
| Des insectes en general: | • / |
| Des escarbots. | |
| L'escarbot rhinoceros | 324 |
| Les escarbots cornus des Indes, le male et | , |
| la femelle | 105 |
| L'escarbot aux forces des Indes Orientales | 40 |
| Le scarabée chevre | 305 |
| L'escarbot noir et jaune | 178 |
| Le premier scarabée sifflant | 178 |
| Le fecond scarabée fifflant | 285 |
| La mouche a lantérne | 120 |
| Des sauterelles. | |
| La grande fauterelle | 322 |
| La grande fauterelle brune | 208 |
| La fauterelle rouge | 22 |
| L'infecte appellé le baton-marchant | 288 |
| Le fecond baton-marchant | |
| - | 347 |
| | La |

222

| The walking-leaf | 258 |
|--|-------------|
| The greater cock-roach | 285 |
| Flies with transparent wings. | |
| The Amboyna fly | 36 |
| The libellula fly with a blue tail | 333 |
| The green-winged libellula | 112 |
| The little libellula | 174 |
| The vegetating bee or wasp, first species | 3 35 |
| The vegetating wasp, second species | 336 |
| The blue bee | 254 |
| The little blue bee | 21 |
| A species of musqueto - | 43 |
| The hairy blue flesh-fly - | 347 |
| Swallow-tailed butterflies. | - |
| The great dusky swallow-tailed butterfly | |
| from China | 346 |
| The Chinese dusky swallow-tailed butterfly | 342 |
| The dufky and yellow fwallow-tailed but- | |
| terfly | 34 |
| The black and yellow fwallow-tailed but- | |
| terfly | 343 |
| The double swallow-tailed butterfly | 81 |

[223]

| La feuille-ambulante | 258 |
|--|-----|
| Le grand cerf-volant | 285 |
| Des mouches qui ont des ailes transparentes | |
| La gigale d'Amboine | 36 |
| Le libellula bleu | 333 |
| Le libellula aux ailes vertes - | 112 |
| Le petit libellula | 174 |
| L'abeille ou la guepe vegetante, la premiere | |
| efpece | 335 |
| La guepe vegetante, la seconde espece | 336 |
| L'abeille bleue | 254 |
| La petite abeille bleue | 21 |
| Une espece de mosquito | 43 |
| La mouche de la chair bleue et velue | 347 |
| Des papillons à queüe d'hirondelle. | |
| Le gros papillon noiratre à queüe d'hiron- | |
| delle de la Chine | 346 |
| Le papillon noiratre de la Chine à queïe | |
| d'hirondelle | 342 |
| Le papillon jaune et sombre à queüe d'hi- | |
| rondelle | 34 |
| Le papillon jaune et noir à queüe d'hi- | |
| rondelle | 343 |
| Le papillon double queüe d'hirondelle | 8 I |
| | Des |

[224]

| Butterfiles having the eages of their wings wave | ea or |
|--|-------|
| scolloped. | |
| The spotted tortoise butterfly | 299 |
| The peacock butterfly from China | 82 |
| The brown butterfly | 29 |
| Black butterflies with red fpots | 207 |
| Black and yellow Chinese butterflies | 32 |
| The black and white Indian butterfly | 33 |
| The black and blue Chinese butterfly | 26 |
| The little dusky butterfly with yellow spots | 178 |
| Butterflies whose wings have no scollops on the | eir |
| edges. | |
| The white, black, and red butterfly | 128 |
| The yellow butterfly | 304 |
| The orange-coloured butterfly | 189 |
| The black and white Chinese butterfly | 184 |
| The yellow butterfly | 253 |
| The fmall yellow butterfly | 306 |
| The yellow and black butterfly | 340 |
| The little black and white butterfly | 226 |
| The currant-bush butterfly | 202 |
| The fmall white and orange_coloured but- | |
| terfly | 124 |
| The brown and white spotted butterfly | 35 |
| · | The |

[225]

| Des papillons qui ont les bords de leurs ailes or | idoyes |
|---|-----------------|
| ou edentelées. | |
| Le papillon tortuë marqueté - | 299 |
| Le papillon paon de la Chine | 84 |
| Le papillon brun | 297 |
| Les papillons noirs avec des taches rouges | 207 |
| Des papillons Chinois noirs et jaunes | 37 |
| Le papillon noir et blanc des Indes | 33 |
| Le papillon Chinois noir et bleu | 26 |
| Le petit papillon noiratre avec des taches | |
| jaunes | 178 |
| Des papillons dont les ailes ne sont point edes | ntelée s |
| aux bords. | |
| Le papillon blanc, noir, et rouge | 128 |
| Le papillon jaune | 304 |
| Le papillon couleur d'orange - | 189 |
| Le papillon Chinois noir et blanc | 184 |
| Le papillon jaune | 253 |
| Le petit papillon jaune | 306 |
| Le papillon jaune et noir | 340 |
| Le petit papillon noir et blanc | 226 |
| Le papillon des grofeilliers | 202 |
| Le petit papillon blanc et couleur d'orange | 125 |
| Le papillon brun et tacheté de blanc | 35 |
| 0 | La |

[226]

| The orange-coloured fly with black fpots | 175 |
|---|-----|
| The dufky and red butterfly - | 38 |
| The fmall dusky and red butterfly | 271 |
| The black and yellow butterfly from Mont | - |
| ferrat | 80 |
| The little blue butterfly | 355 |
| Moths | |
| The orange-coloured moth with black fpots | 318 |
| The fmall ash-coloured moth | 272 |
| The finall white moth | 122 |
| The fmall cream-coloured moth | 264 |
| The golden-fludded caterpillar | 179 |
| Trees, shrubs, and flowers. | |
| The cedar of Libanus | 188 |
| The pomegranate | 350 |
| The red-heart cherry | 125 |
| The apple-fervice | 211 |
| A branch of the common fervice-tree | 212 |
| The white-thorn or haw-thorn | 18 |
| The strawberry-tree (Arbutus.) | 323 |
| The Chinese rose - | 67 |
| The Narcissus Jacoba | 131 |
| The gentian of the Defart | 255 |
| | The |

[227]

| La mouche couleur d'orange avec des taches | |
|---|-----|
| noires | 175 |
| Le papillon noiratre et rouge - | 38 |
| Le petit papillon noiratre et rouge | 271 |
| Le papillon noir et jaune de Montserrat | 80 |
| Le petit papillon bleu | 355 |
| Les tignes. | |
| La tigne couleur d'orange avec des taches | \$ |
| noires | 318 |
| La petite tigne cendrée | 272 |
| La petite tigne blanche - | 122 |
| La petite tigne couleur de creme | 264 |
| La chenille qui a des bosses couleur d'or | 179 |
| Les arbres, les arbrisseaux, et les fleurs. | |
| Le cedre de Liban | 188 |
| Le grenadier | 350 |
| La cerise vermeille | 125 |
| La corme ou la forbe | 211 |
| Branche de cormier commun | 212 |
| L'aubepine - | 18 |
| L'arbousier | 323 |
| La rose de la Chine | 67 |
| Le Narcisse Jacobee | 131 |
| La Gentiane du Desert | 255 |
| | Le |

[228]

| The fmall blue convolvulus 2 242 |
|--|
| The fmall purplish bind-weed 260 |
| Elichrysum Africanum, foliis lanceolatis, in- |
| tegris, tomentosis decurrentibus, capitulis |
| congestis, ex rubello aureis |
| The water may-flower |
| The Scythian lamb, a fort of moss fo |
| called 255 |
| Corallines, polypes, sea-insects, and other marine |
| substances. |
| The common red coral 93 |
| The red organ coral 93 |
| The brown jointed coral |
| The yellow coralline shrub, and the rose-co- |
| loured coralline shrub |
| The herring-bone coralline 286 |
| The white bell-coral - 94 |
| The brown paper-moss - 307 |
| The red paper-moss - 309 |
| The red feather-moss 359 |
| The balanus of the whale with polypes 286 |
| The animal plant or polype - 356 |
| The limax marina, and the hairy crab 286 |
| The black and yellow striped snail 218 |
| A flone |

[229]

| Le petit convolvulus bleu | 242 |
|--|---------|
| Smilax lenis minor | - 260 |
| Elichryfum Africanum, foliis lanceolat | is, |
| integris, tomentofis decurrentibus, o | ca- |
| pitulis congestis, ex rubello aureis | 183 |
| La fleur blanche qui croit dans les eau | X 102 |
| L'agneau de la Scythie - | 255 |
| Les corallines, les polypes, les insectes de | mer, et |
| autres substances marines. | |
| Le corail rouge | 98 |
| Le corail rouge | 93 |
| Le corail brun noué | |
| L'arbrisseau corallin jaune, et l'arbrisse | au |
| corallin couleur de rose | 49 |
| Le corail en forme d'arête de harang | 286 |
| Le corail blanc | 94 |
| La mouffe brune - | 307 |
| L'urac rouge | 309 |
| La mouffe rouge | 359 |
| Le balanus de la baleine avec des polyp | es 286 |
| La plante animale ou le polype - | 356 |
| Le limacon marin, et l'ecrevisse veluë | 286 |
| Le limacon rayé noir et jaune - | 218 |
| | Une |

| A stone of the Giants Causeway in Ireland | 258 |
|---|-----|
| A view of Stone-henge near Salisbury | 74 |
| A map of part of Europe, wherein are | |
| described the voyages and travels of | |
| the author, both by land and by wa- | |
| ter, to the year 1746 | 105 |

FINIS.

[231]

| Une pierre de la chaussée des géans en | |
|---|-----|
| Irlande | 258 |
| Vue de Stone-henge près de Salisbury | 74 |
| Carte d'une partie de l'Europe, ou sont | |
| tracés des voyages de l'auteur tant par | |
| terre que par mer, jusqu' a l'an 1746 | 105 |

FINIS.









